

Atlas Copco

Oil-injected compressors



GA 11+, GA 15+, GA 18+, GA 22+, GA 26+, GA 30

Parts List



<https://apsair.ru>

Atlas Copco

Oil-injected compressors

GA 11+, GA 15+, GA 18+, GA 22+, GA 26+, GA 30

Parts List

From following serial number onwards: API 418 000 up to API 418 822,
starting from serial number API 333 672

30/04/2020
No. 2930 7167 11



<https://apsair.ru>



Instructions	6
1 Service Kits	20
2 Oil.....	26
3 Drive train.....	28
3.1 Element.....	28
3.2 Motor (GA 11+ - 460V/60Hz, (230V, 380V/60Hz) IEC, (200-230-460V/60Hz, 575V/60Hz) UL-cUL), (GA 15+ - 460V/60Hz, (230V/50Hz, 380V/60Hz) IEC, 575V/60Hz UL-cUL), (GA 18+ - 460V/60Hz, (230V, 380V/60Hz), 200-230-460V/60Hz UL-cUL), (GA 22+ - 460V/60Hz, 230V IEC, 575V/60Hz UL-cUL).....	30
3.3 Motor GA 11+, GA 15+, GA 18+, GA 22+ - 400V-400V+N/50Hz IEC.....	34
3.4 Motor GA 15+ - 230V/60Hz IEC, GA 18+ - 575V/60Hz UL-cUL, GA 22+ - 380V/60Hz IEC.....	38
3.5 Motor GA 15+, GA 22+ - 200-230-460V/60Hz UL-cUL.....	40
3.6 Motor GA 26+, GA 30 - (230V/50Hz, 230V-380V-460V/60Hz) IEC, 460V-575V/60Hz UL-cUL.....	42
3.7 Motor GA 26+ - 200-230-460V/60Hz UL-cUL, 400V-400V+N/50Hz IEC, GA 30 - (200V/60Hz, 230-460V/60Hz) UL-cUL, 400V-400V+N/50Hz IEC.....	44
3.8 Gears.....	48
4 Air system.....	52
4.1 Air Filter.....	52
4.2 Air Inlet.....	54
4.3 Unloader Valve.....	56
4.4 Vessel assembly CE - 7.5bar, 8.5bar, 10bar, 13bar (21/08/2018 - 30/12/2019).....	58
4.5 Vessel assembly CE - 7.5bar, 8.5bar, 10bar, 13bar (31/12/2019 - ...).....	64
4.6 Vessel assembly AD 2000 - 7.5bar, 8.5bar, 10bar, 13bar.....	70
4.7 Vessel assembly AS 1210 - 7.5bar, 8.5bar, 10bar, 13bar, CRN - 7.4bar, 9.1bar, 10.8bar, 12.5bar.....	74
4.8 Vessel assembly ASME - 7.4bar, 9.1bar, 10.8bar, 12.5bar.....	82
5 Cooling system.....	90
5.1 Cooler	90
5.2 Fan (GA 11+ - (230V, 380V-460V/60Hz) IEC, (200-230-460V/60Hz, 460V-575V/60Hz) UL-cUL), (GA 15+ - (230V/50Hz, 380V-460V/60Hz) IEC, 460V-575V/60Hz UL-cUL), (GA 18+, GA 26+ - (230V, 380V-460V/60Hz) IEC, (200-230-460V/60Hz, 460V/60Hz) UL-cUL), (GA 22+ - (230V, 460V-60Hz) IEC, 460V-575V/60Hz UL-cUL), GA 30 - (230V, 380V-460V/60Hz) IEC, 460V-575V/60Hz UL-cUL.....	92
5.3 Fan GA 15+ - 230V/60Hz IEC, GA 18+ - 575V/60Hz UL-cUL, GA 22+ - 380V/60Hz IEC.....	96
5.4 Fan GA 11+-30 - 400V-400V+N/50Hz IEC, GA 15+, GA 22+, GA 26+ - 200-230-460V/60Hz UL-cUL, GA 30 - (200V/60Hz, 230-460V/60Hz) UL-cUL.....	98
6 Liquid filtration.....	102
7 Condensate drain Pack.....	134
8 Condensate drain Full-Feature.....	136
9 Fluid transport.....	138

10	Fluid transport - Air dryer ID 40 - (GA 11+, (GA 15+ - 12.5bar, 13bar)).....	140
11	Fluid transport - Air dryer ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar)).....	144
12	Loose parts Pack.....	150
13	Loose parts Full-Feature - ID 40 - (GA 11+, (GA 15+ - 12.5bar, 13bar)).....	152
14	Loose parts Full-Feature - ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar)).....	154
15	Air dryer.....	156
15.1	Assembly ID 40.....	156
15.2	Assembly ID 73.....	164
15.3	Assembly ID 96.....	172
15.4	Components ID 40 ((GA 11+ - 7.5bar, 8.5bar, 10bar, 13bar), (GA 15+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (01/08/2017 - 09/06/2018).....	180
15.5	Components ID 40 ((GA 11+ - 7.5bar, 8.5bar, 10bar, 13bar), (GA 15+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (10/06/2018 - 28/02/2019).....	184
15.6	Components ID 40 ((GA 11+ - 7.5bar, 8.5bar, 10bar, 13bar), (GA 15+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (01/03/2019 - ...).....	192
15.7	Components ID 40 - ((GA 11+ - 7.4bar, 9.1bar, 10.8bar, 12.5bar) , (GA 15+ - 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V-575V/60Hz UL-cUL (10/06/2018 - 28/02/2019).....	196
15.8	Components ID 40 - ((GA 11+ - 7.4bar, 9.1bar, 10.8bar, 12.5bar) , (GA 15+ - 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V-575V/60Hz UL-cUL (01/03/2019 - ...).....	206
15.9	Components ID 73 - (GA 15+ - 7.5bar, 8.5bar, 10bar), ((GA 18+, GA 22+) - 7.5bar, 8.5bar, 10bar, 13bar), (GA 26+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (01/08/2017 - 09/06/2018).....	214
15.10	Components ID 73 - (GA 15+ - 7.5bar, 8.5bar, 10bar), ((GA 18+, GA 22+) - 7.5bar, 8.5bar, 10bar, 13bar), (GA 26+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (10/06/2018 - 28/02/2019).....	220
15.11	Components ID 73 - (GA 15+ - 7.5bar, 8.5bar, 10bar), ((GA 18+, GA 22+) - 7.5bar, 8.5bar, 10bar, 13bar), (GA 26+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (01/03/2019 - ...).....	228
15.12	Components ID 73 - ((GA 15+ - 7.4bar, 9.1bar, 10.8bar), ((GA 18+, GA 22+) - 7.4bar, 9.1bar, 10.8bar, 12.5bar), (GA 26+ - 10.8bar, 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL (10/06/2018 - 28/02/2019).....	232
15.13	Components ID 73 - ((GA 15+ - 7.4bar, 9.1bar, 10.8bar), ((GA 18+, GA 22+) - 7.4bar, 9.1bar, 10.8bar, 12.5bar), (GA 26+ - 10.8bar, 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL (01/03/2019 - ...).....	242
15.14	Components ID 73, ID 96 - ((GA 15+ - 7.4bar, 9.1bar, 10.8bar), (GA 18+, GA 22+, GA 26+, GA 30 – 7.4bar, 9.1bar, 10.8bar, 12.5bar)) – 575V/60Hz UL-cUL (10/06/2018 - 28/02/2019).....	246
15.15	Components ID 73, ID 96 - ((GA 15+ - 7.4bar, 9.1bar, 10.8bar), (GA 18+, GA 22+, GA 26+, GA 30 – 7.4bar, 9.1bar, 10.8bar, 12.5bar)) – 575V/60Hz UL-cUL (01/03/2019 - ...).....	250
15.16	Components ID 96 - ((GA 26+ - 7.5bar, 8bar), (GA 30 – 7.5bar, 8.5bar, 10bar, 13bar)) – 230V-400V-400V+N/50Hz IEC (01/08/2017 - 09/06/2018).....	254

15.17	Components ID 96 - ((GA 26+ - 7.5bar, 8bar), (GA 30 – 7.5bar, 8.5bar, 10bar, 13bar)) – 230V-400V-400V+N/50Hz IEC (10/06/2018 - 28/02/2019).....	260
15.18	Components ID 96 - ((GA 26+ - 7.5bar, 8bar), (GA 30 – 7.5bar, 8.5bar, 10bar, 13bar)) – 230V-400V-400V+N/50Hz IEC (01/03/2019 - ...).....	270
15.19	Components ID 96 - (GA 26+ - 7.4bar, 9.1bar – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL), (GA 30 – 7.4bar, 9.1bar, 10.8bar, 12.5bar – 230V-380V-460V/60Hz IEC, 200V-230-460V-460V/60Hz UL-cUL) (10/06/2018 - 28/02/2019).....	276
15.20	Components ID 96 - (GA 26+ - 7.4bar, 9.1bar – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL), (GA 30 – 7.4bar, 9.1bar, 10.8bar, 12.5bar – 230V-380V-460V/60Hz IEC, 200V-230-460V-460V/60Hz UL-cUL) (01/03/2019 - ...).....	286
16	Regulation.....	292
16.1	Electrical components.....	292
16.2	Cubicle components GA 11+, GA 15+ - 230V IEC	296
16.3	Cubicle components GA 18+, GA 22+ - 230V IEC.....	304
16.4	Cubicle components GA 26+, GA 30 - 230V IEC.....	310
16.5	Cubicle components GA 11+, GA 15+ - 380V/60Hz IEC.....	316
16.6	Cubicle components GA 18+, GA 22+ - 380V/60Hz IEC.....	322
16.7	Cubicle components GA 26+, GA 30 - 380V/60Hz IEC.....	328
16.8	Cubicle components GA 11+ - 400V-400V+N/50Hz IEC.....	334
16.9	Cubicle components GA 15+ - 400V-400V+N/50Hz IEC.....	340
16.10	Cubicle components GA 18+ - 400V-400V+N/50Hz IEC.....	346
16.11	Cubicle components GA 22+ - 400V-400V+N/50Hz IEC.....	352
16.12	Cubicle components GA 26+ - 400V-400V+N/50Hz IEC.....	358
16.13	Cubicle components GA 30 - 400V-400V+N/50Hz IEC.....	364
16.14	Cubicle components GA 11+, GA 15+ - 460V/60Hz IEC.....	370
16.15	Cubicle components GA 18+, GA 22+ - 460V/60Hz IEC.....	376
16.16	Cubicle components GA 26+, GA 30 - 460V/60Hz IEC.....	382
16.17	Cubicle components GA 11+, GA 15+ - 200-230-460V/60Hz UL-cUL.....	388
16.18	Cubicle components GA 18+, GA 22+ - 200-230-460V/60Hz UL-cUL.....	396
16.19	Cubicle components GA 26+ - 200-230-460V/60Hz UL-cUL, GA 30 - 230-460V/60Hz UL-cUL.....	402
16.20	Cubicle components GA 30 - 200V/60Hz UL-cUL.....	408
16.21	Cubicle components GA 11+, GA 15+ - 460V/60Hz UL-cUL.....	414
16.22	Cubicle components GA 18+, GA 22+ - 460V/60Hz UL-cUL.....	420
16.23	Cubicle components GA 26+, GA 30 - 460V/60Hz UL-cUL.....	426
16.24	Cubicle components GA 11+, GA 15+ - 575V/60Hz UL-cUL.....	432
16.25	Cubicle components GA 18+, GA 22+ - 575V/60Hz UL-cUL.....	438
16.26	Cubicle components GA 26+, GA 30 - 575V/60Hz UL-cUL.....	444
16.27	Controller.....	450
17	Ammann Cubicle.....	454
17.1	Electrical components - Ammann.....	454

17.2	Cubicle components - Ammann GA 11+, GA 15+.....	456
17.3	Cubicle components - Ammann GA 18+, GA 22+.....	462
17.4	Cubicle components - Ammann GA 26+, GA 30.....	468
18	Bodywork.....	474
19	Markings.....	484
20	Standard Options.....	494
20.1	Modulating control.....	494
20.2	Energy recovery.....	498
20.3	Dryer bypass ID 40 - (GA 11+, (GA 15+ - 12.5bar, 13bar)).....	500
20.4	Dryer bypass ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar, 10bar, 10.8bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar)).....	502
20.5	Freeze protection.....	504
20.6	Heavy duty inlet filter.....	506
20.7	Pre-filter.....	508
20.8	Tropical thermostat.....	510
20.9	DD Filter ID 40 - (GA 11+, (GA 15+ - 10bar, 10.8bar, 12.5bar, 13bar)).....	512
20.10	DD Filter ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar)).....	514
20.11	DD filter - Parts DD 50+ - ID 40 - (GA 11+, (GA 15+ - 10bar, 10.8bar, 12.5bar, 13bar)).....	516
20.12	DD filter - Parts DD 130+ - ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar)).....	518
20.13	UD+ filter ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar))).....	520
20.14	UD+ filter ID 40 - (GA 11+, (GA 15+ - 10bar, 10.8bar, 12.5bar, 13bar)).....	522
20.15	UD+ filter - Parts UD 45+ - ID 40 - (GA 11+, (GA 15+ - 10bar, 10.8bar, 12.5bar, 13bar)).....	524
20.16	UD+ filter - Parts UD 140+ - ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar))).....	526
20.17	ES100 relay.....	528
20.18	HAV - Gears.....	530
20.19	HAV - Dryer connection.....	534
20.20	Thermistors & Anti-condensation heaters GA 11+, GA 15+, GA 18+, GA 22+.....	550
20.21	Thermistors & Anti-condensation heaters GA 26+, GA 30.....	554
20.22	Nema 4x GA 11+, GA 15+ - 400V IEC.....	556
20.23	Nema 4x GA 18+, GA 22+ -400V IEC	562
20.24	Nema 4x GA 26+, GA 30 -400V IEC.....	568
20.25	Nema 4x GA 11+, GA 15+ - 230V IEC	574
20.26	Nema 4x GA 18+, GA 22+- 230V IEC.....	580
20.27	Nema 4x GA 26+, GA 30 - 230V IEC.....	586

20.28	Nema 4x GA 11+, GA15+ - 380V-460V/60Hz.....	592
20.29	Nema 4x GA 18+, GA12+, GA 26+, GA 30 - 380V-460V/60Hz.....	598
20.30	Nema 4x GA 11+, GA 15+ - 575V/60Hz UL-cUL.....	604
20.31	Nema 4x GA 18+, GA 22+, GA 26+, GA 30 - 575V/60Hz UL-cUL.....	610
20.32	Nema 4x GA 11+, GA 15+ TRI UL/CUL.....	616
20.33	Nema 4x GA 18+, GA 22+ TRI UL/CUL.....	622
20.34	Nema 4x GA 26+, GA 30 DUO & TRY UL/CUL.....	628
20.35	Nema 4x GA 30 - 200V/60Hz UL-cUL.....	634
20.36	Nema 4 G11+, GA 15+ - 400V IEC.....	640
20.37	Nema 4 GA 18+, GA 22+ -400V IEC	646
20.38	Nema 4 GA 26+, GA 30 - 400V IEC.....	652
20.39	Nema 4 GA 11+, GA 15+ -230V IEC	658
20.40	Nema 4 GA 18+, GA 22+-230V IEC.....	664
20.41	Nema 4 GA 26+, GA 30 - 230V IEC.....	670
20.42	Nema 4 GA 11+, GA15+ -380-460V	676
20.43	Nema 4 GA 18+, GA 22+, GA 26+, GA 30 - 380-460V.....	682
20.44	Nema 4 GA 11+, GA 15+ - 575V/60Hz UL-cUL.....	688
20.45	Nema 4 GA 18+, GA 22+, GA 26+, GA 30 - 575V/60Hz UL-cUL.....	694
20.46	Nema 4 GA 11+, GA 15+ TRI UL/CUL.....	700
20.47	Nema 4 GA 18+, GA 22+ TRI UL/CUL.....	706
20.48	Nema 4 GA 26+, GA 30 DUO & TRI UL/CUL.....	712
20.49	Nema 4 GA 30 - 200V/60Hz UL-cUL.....	718
20.50	Upgrade to Touch controller.....	724

1 ЗАКАЗ ДЕТАЛЕЙ

Всегда указывайте номер по каталогу, наименование и количество требуемых позиций, а также тип и серийный номер машины.

2 ИНФОРМАЦИЯ

Ref - Ссылочный номер: соотносит деталь из списка со схемой. На схеме показаны только детали со ссылочным номером. Детали без ссылочного номера приведены на схемах только для демонстрации всего узла в сборе.

Part number - Номер детали, указываемый при заказе запасных частей.

Если номер детали не указан, то компонент недоступен в качестве отдельной запасной части.

Для деталей, входящих в состав комплекта, будут приведены номера этих комплектов, упомянутых строчкой ниже.

Чтобы узнать полный состав комплекта см. раздел "1 – Service kits".

Деталь, перед номером которой стоит черная точка, входит в состав изображенного выше узла.

Remarks: дополнительная информация о номере приведенной выше детали.

Substituted by: номер изображенной выше детали был заменен другим номером по причине обновления или переработки.

Qty - Количество: указывает количество деталей относительно соответствующего ссылочного номера. „AR“ значит „As required“: количество или номер будут определены.

Name - Наименование детали: перевод англоязычных наименований можно найти в документе "Glossary of part names" (Словарь наименований деталей).

Validity - Определяет временные рамки и тип/версию машины, в которой используется деталь. Пояснение кодов, используемых в данной графе, можно найти в списке обозначений внизу страницы. Информация о совместимости, упомянутая в данной главе, актуальна для всей главы. Знак плюса в примечании о совместимости следует принимать за 'и', запятые — за 'или'. Скобки группируют коды совместимости по принципу, схожему с математическим. См. пример: 'PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)' применима в машинах с рабочим давлением 8 бар, частотой 50 Гц и напряжением источника питания 500 В или рабочим давлением 8 бар, частотой 60 Гц и напряжением источника питания 575 В.

EL – Ссылка на схему или компонент электрического шкафа.

R. – Примечания: дополнительная информация о детали. Пояснения приведены внизу страницы.

2901 9908 20 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 4000HRS

IDRY:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Qty	Name
• 1	KIT OIL SEPARATOR 11-15KW
• 1	NON RETURN VALVE KIT
• 1	CUBICLE VENTILATION KIT
• 1	MIN. PRESS. THERMO. VALVE KIT
• 1	KIT FILTER AIR/OIL RIF
• 1	KIT WEAR DRAIN
• 1	UNLOADER KIT

2901 9908 21 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 4000HRS

IDRY:Y + (MODEL:GA11P_18 , MODEL:GA15P_18)

Qty	Name
• 1	KIT OIL SEPARATOR 11-15KW
• 1	NON RETURN VALVE KIT
• 1	CUBICLE VENTILATION KIT
• 1	MIN. PRESS. THERMO. VALVE KIT
• 1	KIT FILTER AIR/OIL RIF
• 2	KIT WEAR DRAIN
• 1	UNLOADER KIT

2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS

IDRY:N + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18)

Qty	Name
• 1	KIT OIL SEPARATOR 18-30KW
• 1	NON RETURN VALVE KIT
• 1	CUBICLE VENTILATION KIT
• 1	MIN. PRESS. THERMO. VALVE KIT
• 1	KIT FILTER AIR/OIL RIF
• 1	KIT WEAR DRAIN
• 1	UNLOADER KIT

2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS

IDRY:Y + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18)

Qty	Name
• 1	KIT OIL SEPARATOR 18-30KW
• 1	NON RETURN VALVE KIT
• 1	CUBICLE VENTILATION KIT
• 1	MIN. PRESS. THERMO. VALVE KIT
• 1	KIT FILTER AIR/OIL RIF
• 2	KIT WEAR DRAIN
• 1	UNLOADER KIT

2901 9908 24 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 8000HRS

IDRY:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Qty	Name
• 1	KIT OIL SEPARATOR 11-15KW
• 1	NON RETURN VALVE KIT
• 1	CUBICLE VENTILATION KIT
• 1	KIT WEAR DRAIN
• 1	MIN. PRESS. THERMO. VALVE KIT
• 1	KIT FILTER AIR/OIL RXD/FG
• 1	UNLOADER KIT

continues on next page ...



2901 9908 24 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 8000HRS

IDRY:N + (MODEL:GA11P_18, MODEL:GA15P_18)

Qty	Name

2901 9908 25 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 8000HRS

IDRY:Y + (MODEL:GA11P_18, MODEL:GA15P_18)

Qty	Name

- 1 KIT OIL SEPERATOR 11-15KW
- 1 NON RETURN VALVE KIT
- 1 CUBICLE VENTILATION KIT
- 2 KIT WEAR DRAIN
- 1 MIN. PRESS. THERMO. VALVE KIT
- 1 KIT FILTER AIR/OIL RXD/FG
- 1 UNLOADER KIT

2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS

IDRY:Y + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18)

Qty	Name

- 1 KIT OIL SEPERATOR 18-30KW
- 1 NON RETURN VALVE KIT
- 1 CUBICLE VENTILATION KIT
- 1 KIT WEAR DRAIN
- 1 MIN. PRESS. THERMO. VALVE KIT
- 1 KIT FILTER AIR/OIL RXD/FG
- 1 UNLOADER KIT

2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS

IDRY:Y + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18)

Qty	Name

- 1 KIT OIL SEPERATOR 18-30KW
- 1 NON RETURN VALVE KIT
- 1 CUBICLE VENTILATION KIT
- 2 KIT WEAR DRAIN
- 1 MIN. PRESS. THERMO. VALVE KIT
- 1 KIT FILTER AIR/OIL RXD/FG
- 1 UNLOADER KIT

2901 9908 14 - OIL SEPARATOR KIT - GA 11+, GA 15+

MODEL:GA11P_18, MODEL:GA15P_18

Qty	Name

- 1 O-RING
- 1 SEPARATOR OIL
- 1 PLUG
- 1 INSTR.

2901 9908 15 - OIL SEPARATOR KIT - GA 18+, GA 22+, GA 26+, GA 30

MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18

Qty	Name

- 1 O-RING
- 1 OIL SEPARATOR
- 1 PLUG
- 1 INSTR.

2901 9908 18 - NON RETURN VALVE KIT

Qty	Name
• 1	O-RING
• 1	VALVE NON RET.
• 1	O-RING
• 1	INSTR. ASSEMBLY

2901 9908 19 - CUBICLE VENTILATION KIT - GA 11+, GA 15+

MODEL:GA11P_18 , MODEL:GA15P_18

Qty	Name
• 1	FILTER AIR
• 1	FAN FILTER
• 1	INSTR.

2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30

MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18

Qty	Name
• 2	FILTER AIR
• 1	INSTR. ASSEMBLY

2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT

Qty	Name
• 1	O-RING
• 1	O-RING
• 1	PISTON
• 1	SPRING COMPRESSION
• 1	O-RING
• 1	TUBE GREASE
• 1	KIT VALVE
• 1	VALVE 71 DEGREE CELCIUS
• 1	ASSEMBLY VALVE
• 1	SPRING
• 1	O-RING 35.1 X 1.6

2901 9908 16 - AIR FILTER KIT - ROTO-INJECT FLUID

OILTYP:RIF

Qty	Name
• 1	FILTER OIL
• 1	AIR FILTER
• 1	O-RING
• 1	PLUG
• 1	INSTR.

2901 9908 17 - AIR FILTER KIT - ROTO-XTEND DUTY FLUID

OILTYP:RXD

Qty	Name
• 1	FILTER
• 1	AIR FILTER
• 1	O-RING
• 1	PLUG
• 1	INSTR.

2902 0161 00 - INLET VALVE KIT

Qty	Name
• 1	INLET VALVE

continues on next page ...

... continued from previous page

2902 0161 00 - INLET VALVE KIT

Qty	Name
• 1	KIT VALVE UNLOADER
• 1	BUSHING
• 1	GUIDANCE TAPE C77 UNLOADER
• 1	QUAD-RING C77 UNLOADER
• 1	O-RING 80 X 3
• 1	BUSHING VQB22
• 1	HIGH TEMPERATURE SEALING VQB22
• 1	SPRING COMPRESSION
• 1	SPRING GUIDE VQB 22
• 2	WASHER PLAIN
• 2	SCREW
• 1	O-RING
• 1	O-RING 89.5 X 3
• 2	SCREW
• 1	SEAL WASHER DOWTY 3/8"
• 1	INSTR. ASSEMBLY
• 1	GASKET
• 1	TUBE GREASE
• 2	O-RING
• 1	INSTR. ASSEMBLY

2901 1957 00 - ELEMENT MOUNTING KIT

Qty	Name
• 1	O-RING 264X3
• 1	GASKET
• 1	O-RING 49.5X3
• 1	O-RING
• 2	O-RING 11.3X2.4
• 1	O-RING 19.2X3
• 1	O-RING 12.3X2.4
• 1	O-RING 64.6X2.4
• 1	ELEM MOUNTING INSTR.

2901 1952 00 - MOTOR OVERHAUL KIT - GA 11+, GA 15+, GA 18+, GA 22+

MODEL:GA11P_18, MODEL:GA15P_18, MODEL:GA18P_18, MODEL:GA22P_18

Qty	Name
• 1	CIRCLIP D=80
• 1	BEARING ROLLER
• 1	SEAL RING
• 1	BUSHING
• 1	DRAIN NIPPLE
• 1	BEARING BALL DEEP GROOVE
• 1	SEAL
• 1	FAN FS160 2-POLE
• 2	EXT.CIRCLIP
• 1	INSTR.
• 1	MOTOR OVERHAUL GA11-22

2901 1953 00 - MOTOR OVERHAUL KIT - GA 26+, GA 30

MODEL:GA26P_18, MODEL:GA30_18

Qty	Name
• 1	CIRCLIP D=80

continues on next page ...

... continued from previous page

2901 1953 00 - MOTOR OVERHAUL KIT - GA 26+, GA 30

MODEL:GA26P_18 , MODEL:GA30_18

Qty	Name
• 1	BEARING ROLLER
• 1	SEAL RING
• 1	BUSHING
• 1	DRAIN NIPPLE
• 1	BEARING BALL DEEP GROOVE
• 1	FAN FS180 2-POLE
• 1	EXT.CIRCLIP
• 1	SEAL
• 1	INSTR.
• 1	MOT. OVERHAUL GA26-30

Legend:

IDRY:N - Integrated dryer:No

MODEL:GA15P_18 - Model:GA 15+

MODEL:GA26P_18 - Model:GA 26+

OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid

IDRY:Y - Integrated dryer:Yes

MODEL:GA18P_18 - Model:GA 18+

MODEL:GA30_18 - Model:GA 30


MODEL:GA11P_18 - Model:GA 11+

MODEL:GA22P_18 - Model:GA 22+

OILTYP:RIF - Oil type:Roto inject fluid oil



Ref	Part Number	Qty	Name	Validity
	1630 0917 00	1	OIL RIF NDURANCE 4L	
	1630 1146 00	1	OIL RIF NDURANCE 5L	
	1630 0918 00	1	OIL RIF NDURANCE 20L	
	1630 0919 00	1	OIL RIF NDURANCE 209L	
	2901 1700 00	1	OIL RXD 5L	
	2901 1701 00	1	OIL RXD 20L	
	2901 1702 00	1	OIL RXD 209L	
	1630 2041 05	1	OIL RS ULTRA 5L	
	1630 2041 20	1	OIL RS ULTRA 20L	
	1630 2041 29	1	OIL RS ULTRA 209L	



Ref	Part Number	Qty	Name	Validity
1010	1616 7382 80	1	ELEMENT	(01/08/2017 - ...)
	🔧 Substituted by: 1616 7382 90 - ELEMENT C80 I-01 (quantity: 1)			
1020	1622 2727 25	1	OUTLET HOUSING	(11/07/2018 - 16/04/2019)
	🔧 Substituted by: 1622 2727 20 - OUTLET HOUSING (quantity: 1)			
1020	1622 2727 20	1	OUTLET HOUSING	(08/06/2018 - 10/07/2018) (17/04/2019 - ...)
1020	1622 2727 10	1	OUTLET HOUSING	(01/08/2017 - 07/06/2018)
1030	0101 1951 40	2	DOWELL PIN	(01/08/2017 - ...)
1040	0337 0009 45	1	KEY	(01/08/2017 - ...)
1050	1622 3400 00	1	SPACER	(01/08/2017 - ...)
1060	1622 3401 00	1	WASHER	(01/08/2017 - ...)
1070		1	O-RING	(01/08/2017 - ...)
	🔧 Service kits: 2901 1957 00 - ELEMENT MOUNTING KIT			
1080	0211 1366 03	6	SCREW	(02/08/2017 - ...)
1090	0211 1368 00	1	SCREW	(01/08/2017 - ...)
1100	0211 1363 03	2	SCREW	(02/08/2017 - ...)
1110	1625 8359 00	1	SPACER	(01/08/2017 - ...)
1120		1	O-RING	(01/08/2017 - ...)
	🔧 Service kits: 2901 1957 00 - ELEMENT MOUNTING KIT			
1130		2	O-RING	(01/08/2017 - ...)
	🔧 Service kits: 2901 1957 00 - ELEMENT MOUNTING KIT			
1160	0147 1329 03	4	HEXAGON BOLT	(08/06/2018 - ...)
1180	1631 0835 00	1	PLUG	(01/08/2017 - ...)
1220	1619 6032 00	2	NIPPLE	(25/10/2018 - ...)

3.2 - Motor (GA 11+ - 460V/60Hz, (230V, 380V/60Hz) IEC, (200-230-460V/60Hz, 575V/60Hz) UL-cUL), (GA 15+ - 460V/60Hz, (230V/50Hz, 380V/60Hz) IEC, 575V/60Hz UL-cUL), (GA 18+ - 460V/60Hz, (230V, 380V/60Hz), 200-230-460V/60Hz UL-cUL), (GA 22+ - 460V/60Hz, 230V IEC, 575V/60Hz UL-cUL)

(CAPPRE:IEC + FREQ:50HZ + MOVOL:230V, FREQ:60HZ + (MOVOL:460V, CAPPRE:IEC + (MOVOL:230V, MOVOL:380V), CAPPRE:ULCUL + MOVOL:200230460V)) + (MODEL:GA11P_18, MODEL:GA18P_18), (CAPPRE:IEC + FREQ:50HZ + MOVOL:230V, FREQ:60HZ + (MOVOL:460V, CAPPRE:ULCUL + MOVOL:575V)) + (MODEL:GA15P_18, MODEL:GA22P_18), FREQ:60HZ + (CAPPRE:IEC + (MODEL:GA15P_18 + MOVOL:380V, MODEL:GA22P_18 + MOVOL:230V), CAPPRE:ULCUL + MODEL:GA11P_18 + MOVOL:575V)

Ref	Part Number	Qty	Name	Validity
1010	1613 6752 31	2	ANTI-VIBRATION PAD	(29/03/2018 - ...)
1020	0101 2274 00	2	PIN	(29/03/2018 - ...)
1030	0211 1368 00	1	SCREW	(29/03/2018 - ...)
1040	1622 6995 00	1	WASHER	(29/03/2018 - ...)
1050	1622 6994 01	1	SPACER	(29/03/2018 - ...)
1060	0337 0009 83	1	PARALLEL KEY	(29/03/2018 - ...)
1070	0147 1963 08	6	HEXAGON BOLT	(29/03/2018 - ...)
1090	1625 2153 06	1	PLUG	(29/03/2018 - ...)
1100	0147 1365 03	2	HEXAGON BOLT	(29/03/2018 - ...)
1110	0301 2344 00	2	WASHER	(29/03/2018 - ...)
2080	1625 2200 44	1	MOTOR	(29/05/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA18P_18 + MOVOL:200230460V
	1625 2200 37			(29/03/2018 - ...) CAPPRE:IEC + FREQ:50HZ + MODEL:GA18P_18 + MOVOL:230V
	1625 2200 42			(29/03/2018 - ...) FREQ:60HZ + MODEL:GA18P_18 + MOVOL:460V
	1625 2200 39			(29/03/2018 - ...) CAPPRE:IEC + FREQ:60HZ + MODEL:GA18P_18 + MOVOL:230V
	1625 2200 41			(29/03/2018 - ...) CAPPRE:IEC + FREQ:60HZ + MODEL:GA18P_18 + MOVOL:380V
	1625 2200 23			(29/03/2018 - ...) CAPPRE:IEC + FREQ:60HZ + MODEL:GA11P_18 + MOVOL:230V
	1625 2200 21			(29/03/2018 - ...) CAPPRE:IEC + FREQ:50HZ + MODEL:GA11P_18 + MOVOL:230V
	1625 2200 28			(29/03/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA11P_18 + MOVOL:200230460V
	1625 2200 25			(29/03/2018 - ...) CAPPRE:IEC + FREQ:60HZ + MODEL:GA11P_18 + MOVOL:380V
	1625 2200 26			(29/03/2018 - ...) FREQ:60HZ + MODEL:GA11P_18 + MOVOL:460V
	1625 2200 27			(29/03/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA11P_18 + MOVOL:575V
	1625 2200 35			(29/03/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA15P_18 + MOVOL:575V
	1625 2200 29			(29/03/2018 - ...) CAPPRE:IEC + FREQ:50HZ + MODEL:GA15P_18 + MOVOL:230V
	1625 2200 34			(29/03/2018 - ...) FREQ:60HZ + MODEL:GA15P_18 + MOVOL:460V
	1625 2200 33			(29/03/2018 - ...) CAPPRE:IEC + FREQ:60HZ + MODEL:GA15P_18 + MOVOL:380V
	1625 2200 45			(29/03/2018 - ...) CAPPRE:IEC + FREQ:50HZ + MODEL:GA22P_18 + MOVOL:230V
	1625 2200 50			(29/03/2018 - ...) FREQ:60HZ + MODEL:GA22P_18 + MOVOL:460V
	1625 2200 51			(29/03/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA22P_18 + MOVOL:575V
	1625 2200 47			(29/03/2018 - ...) CAPPRE:IEC + FREQ:60HZ + MODEL:GA22P_18 + MOVOL:230V
•	1		MOTOR COMPONENTS	(29/03/2018 - 28/05/2018) (CAPPRE:IEC + FREQ:50HZ + MOVOL:230V, FREQ:60HZ + (MOVOL:460V, CAPPRE:IEC + MOVOL:380V)) + (MODEL:GA11P_18, MODEL:GA15P_18, MODEL:GA18P_18), CAPPRE:IEC + FREQ:50HZ + MODEL:GA22P_18 + MOVOL:230V, FREQ:60HZ + (CAPPRE:IEC + MOVOL:230V + (MODEL:GA11P_18, MODEL:GA18P_18, MODEL:GA22P_18), CAPPRE:ULCUL + (MODEL:GA11P_18 + MOVOL:200230460V, MOVOL:575V + (MODEL:GA11P_18, MODEL:GA15P_18, MODEL:GA22P_18)), MODEL:GA22P_18 + MOVOL:460V) (29/05/2018 - ...)

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA18P_18 - Model:GA 18+
 MOVOL:230V - Supply voltage:230 V
 MOVOL:575V - Supply voltage:575 V

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:380V - Supply voltage:380 V

FREQ:50HZ - Frequency:50 Hz
 MODEL:GA15P_18 - Model:GA 15+
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:460V - Supply voltage:460 V

3.2 - Motor (GA 11+ - 460V/60Hz, (230V, 380V/60Hz) IEC, (200-230-460V/60Hz, 575V/60Hz) UL-cUL), (GA 15+ - 460V/60Hz, (230V/50Hz, 380V/60Hz) IEC, 575V/60Hz UL-cUL), (GA 18+ - 460V/60Hz, (230V, 380V/60Hz), 200-230-460V/60Hz UL-cUL), (GA 22+ - 460V/60Hz, 230V IEC, 575V/60Hz UL-cUL)

(CAPPRE:IEC + FREQ:50HZ + MOVOL:230V, FREQ:60HZ + (MOVOL:460V, CAPPRE:IEC + (MOVOL:230V, MOVOL:380V), CAPPRE:ULCUL + MOVOL:200230460V)) + (MODEL:GA11P_18, MODEL:GA18P_18), (CAPPRE:IEC + FREQ:50HZ + MOVOL:230V, FREQ:60HZ + (MOVOL:460V, CAPPRE:ULCUL + MOVOL:575V)) + (MODEL:GA15P_18, MODEL:GA22P_18), FREQ:60HZ + (CAPPRE:IEC + (MODEL:GA15P_18 + MOVOL:380V, MODEL:GA22P_18 + MOVOL:230V), CAPPRE:ULCUL + MODEL:GA11P_18 + MOVOL:575V)



3.2 - Motor (GA 11+ - 460V/60Hz, (230V, 380V/60Hz) IEC, (200-230-460V/60Hz, 575V/60Hz) UL-cUL), (GA 15+ - 460V/60Hz, (230V/50Hz, 380V/60Hz) IEC, 575V/60Hz UL-cUL), (GA 18+ - 460V/60Hz, (230V, 380V/60Hz), 200-230-460V/60Hz UL-cUL), (GA 22+ - 460V/60Hz, 230V IEC, 575V/60Hz UL-cUL)

(CAPPRE:IEC + FREQ:50HZ + MOVOL:230V, FREQ:60HZ + (MOVOL:460V, CAPPRE:IEC + (MOVOL:230V, MOVOL:380V), CAPPRE:ULCUL + MOVOL:200230460V)) + (MODEL:GA11P_18, MODEL:GA18P_18), (CAPPRE:IEC + FREQ:50HZ + MOVOL:230V, FREQ:60HZ + (MOVOL:460V, CAPPRE:ULCUL + MOVOL:575V)) + (MODEL:GA15P_18, MODEL:GA22P_18), FREQ:60HZ + (CAPPRE:IEC + (MODEL:GA15P_18 + MOVOL:380V, MODEL:GA22P_18 + MOVOL:230V), CAPPRE:ULCUL + MODEL:GA11P_18 + MOVOL:575V)

Ref	Part Number	Qty	Name	Validity
3010	••	1	CIRCLIP	
	🛠 Service kits:	2901 1952 00	MOTOR OVERHAUL KIT - GA 11+, GA 15+, GA 18+, GA 22+	
3020	••	1	BUSHING	
	🛠 Service kits:	2901 1952 00	MOTOR OVERHAUL KIT - GA 11+, GA 15+, GA 18+, GA 22+	
3030	•• 0211 1326 03	4	SCREW	
3040	••	1	SEAL RING	
	🔄 Substituted by:	1616 5742 80	LIP SEAL KIT (quantity: 1)	
	🛠 Service kits:	2901 1952 00	MOTOR OVERHAUL KIT - GA 11+, GA 15+, GA 18+, GA 22+	
3050	••	1	BEARING ROLLER	
	🛠 Service kits:	2901 1952 00	MOTOR OVERHAUL KIT - GA 11+, GA 15+, GA 18+, GA 22+	
3060	•• 1079 9931 92	1	DECAL ARROW	
3070	•• 1088 1001 01	1	WARNING MARK	
3080	••	1	DRAIN NIPPLE	
	🔄 Substituted by:	1630 1318 00	DRAIN NIPPLE (quantity: 1)	
	🛠 Service kits:	2901 1952 00	MOTOR OVERHAUL KIT - GA 11+, GA 15+, GA 18+, GA 22+	
3090	•• 1625 7834 00	1	GEARBOX	
3110	•• 1613 6752 32	1	ANTI-VIBRATION PAD	
3120	•• 1622 7938 00	1	SPACER	
3130	•• 0147 1371 03	1	HEXAGON BOLT	
	🔄 Substituted by:	0147 1964 69	HEX. BOLT M10X70XISO A2-70 (quantity: 1)	

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA18P_18 - Model:GA 18+
 MOVOL:230V - Supply voltage:230 V
 MOVOL:575V - Supply voltage:575 V

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:380V - Supply voltage:380 V

FREQ:50HZ - Frequency:50 Hz
 MODEL:GA15P_18 - Model:GA 15+
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:460V - Supply voltage:460 V

3.3 - Motor GA 11+, GA 15+, GA 18+, GA 22+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (MOVOL:400V , MOVOL:400VN)



3.3 - Motor GA 11+, GA 15+, GA 18+, GA 22+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (MOVOL:400V , MOVOL:400VN)

Atlas Copco

Ref	Part Number	Qty	Name	Validity
1010	1613 6752 31	2	ANTI-VIBRATION PAD	(01/08/2017 - 13/03/2018) MOVOL:400V (14/03/2018 - 28/03/2018) MODEL:GA11P_18 + MOVOL:400VN , MOVOL:400V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) (29/03/2018 - ...)
1020	0101 2274 00	2	PIN	(01/08/2017 - 13/03/2018) MOVOL:400V (14/03/2018 - 28/03/2018) MODEL:GA11P_18 + MOVOL:400VN , MOVOL:400V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) (29/03/2018 - ...)
1030	0211 1368 00	1	SCREW	(01/08/2017 - 13/03/2018) MOVOL:400V (14/03/2018 - 28/03/2018) MODEL:GA11P_18 + MOVOL:400VN , MOVOL:400V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) (29/03/2018 - ...)
1040	1622 6995 00	1	WASHER	(01/08/2017 - 13/03/2018) MOVOL:400V (14/03/2018 - 28/03/2018) MODEL:GA11P_18 + MOVOL:400VN , MOVOL:400V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) (29/03/2018 - ...)
1050	1622 6994 01	1	SPACER	(01/08/2017 - 13/03/2018) MOVOL:400V (14/03/2018 - 28/03/2018) MODEL:GA11P_18 + MOVOL:400VN , MOVOL:400V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) (29/03/2018 - ...)
1060	0337 0009 83	1	PARALLEL KEY	(01/08/2017 - 13/03/2018) MOVOL:400V (14/03/2018 - 28/03/2018) MODEL:GA11P_18 + MOVOL:400VN , MOVOL:400V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) (29/03/2018 - ...)
1080	0301 2344 00	2	WASHER	(10/04/2018 - ...)
1130	1625 2153 06	1	PLUG	(01/08/2017 - 13/03/2018) MOVOL:400V (14/03/2018 - 28/03/2018) MODEL:GA11P_18 + MOVOL:400VN , MOVOL:400V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) (29/03/2018 - ...)
1140	0147 1964 29	6	HEXAGON BOLT	(02/08/2017 - 13/03/2018) MOVOL:400V (14/03/2018 - 28/03/2018) MODEL:GA11P_18 + MOVOL:400VN , MOVOL:400V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) (29/03/2018 - 09/04/2018)
1140	0147 1963 08	6	HEXAGON BOLT	(10/04/2018 - ...)
1150	0147 1365 03	2	HEXAGON BOLT	(02/08/2017 - 13/03/2018) MOVOL:400V (14/03/2018 - 28/03/2018) MODEL:GA11P_18 + MOVOL:400VN , MOVOL:400V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) (29/03/2018 - ...)
2100	1625 2200 22	1	MOTOR	(01/08/2017 - 13/03/2018) MODEL:GA11P_18 + MOVOL:400V (14/03/2018 - ...) MODEL:GA11P_18
	1625 2200 30			(01/08/2017 - 28/03/2018) MODEL:GA15P_18 + MOVOL:400V (29/03/2018 - ...) MODEL:GA15P_18
	1625 2200 38			(01/08/2017 - 28/03/2018) MODEL:GA18P_18 + MOVOL:400V (29/03/2018 - ...) MODEL:GA18P_18
	1625 2200 46			(01/08/2017 - 28/03/2018) MODEL:GA22P_18 + MOVOL:400V (29/03/2018 - ...) MODEL:GA22P_18
	•	1	MOTOR COMPONENTS	(01/08/2017 - 13/03/2018) MOVOL:400V (14/03/2018 - 28/03/2018) MODEL:GA11P_18 + MOVOL:400VN , MOVOL:400V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) (29/03/2018 - ...)
3010	••	1	CIRCLIP	
	📦 Service kits:	2901 1952 00	MOTOR OVERHAUL KIT - GA 11+, GA 15+, GA 18+, GA 22+	
3020	••	1	BUSHING	
	📦 Service kits:	2901 1952 00	MOTOR OVERHAUL KIT - GA 11+, GA 15+, GA 18+, GA 22+	
3030	•• 0211 1326 03	4	SCREW	
3040	••	1	SEAL RING	
	🔄 Substituted by:	1616 5742 80	LIP SEAL KIT (quantity: 1)	
	📦 Service kits:	2901 1952 00	MOTOR OVERHAUL KIT - GA 11+, GA 15+, GA 18+, GA 22+	
3050	••	1	BEARING ROLLER	

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA15P_18 - Model:GA 15+
MOVOL:400V - Supply voltage:400 V

FREQ:50HZ - Frequency:50 Hz
MODEL:GA18P_18 - Model:GA 18+
MOVOL:400VN - Supply voltage:400 V+N

MODEL:GA11P_18 - Model:GA 11+
MODEL:GA22P_18 - Model:GA 22+

3.3 - Motor GA 11+, GA 15+, GA 18+, GA 22+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (MOVOL:400V , MOVOL:400VN)



3.3 - Motor GA 11+, GA 15+, GA 18+, GA 22+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (MOVOL:400V , MOVOL:400VN)

Atlas Copco

Ref	Part Number	Qty	Name	Validity
 Service kits: 2901 1952 00 - MOTOR OVERHAUL KIT - GA 11+, GA 15+, GA 18+, GA 22+				
3060	•• 1079 9931 92	1	DECAL ARROW	
3070	•• 1088 1001 01	1	WARNING MARK	
3080	••	1	DRAIN NIPPLE	
 Substituted by: 1630 1318 00 - DRAIN NIPPLE (quantity: 1)				
 Service kits: 2901 1952 00 - MOTOR OVERHAUL KIT - GA 11+, GA 15+, GA 18+, GA 22+				
3090	•• 1625 7834 00	1	GEARBOX	
3110	•• 1613 6752 32	1	ANTI-VIBRATION PAD	
3120	•• 1622 7938 00	1	SPACER	
3130	•• 0147 1371 03	1	HEXAGON BOLT	
 Substituted by: 0147 1964 69 - HEX. BOLT M10X70XISO A2-70 (quantity: 1)				

Legend:

CAPPRE:IEC - Component approval electrical:IEC

MODEL:GA15P_18 - Model:GA 15+

MOVOL:400V - Supply voltage:400 V

FREQ:50HZ - Frequency:50 Hz

MODEL:GA18P_18 - Model:GA 18+


MOVOL:400VN - Supply voltage:400 V+N

MODEL:GA11P_18 - Model:GA 11+

MODEL:GA22P_18 - Model:GA 22+

3.4 - Motor GA 15+ - 230V/60Hz IEC, GA 18+ - 575V/60Hz UL-cUL, GA 22+ - 380V/60Hz IEC

FREQ:60HZ + (CAPPRE:IEC + (MODEL:GA15P_18 + MOVOL:230V , MODEL:GA22P_18 + MOVOL:380V) , CAPPRE:ULCUL + MODEL:GA18P_18 + MOVOL:575V)



3.4 - Motor GA 15+ - 230V/60Hz IEC, GA 18+ - 575V/60Hz UL-cUL, GA 22+ - 380V/60Hz IEC

FREQ:60HZ + (CAPPRE:IEC + (MODEL:GA15P_18 + MOVOL:230V , MODEL:GA22P_18 + MOVOL:380V) , CAPPRE:ULCUL + MODEL:GA18P_18 + MOVOL:575V)

Ref	Part Number	Qty	Name	Validity
1010	1613 6752 31	2	ANTI-VIBRATION PAD	(27/03/2018 - ...)
1020	0147 1963 08	4	HEXAGON BOLT	(27/03/2018 - ...)
1030	0147 1365 03	2	HEXAGON BOLT	(27/03/2018 - ...)
1040	0301 2344 00	2	WASHER	(27/03/2018 - ...)
1050	0337 0009 83	1	PARALLEL KEY	(27/03/2018 - ...)
1060	1622 6994 01	1	SPACER	(27/03/2018 - ...)
1070	0101 2274 00	2	PIN	(27/03/2018 - ...)
1080	1622 6995 00	1	WASHER	(27/03/2018 - ...)
1090	0211 1368 00	1	SCREW	(27/03/2018 - ...)
1100	1625 2153 06	1	PLUG	(27/03/2018 - ...)
1150	1625 2200 43	1	MOTOR	(27/03/2018 - ...) CAPPRE:ULCUL + MODEL:GA18P_18 + MOVOL:575V
	1625 2200 31			(27/03/2018 - ...) CAPPRE:IEC + MODEL:GA15P_18 + MOVOL:230V
	1625 2200 49			(27/03/2018 - ...) CAPPRE:IEC + MODEL:GA22P_18 + MOVOL:380V
	•	1	MOTOR COMPONENTS	(27/03/2018 - ...)
2010	••	1	CIRCLIP	
	🛠 Service kits:	2901 1952 00	MOTOR OVERHAUL KIT - GA 11+, GA 15+, GA 18+, GA 22+	
2020	••	1	BUSHING	
	🛠 Service kits:	2901 1952 00	MOTOR OVERHAUL KIT - GA 11+, GA 15+, GA 18+, GA 22+	
2030	•• 0211 1326 03	4	SCREW	
2040	••	1	SEAL RING	
	🔄 Substituted by:	1616 5742 80	LIP SEAL KIT (quantity: 1)	
	🛠 Service kits:	2901 1952 00	MOTOR OVERHAUL KIT - GA 11+, GA 15+, GA 18+, GA 22+	
2050	••	1	BEARING ROLLER	
	🛠 Service kits:	2901 1952 00	MOTOR OVERHAUL KIT - GA 11+, GA 15+, GA 18+, GA 22+	
2060	•• 1079 9931 92	1	DECAL ARROW	
2070	•• 1088 1001 01	1	WARNING MARK	
2080	••	1	DRAIN NIPPLE	
	🔄 Substituted by:	1630 1318 00	DRAIN NIPPLE (quantity: 1)	
	🛠 Service kits:	2901 1952 00	MOTOR OVERHAUL KIT - GA 11+, GA 15+, GA 18+, GA 22+	
2090	•• 1625 7834 00	1	GEARBOX	
2110	•• 1613 6752 32	1	ANTI-VIBRATION PAD	
2120	•• 1622 7938 00	1	SPACER	
2130	•• 0147 1371 03	1	HEXAGON BOLT	
	🔄 Substituted by:	0147 1964 69	HEX. BOLT M10X70XISO A2-70 (quantity: 1)	

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA15P_18 - Model:GA 15+
MOVOL:230V - Supply voltage:230 V

CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA18P_18 - Model:GA 18+
MOVOL:380V - Supply voltage:380 V

FREQ:60HZ - Frequency:60 Hz
MODEL:GA22P_18 - Model:GA 22+
MOVOL:575V - Supply voltage:575 V

3.5 - Motor GA 15+, GA 22+ - 200-230-460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + (MODEL:GA15P_18 , MODEL:GA22P_18)



3.5 - Motor GA 15+, GA 22+ - 200-230-460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + (MODEL:GA15P_18 , MODEL:GA22P_18)

Ref	Part Number	Qty	Name	Validity
1010	1613 6752 31	2	ANTI-VIBRATION PAD	(01/08/2017 - 01/08/2017) MODEL:GA22P_18 (02/08/2017 - ...)
1020	0101 2274 00	2	PIN	(01/08/2017 - 01/08/2017) MODEL:GA22P_18 (02/08/2017 - ...)
1030	0211 1368 00	1	SCREW	(01/08/2017 - 01/08/2017) MODEL:GA22P_18 (02/08/2017 - ...)
1040	1622 6995 00	1	WASHER	(01/08/2017 - 01/08/2017) MODEL:GA22P_18 (02/08/2017 - ...)
1050	1622 6994 01	1	SPACER	(01/08/2017 - 01/08/2017) MODEL:GA22P_18 (02/08/2017 - ...)
1060	0337 0009 83	1	PARALLEL KEY	
1080	0301 2344 00	2	WASHER	(10/04/2018 - ...)
1130	1625 2153 06	1	PLUG	(01/08/2017 - 01/08/2017) MODEL:GA22P_18 (02/08/2017 - ...)
1140	0147 1964 29	6	HEXAGON BOLT	(02/08/2017 - 09/04/2018)
1140	0147 1963 08	6	HEXAGON BOLT	(10/04/2018 - ...)
1150	0147 1365 03	2	HEXAGON BOLT	(02/08/2017 - ...)
2100	1625 2200 36	1	MOTOR	(02/08/2017 - ...) MODEL:GA15P_18
	1625 2200 52			(01/08/2017 - ...) MODEL:GA22P_18
	•	1	MOTOR COMPONENTS	(01/08/2017 - 01/08/2017) MODEL:GA22P_18 (02/08/2017 - ...)
3010	••	1	CIRCLIP	
	🛠 Service kits:	2901 1952 00	MOTOR OVERHAUL KIT - GA 11+, GA 15+, GA 18+, GA 22+	
3020	••	1	BUSHING	
	🛠 Service kits:	2901 1952 00	MOTOR OVERHAUL KIT - GA 11+, GA 15+, GA 18+, GA 22+	
3030	•• 0211 1326 03	4	SCREW	
3040	••	1	SEAL RING	
	🔄 Substituted by:	1616 5742 80	LIP SEAL KIT (quantity: 1)	
	🛠 Service kits:	2901 1952 00	MOTOR OVERHAUL KIT - GA 11+, GA 15+, GA 18+, GA 22+	
3050	••	1	BEARING ROLLER	
	🛠 Service kits:	2901 1952 00	MOTOR OVERHAUL KIT - GA 11+, GA 15+, GA 18+, GA 22+	
3060	•• 1079 9931 92	1	DECAL ARROW	
3070	•• 1088 1001 01	1	WARNING MARK	
3080	••	1	DRAIN NIPPLE	
	🔄 Substituted by:	1630 1318 00	DRAIN NIPPLE (quantity: 1)	
	🛠 Service kits:	2901 1952 00	MOTOR OVERHAUL KIT - GA 11+, GA 15+, GA 18+, GA 22+	
3090	•• 1625 7834 00	1	GEARBOX	
3110	•• 1613 6752 32	1	ANTI-VIBRATION PAD	
3120	•• 1622 7938 00	1	SPACER	
3130	•• 0147 1371 03	1	HEXAGON BOLT	
	🔄 Substituted by:	0147 1964 69	HEX. BOLT M10X70XISO A2-70 (quantity: 1)	

Legend:


CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA22P_18 - Model:GA 22+

FREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 V

MODEL:GA15P_18 - Model:GA 15+

3.6 - Motor GA 26+, GA 30 - (230V/50Hz, 230V-380V-460V/60Hz) IEC, 460V-575V/60Hz UL-cUL

(CAPPRE:IEC + FREQ:50HZ + MOVOL:230V, FREQ:60HZ + (CAPPRE:IEC + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + (MOVOL:460V, MOVOL:575V))) + (MODEL:GA26P_18, MODEL:GA30_18)



3.6 - Motor GA 26+, GA 30 - (230V/50Hz, 230V-380V-460V/60Hz) IEC, 460V-575V/60Hz UL-cUL

(CAPPRE:IEC + FREQ:50HZ + MOVOL:230V, FREQ:60HZ + (CAPPRE:IEC + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + (MOVOL:460V, MOVOL:575V))) + (MODEL:GA26P_18, MODEL:GA30_18)

Ref	Part Number	Qty	Name	Validity
1010	1613 6752 31	2	ANTI-VIBRATION PAD	(29/03/2018 - ...)
1020	0101 2274 00	2	PIN	(29/03/2018 - ...)
1030	0211 1368 00	1	SCREW	(29/03/2018 - ...)
1040	1622 6995 00	1	WASHER	(29/03/2018 - ...)
1050	1622 6994 01	1	SPACER	(29/03/2018 - ...)
1060	0337 0009 83	1	PARALLEL KEY	(29/03/2018 - ...)
1070	0147 1963 08	6	HEXAGON BOLT	(29/03/2018 - ...)
1090	1625 2153 06	1	PLUG	(29/03/2018 - ...)
1100	0147 1365 03	2	HEXAGON BOLT	(29/03/2018 - ...)
1110	0301 2344 00	2	WASHER	(29/03/2018 - ...)
	1625 8614 22	1	SUPPORT	(19/09/2018 - ...)
2080	1625 2200 09	1	MOTOR	(29/03/2018 - ...) FREQ:60HZ + MODEL:GA30_18 + MOVOL:460V
	1625 2200 53			(29/03/2018 - ...) CAPPRE:IEC + FREQ:50HZ + MODEL:GA26P_18 + MOVOL:230V
	1625 2200 04			(29/03/2018 - ...) CAPPRE:IEC + FREQ:50HZ + MODEL:GA30_18 + MOVOL:230V
	1625 2200 55			(29/03/2018 - ...) CAPPRE:IEC + FREQ:60HZ + MODEL:GA26P_18 + MOVOL:230V
	1625 2200 06			(29/03/2018 - ...) CAPPRE:IEC + FREQ:60HZ + MODEL:GA30_18 + MOVOL:230V
	1625 2200 57			(29/03/2018 - ...) CAPPRE:IEC + FREQ:60HZ + MODEL:GA26P_18 + MOVOL:380V
	1625 2200 08			(29/03/2018 - ...) CAPPRE:IEC + FREQ:60HZ + MODEL:GA30_18 + MOVOL:380V
	1625 2200 58			(29/03/2018 - ...) FREQ:60HZ + MODEL:GA26P_18 + MOVOL:460V
	1625 2200 59			(29/03/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA26P_18 + MOVOL:575V
	1625 2200 10			(29/03/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA30_18 + MOVOL:575V
•		1	MOTOR COMPONENTS	(29/03/2018 - 26/05/2018) MODEL:GA30_18 (27/05/2018 - ...)
3010	••	1	CIRCLIP	
	🛠 Service kits:	2901 1953 00	MOTOR OVERHAUL KIT - GA 26+, GA 30	
3020	••	1	BUSHING	
	🛠 Service kits:	2901 1953 00	MOTOR OVERHAUL KIT - GA 26+, GA 30	
3030	••	1	SEAL RING	
	🔄 Substituted by:	1616 5742 80	LIP SEAL KIT (quantity: 1)	
	🛠 Service kits:	2901 1953 00	MOTOR OVERHAUL KIT - GA 26+, GA 30	
3040	••	1	BEARING ROLLER	
	🛠 Service kits:	2901 1953 00	MOTOR OVERHAUL KIT - GA 26+, GA 30	
3060	•• 1079 9931 92	1	DECAL ARROW	
3070	•• 1088 1001 01	1	WARNING MARK	
3080	••	1	DRAIN NIPPLE	
	🔄 Substituted by:	1630 1318 00	DRAIN NIPPLE (quantity: 1)	
	🛠 Service kits:	2901 1953 00	MOTOR OVERHAUL KIT - GA 26+, GA 30	
3090	•• 0211 1401 03	4	SCREW	
3100	•• 1625 2201 01	1	GEAR BOX	
3110	•• 1613 6752 33	1	ANTI-VIBRATION PAD	
3120	•• 1622 6949 00	1	SPACER	
3130	•• 0147 1365 03	1	HEXAGON BOLT	

Legend:


CAPPRE:IEC - Component approval electrical:IEC
FREQ:60HZ - Frequency:60 Hz
MOVOL:230V - Supply voltage:230 V
MOVOL:575V - Supply voltage:575 V

CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA26P_18 - Model:GA 26+
MOVOL:380V - Supply voltage:380 V

FREQ:50HZ - Frequency:50 Hz
MODEL:GA30_18 - Model:GA 30
MOVOL:460V - Supply voltage:460 V

3.7 - Motor GA 26+ - 200-230-460V/60Hz UL-cUL, 400V-400V+N/50Hz IEC, GA 30 - (200V/60Hz, 230-460V/60Hz) UL-cUL, 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18, MODEL:GA30_18) + (MOVOL:400V, MOVOL:400VN), CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V, MODEL:GA30_18 + (MOVOL:200V, MOVOL:230_460_V))



3.7 - Motor GA 26+ - 200-230-460V/60Hz UL-cUL, 400V-400V+N/50Hz IEC, GA 30 - (200V/60Hz, 230-460V/60Hz) UL-cUL, 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 , MODEL:GA30_18) + (MOVOL:400V , MOVOL:400VN) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V))

Ref	Part Number	Qty	Name	Validity
1010	1613 6752 31	2	ANTI-VIBRATION PAD	(01/08/2017 - 01/08/2017) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 + MOVOL:400V , MODEL:GA30_18 + (MOVOL:400V , MOVOL:400VN)) , CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA30_18 + MOVOL:230_460_V (02/08/2017 - 28/03/2018) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 + MOVOL:400V , MODEL:GA30_18 + (MOVOL:400V , MOVOL:400VN)) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V)) (29/03/2018 - ...)
1020	0101 2274 00	2	PIN	(01/08/2017 - 01/08/2017) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 + MOVOL:400V , MODEL:GA30_18 + (MOVOL:400V , MOVOL:400VN)) , CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA30_18 + MOVOL:230_460_V (02/08/2017 - 28/03/2018) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 + MOVOL:400V , MODEL:GA30_18 + (MOVOL:400V , MOVOL:400VN)) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V)) (29/03/2018 - ...)
1030	0211 1368 00	1	SCREW	(01/08/2017 - 01/08/2017) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 + MOVOL:400V , MODEL:GA30_18 + (MOVOL:400V , MOVOL:400VN)) , CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA30_18 + MOVOL:230_460_V (02/08/2017 - 28/03/2018) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 + MOVOL:400V , MODEL:GA30_18 + (MOVOL:400V , MOVOL:400VN)) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V)) (29/03/2018 - ...)
1040	1622 6995 00	1	WASHER	(01/08/2017 - 01/08/2017) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 + MOVOL:400V , MODEL:GA30_18 + (MOVOL:400V , MOVOL:400VN)) , CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA30_18 + MOVOL:230_460_V (02/08/2017 - 28/03/2018) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 + MOVOL:400V , MODEL:GA30_18 + (MOVOL:400V , MOVOL:400VN)) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V)) (29/03/2018 - ...)
1050	1622 6994 01	1	SPACER	(01/08/2017 - 01/08/2017) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 + MOVOL:400V , MODEL:GA30_18 + (MOVOL:400V , MOVOL:400VN)) , CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA30_18 + MOVOL:230_460_V (02/08/2017 - 28/03/2018) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 + MOVOL:400V , MODEL:GA30_18 + (MOVOL:400V , MOVOL:400VN)) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V)) (29/03/2018 - ...)
1060	0337 0009 83	1	PARALLEL KEY	(01/08/2017 - 01/08/2017) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 + MOVOL:400V , MODEL:GA30_18 + (MOVOL:400V , MOVOL:400VN)) , CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA30_18 + MOVOL:230_460_V (02/08/2017 - 28/03/2018) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 + MOVOL:400V , MODEL:GA30_18 + (MOVOL:400V , MOVOL:400VN)) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V)) (29/03/2018 - ...)
	1625 8614 22	1	SUPPORT	(19/09/2018 - ...)
1130	1625 2153 06	1	PLUG	(01/08/2017 - 01/08/2017) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 + MOVOL:400V , MODEL:GA30_18 + (MOVOL:400V , MOVOL:400VN)) , CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA30_18 + MOVOL:230_460_V (02/08/2017 - 28/03/2018) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 + MOVOL:400V , MODEL:GA30_18 + (MOVOL:400V , MOVOL:400VN)) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V)) (29/03/2018 - ...)

Legend:


CAPPRE:IEC - Component approval electrical:IEC
FREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:400V - Supply voltage:400 V

CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA26P_18 - Model:GA 26+
MOVOL:200V - Supply voltage:200 V
MOVOL:400VN - Supply voltage:400 V+N

FREQ:50HZ - Frequency:50 Hz
MODEL:GA30_18 - Model:GA 30
MOVOL:230_460_V - Supply voltage:230-460 V

3.7 - Motor GA 26+ - 200-230-460V/60Hz UL-cUL, 400V-400V+N/50Hz IEC, GA 30 - (200V/60Hz, 230-460V/60Hz) UL-cUL, 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18, MODEL:GA30_18) + (MOVOL:400V, MOVOL:400VN), CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V, MODEL:GA30_18 + (MOVOL:200V, MOVOL:230_460_V))



3.7 - Motor GA 26+ - 200-230-460V/60Hz UL-cUL, 400V-400V+N/50Hz IEC, GA 30 - (200V/60Hz, 230-460V/60Hz) UL-cUL, 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 , MODEL:GA30_18) + (MOVOL:400V , MOVOL:400VN) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V))


Ref	Part Number	Qty	Name	Validity
1140	0147 1964 29	6	HEXAGON BOLT	(02/08/2017 - 28/03/2018) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 + MOVOL:400V , MODEL:GA30_18 + (MOVOL:400V , MOVOL:400VN)) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V)) (29/03/2018 - 09/04/2018)
1140	0147 1963 08	6	HEXAGON BOLT	(10/04/2018 - ...)
1150	0147 1365 03	2	HEXAGON BOLT	(02/08/2017 - 28/03/2018) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 + MOVOL:400V , MODEL:GA30_18 + (MOVOL:400V , MOVOL:400VN)) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V)) (29/03/2018 - ...)
2100	1625 2200 60	1	MOTOR	(02/08/2017 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA26P_18 + MOVOL:200230460V
	1625 2200 54			(01/08/2017 - 28/03/2018) CAPPRE:IEC + FREQ:50HZ + MODEL:GA26P_18 + MOVOL:400V (29/03/2018 - ...) CAPPRE:IEC + FREQ:50HZ + MODEL:GA26P_18 + (MOVOL:400V , MOVOL:400VN)
	1625 2200 05			(01/08/2017 - ...) CAPPRE:IEC + FREQ:50HZ + MODEL:GA30_18 + (MOVOL:400V , MOVOL:400VN)
	1625 2200 11			(01/08/2017 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA30_18 + MOVOL:230_460_V
	1625 2200 07			(02/08/2017 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA30_18 + MOVOL:200V
•		1	MOTOR COMPONENTS	(01/08/2017 - 01/08/2017) MODEL:GA30_18 + (CAPPRE:IEC + FREQ:50HZ + (MOVOL:400V , MOVOL:400VN) , CAPPRE:ULCUL + FREQ:60HZ + MOVOL:230_460_V) (02/08/2017 - 26/05/2018) MODEL:GA30_18 + (CAPPRE:IEC + FREQ:50HZ + (MOVOL:400V , MOVOL:400VN) , CAPPRE:ULCUL + FREQ:60HZ + (MOVOL:200V , MOVOL:230_460_V)) (27/05/2018 - ...)
3010	••	1	CIRCLIP	
	📦 Service kits:	2901 1953 00	MOTOR OVERHAUL KIT - GA 26+, GA 30	
3020	••	1	BUSHING	
	📦 Service kits:	2901 1953 00	MOTOR OVERHAUL KIT - GA 26+, GA 30	
3030	••	1	SEAL RING	
	🔄 Substituted by:	1616 5742 80	LIP SEAL KIT (quantity: 1)	
	📦 Service kits:	2901 1953 00	MOTOR OVERHAUL KIT - GA 26+, GA 30	
3040	••	1	BEARING ROLLER	
	📦 Service kits:	2901 1953 00	MOTOR OVERHAUL KIT - GA 26+, GA 30	
3060	••	1079 9931 92	DECAL ARROW	
3070	••	1088 1001 01	WARNING MARK	
3080	••	1	DRAIN NIPPLE	
	🔄 Substituted by:	1630 1318 00	DRAIN NIPPLE (quantity: 1)	
	📦 Service kits:	2901 1953 00	MOTOR OVERHAUL KIT - GA 26+, GA 30	
3090	••	0211 1401 03	SCREW	
3100	••	1625 2201 01	GEAR BOX	
3110	••	1613 6752 33	ANTI-VIBRATION PAD	
3120	••	1622 6949 00	SPACER	
3130	••	0147 1365 03	HEXAGON BOLT	

Legend:

CAPPRE:IEC - Component approval electrical:IEC
FREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:400V - Supply voltage:400 V

CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA26P_18 - Model:GA 26+
MOVOL:200V - Supply voltage:200 V
MOVOL:400VN - Supply voltage:400 V+N

FREQ:50HZ - Frequency:50 Hz
MODEL:GA30_18 - Model:GA 30
MOVOL:230_460_V - Supply voltage:230-460 V



Ref	Part Number	Qty	Name	Validity
1010	1622 6993 81	1	GEAR SET	(01/08/2017 - 09/04/2018) MODEL:GA30_18 + PRESS:7.5BAR (03/09/2018 - ...) MODEL:GA30_18 + PRESS:7.5BAR
1010	1622 6988 84	1	GEAR SET	(01/08/2017 - 28/03/2018) MODEL:GA11P_18 + PRESS:10BAR (29/03/2018 - 09/04/2018) MODEL:GA11P_18 + (PRESS:10BAR , PRESS:7.4BAR) (10/04/2018 - ...) MODEL:GA11P_18 + PRESS:7.4BAR (10/04/2018 - ...) MODEL:GA11P_18 + PRESS:10BAR
1010	1622 6988 94	1	GEAR SET	
1010	1622 6988 85	1	GEAR SET	(01/08/2017 - 01/08/2017) MODEL:GA15P_18 + PRESS:10BAR (02/08/2017 - 28/03/2018) MODEL:GA15P_18 + (PRESS:10BAR , PRESS:7.4BAR) (29/03/2018 - 09/04/2018) MODEL:GA15P_18 + (PRESS:10BAR , PRESS:7.4BAR) , MODEL:GA18P_18 + PRESS:10.8BAR (10/04/2018 - ...) MODEL:GA15P_18 + PRESS:7.4BAR , MODEL:GA18P_18 + PRESS:10.8BAR (10/04/2018 - ...) MODEL:GA15P_18 + PRESS:10BAR
1010	1622 6988 98	1	GEAR SET	
1010	1622 6988 86	1	GEAR SET	(01/08/2017 - 28/03/2018) MODEL:GA18P_18 + PRESS:10BAR (29/03/2018 - 09/04/2018) MODEL:GA18P_18 + (PRESS:10BAR , PRESS:7.4BAR) (10/04/2018 - ...) MODEL:GA18P_18 + PRESS:7.4BAR (10/04/2018 - ...) MODEL:GA18P_18 + PRESS:10BAR
1010	1625 2201 37	1	GEAR SET	
1010	1622 6988 92	1	GEAR SET	(01/08/2017 - 09/04/2018) MODEL:GA22P_18 + PRESS:10BAR
1010	1622 6988 99	1	GEAR SET	(02/08/2017 - 28/03/2018) MODEL:GA26P_18 + PRESS:10.8BAR (29/03/2018 - 09/04/2018) MODEL:GA18P_18 + PRESS:7.5BAR , MODEL:GA26P_18 + PRESS:10.8BAR (10/04/2018 - ...) MODEL:GA18P_18 + PRESS:7.5BAR , MODEL:GA22P_18 + PRESS:10BAR
1010	1622 6988 93	1	GEAR SET	(01/08/2017 - 09/04/2018) MODEL:GA26P_18 + PRESS:10BAR
1010	1622 6993 84	1	GEAR SET	(27/03/2018 - 28/03/2018) MODEL:GA30_18 + PRESS:7.4BAR (29/03/2018 - 09/04/2018) MODEL:GA30_18 + (PRESS:13BAR , PRESS:7.4BAR) (10/04/2018 - ...) MODEL:GA26P_18 + PRESS:10BAR , MODEL:GA30_18 + (PRESS:13BAR , PRESS:7.4BAR) (10/04/2018 - 02/09/2018) MODEL:GA30_18 + PRESS:7.5BAR
1010	1622 6993 67	1	GEAR SET	
1010	1622 6993 69	1	GEAR SET	(01/08/2017 - 28/03/2018) MODEL:GA30_18 + PRESS:10BAR (29/03/2018 - ...) MODEL:GA26P_18 + PRESS:7.5BAR , MODEL:GA30_18 + PRESS:10BAR (01/08/2017 - ...) MODEL:GA22P_18 + PRESS:7.4BAR
1010	1622 6988 68	1	GEAR SET	
1010	1622 6993 68	1	GEAR SET	(01/08/2017 - ...) MODEL:GA30_18 + PRESS:9.1BAR
⚙ Substituted by: 1622 6993 73 - GEAR SET 9313/9314 (quantity: 1)				
1010	1622 6993 75	1	GEAR SET	(10/04/2018 - ...) MODEL:GA26P_18 + PRESS:10.8BAR
1010	1622 6988 74	1	GEAR SET	(27/03/2018 - 28/03/2018) MODEL:GA11P_18 + PRESS:7.5BAR , MODEL:GA15P_18 + PRESS:9.1BAR (29/03/2018 - ...) MODEL:GA11P_18 + PRESS:7.5BAR , MODEL:GA15P_18 + PRESS:9.1BAR , MODEL:GA18P_18 + PRESS:12.5BAR
1010	1622 6988 97	1	GEAR SET	(27/03/2018 - 28/03/2018) MODEL:GA15P_18 + PRESS:8.5BAR (29/03/2018 - ...) MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA22P_18 + PRESS:12.5BAR (27/03/2018 - ...) MODEL:GA22P_18 + PRESS:7.5BAR
1010	1622 6988 69	1	GEAR SET	
1010	1622 6993 85	1	GEAR SET	(27/03/2018 - 28/03/2018) MODEL:GA26P_18 + PRESS:13BAR (29/03/2018 - ...) MODEL:GA26P_18 + (PRESS:13BAR , PRESS:9.1BAR) (27/03/2018 - ...) MODEL:GA15P_18 + PRESS:10.8BAR
1010	1622 6988 77	1	GEAR SET	
1010	1622 6988 73	1	GEAR SET	(27/03/2018 - 28/03/2018) MODEL:GA18P_18 + PRESS:9.1BAR (29/03/2018 - ...) MODEL:GA18P_18 + (PRESS:13BAR , PRESS:9.1BAR) (27/03/2018 - ...) MODEL:GA22P_18 + PRESS:9.1BAR
1010	1625 2201 59	1	GEAR SET	
1010	1622 6988 78	1	GEAR SET	(27/03/2018 - ...) MODEL:GA22P_18 + PRESS:10.8BAR
1010	1622 6988 75	1	GEAR SET	(29/03/2018 - ...) MODEL:GA11P_18 + PRESS:8.5BAR
1010	1622 6988 70	1	GEAR SET	(29/03/2018 - ...) MODEL:GA11P_18 + PRESS:13BAR
1010	1622 6988 96	1	GEAR SET	(29/03/2018 - ...) MODEL:GA15P_18 + PRESS:7.5BAR

Remarks:


7.4bar - 107psig, 9.1bar - 132psig, 10.8bar - 157psig, 12.5bar - 181psig

Legend:

MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar



Ref	Part Number	Qty	Name	Validity
1010	1622 6988 72	1	GEAR SET	(29/03/2018 - ...) MODEL:GA15P_18 + PRESS:13BAR
1010	1622 6988 82	1	GEAR SET	(29/03/2018 - ...) MODEL:GA18P_18 + PRESS:8.5BAR
1010	1622 6988 83	1	GEAR SET	(29/03/2018 - ...) MODEL:GA22P_18 + PRESS:8.5BAR
1010	1622 6988 71	1	GEAR SET	(29/03/2018 - ...) MODEL:GA22P_18 + PRESS:13BAR
1010	1622 6993 70	1	GEAR SET	(29/03/2018 - ...) MODEL:GA26P_18 + PRESS:8.5BAR
1010	1622 6993 71	1	GEAR SET	(29/03/2018 - ...) MODEL:GA30_18 + PRESS:8.5BAR
1010	1622 6988 95	1	GEAR SET	(29/03/2018 - ...) MODEL:GA11P_18 + PRESS:9.1BAR
1010	1622 6988 88	1	GEAR SET	(29/03/2018 - ...) MODEL:GA11P_18 + PRESS:10.8BAR
1010	1622 6988 90	1	GEAR SET	(29/03/2018 - ...) MODEL:GA11P_18 + PRESS:12.5BAR
1010	1622 6988 76	1	GEAR SET	(29/03/2018 - ...) MODEL:GA15P_18 + PRESS:12.5BAR
1010	1622 6993 73	1	GEAR SET	(29/03/2018 - ...) MODEL:GA26P_18 + PRESS:7.4BAR
1010	1622 6993 77	1	GEAR SET	(29/03/2018 - ...) MODEL:GA26P_18 + PRESS:12.5BAR
1010	1622 6993 76	1	GEAR SET	(29/03/2018 - ...) MODEL:GA30_18 + PRESS:10.8BAR
1010	~~1622 6993 78~~	1	GEAR SET	(29/03/2018 - ...) MODEL:GA30_18 + PRESS:12.5BAR
⚙ Substituted by: 1622 6993 75 - GEAR SET 9317/9318 (quantity: 1)				

Remarks:


7.4bar - 107psig, 9.1bar - 132psig, 10.8bar - 157psig, 12.5bar - 181psig

Legend:


MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar


MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar



Ref	Part Number	Qty	Name	Validity
1010	1625 2201 21	1	INLET BAFFLE	(01/08/2017 - ...)
1020	1625 2201 23	1	ELBOW	(01/08/2017 - ...)
1030	1625 2201 35	1	AIR FILTER	(01/08/2017 - ...)
	•	1	FILTER ELEMENT	
	⚙ Substituted by:	1630 2201 36 - AIR FILTER (quantity: 1)		
	🧰 Service kits:	2901 9908 16 - AIR FILTER KIT - ROTO-INJECT FLUID		
		2901 9908 17 - AIR FILTER KIT - ROTO-XTEND DUTY FLUID		
1040	0347 6100 04	2	HOSE CLIP	(26/03/2018 - ...)
	⚙ Substituted by:	0347 6116 00 - HOSE CLIP 77-89 (quantity: 1)		
1050	0147 1963 08	3	HEXAGON BOLT	(01/08/2017 - ...)
1060	0211 1328 03	2	SCREW	(27/05/2018 - ...)



Ref	Part Number	Qty	Name	Validity
1010		1	UNLOADER VALVE	(01/08/2017 - ...)
1020	0147 1325 03	4	HEXAGON BOLT	(01/08/2017 - ...)
1030	0301 2335 00	4	WASHER	(01/08/2017 - ...)
1040		1	GASKET	(01/08/2017 - ...)
🛠 Service kits:		2901 1957 00 - ELEMENT MOUNTING KIT		





4.3 - Unloader Valve

Ref	Part Number	Qty	Name	Validity
	1622 3490 80	1	UNLOADER VALVE	(01/08/2017 - ...)
1010	0261 1099 40	1	NUT	(01/08/2017 - ...)
1020		1	BUSHING	(01/08/2017 - ...)
	 Service kits:	2902 0161 00 - INLET VALVE KIT		
1030	1622 1773 31	1	PISTON ROD	(01/08/2017 - ...)
1040		1	SPRING	(01/08/2017 - ...)
	 Service kits:	2902 0161 00 - INLET VALVE KIT		
1050		2	SCREW	(01/08/2017 - ...)
	 Service kits:	2902 0161 00 - INLET VALVE KIT		
1060	0335 2164 00	1	CIRCLIP	(01/08/2017 - ...)
1070		1	HIGH TEMPERATURE SEALING	(01/08/2017 - ...)
	 Service kits:	2902 0161 00 - INLET VALVE KIT		
1080		1	SPRING	(01/08/2017 - ...)
	 Service kits:	2902 0161 00 - INLET VALVE KIT		
1090		1	BUSHING	(01/08/2017 - ...)
	 Service kits:	2902 0161 00 - INLET VALVE KIT		
1100		2	WASHER	(01/08/2017 - ...)
	 Service kits:	2902 0161 00 - INLET VALVE KIT		
1110	~~1622 3490 00~~	1	HOUSING VALVE	(01/08/2017 - ...)
	 Substituted by:	1622 3490 80 - VALVE REGUL. (quantity: 1)		
1120	1622 3491 00	1	COVER	(01/08/2017 - ...)
1130		1	O-RING	(01/08/2017 - ...)
	 Service kits:	2902 0161 00 - INLET VALVE KIT		
1140		1	BLOW-OFF VALVE	(01/08/2017 - ...)
	 Service kits:	2902 0161 00 - INLET VALVE KIT		
1150		1	O-RING	(01/08/2017 - ...)
	 Service kits:	2902 0161 00 - INLET VALVE KIT		
1160		1	QUAD-RING	(01/08/2017 - ...)
	 Service kits:	2902 0161 00 - INLET VALVE KIT		
1170	1622 1789 00	1	PISTON	(01/08/2017 - ...)
1180		1	GUIDANCE TAPE	(01/08/2017 - ...)
	 Service kits:	2902 0161 00 - INLET VALVE KIT		
1190		1	INLET VALVE	(01/08/2017 - ...)
	 Substituted by:	1622 1755 85 - INLET VALVE (quantity: 1)		
	 Service kits:	2902 0161 00 - INLET VALVE KIT		

4.4 - Vessel assembly CE - 7.5bar, 8.5bar, 10bar, 13bar (21/08/2018 - 30/12/2019)

CAPPRM:CE + ((MODEL:GA11P_18, MODEL:GA15P_18, MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA30_18) + (PRESS:10BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA26P_18 + (PRESS:10BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8BAR))



4.4 - Vessel assembly CE - 7.5bar, 8.5bar, 10bar, 13bar (21/08/2018 - 30/12/2019)

CAPPRM:CE + ((MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8BAR))

Ref	Part Number	Qty	Name	Validity
1020	0147 1963 08	4	HEXAGON BOLT	(28/05/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
1070	1625 4817 80	1	PIPE	(01/08/2017 - 13/03/2018) PRESS:10BAR , MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:10BAR , PRESS:7.5BAR) , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR , PRESS:10BAR + (MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
1080		1	O-RING	(01/08/2017 - 13/03/2018) PRESS:10BAR , MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:10BAR , PRESS:7.5BAR) , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR , PRESS:10BAR + (MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
	 Service kits:	2901 9908 15 - OIL SEPARATOR KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 14 - OIL SEPARATOR KIT - GA 11+, GA 15+		
1090		1	SPRING	(01/08/2017 - 13/03/2018) PRESS:10BAR , MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:10BAR , PRESS:7.5BAR) , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR , PRESS:10BAR + (MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
	 Service kits:	2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		
1100	1622 0525 01	1	SPRING	(01/08/2017 - 13/03/2018) PRESS:10BAR , MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:10BAR , PRESS:7.5BAR) , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR , PRESS:10BAR + (MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
1110		1	O-RING	(01/08/2017 - 13/03/2018) PRESS:10BAR , MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:10BAR , PRESS:7.5BAR) , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR , PRESS:10BAR + (MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
	 Service kits:	2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		
1120		1	O-RING	(01/08/2017 - 13/03/2018) PRESS:10BAR , MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:10BAR , PRESS:7.5BAR) , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR , PRESS:10BAR + (MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
	 Service kits:	2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		

Remarks:

7.4bar = 107PSI, 9.1bar = 132PSI, 10.8bar = 157bar, 12.5bar = 181PSI

Legend:



CAPPRM:CE - Component approval mechanical:CE
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
PRESS:13BAR - Working pressure:13 bar
PRESS:8BAR - Working pressure:8 bar

CAPPRM:CEAD2000 - Component approval mechanical:CE
(based on AD2000)
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
PRESS:7.5BAR - Working pressure:7.5 bar

MODEL:GA11P_18 - Model:GA 11+
MODEL:GA22P_18 - Model:GA 22+
PRESS:10BAR - Working pressure:10 bar
PRESS:8.5BAR - Working pressure:8.5 bar

4.4 - Vessel assembly CE - 7.5bar, 8.5bar, 10bar, 13bar (21/08/2018 - 30/12/2019)

CAPPRM:CE + ((MODEL:GA11P_18, MODEL:GA15P_18, MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA30_18) + (PRESS:10BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA26P_18 + (PRESS:10BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8BAR))



4.4 - Vessel assembly CE - 7.5bar, 8.5bar, 10bar, 13bar (21/08/2018 - 30/12/2019)

CAPPRM:CE + ((MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8BAR))

Ref	Part Number	Qty	Name	Validity
1130		1	VALVE ASSEMBLY	(01/08/2017 - 13/03/2018) PRESS:10BAR , MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:10BAR , PRESS:7.5BAR) , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR , PRESS:10BAR + (MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
	 Service kits:	2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		
1140		1	PISTON	(01/08/2017 - 13/03/2018) PRESS:10BAR , MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:10BAR , PRESS:7.5BAR) , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR , PRESS:10BAR + (MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
	 Service kits:	2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		
1150	1622 6576 01	1	HOUSING	(01/08/2017 - 13/03/2018) PRESS:10BAR , MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:10BAR , PRESS:7.5BAR) , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR , PRESS:10BAR + (MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
1160	1613 8967 12	1	GROUNDING WIRE	(28/05/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
1170	0333 3227 00	2	WASHER	(28/05/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
1180	0070 6002 69	AR	TUBE 12X14	(29/05/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
	2204 1070 98	1	OIL VESSEL	(21/08/2018 - 30/12/2019) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
2010	• -	1	OIL VESSEL	(01/08/2017 - ...)
2020	• 1503 2565 04	1	ELBOW	(21/08/2018 - 17/10/2018) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
2020	• 1625 4201 84	1	SWIVEL ELBOW	(18/10/2018 - 30/12/2019)
2030	• 0852 0011 50	1	BALL VALVE	
2040	• 0583 8120 97	1	ELBOW	
2050	• 1631 0832 00	1	PLUG	
2060	• 0663 2102 15	1	O-RING	
2070	• 1638 1594 00	1	SIGHT GLASS	
3010	0830 1009 87	1	SAFETY VALVE	(01/08/2017 - 13/03/2018) MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18) (29/03/2018 - ...) PRESS:7.5BAR
3010	0830 1010 02	1	SAFETY VALVE	(01/08/2017 - 13/03/2018) PRESS:10BAR (14/03/2018 - 26/03/2018) PRESS:10BAR + ((CAPPRM:CE , CAPPRM:CEAD2000) + (MODEL:GA11P_18 , MODEL:GA18P_18 , MODEL:GA26P_18) , CAPPRM:CE + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18)) (27/03/2018 - 28/03/2018) CAPPRM:CE + (MODEL:GA15P_18 + PRESS:8.5BAR , PRESS:10BAR + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18)) , PRESS:10BAR + (CAPPRM:CE , CAPPRM:CEAD2000) + (MODEL:GA11P_18 , MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:8.5BAR
3010	0830 1010 03	1	SAFETY VALVE	(27/03/2018 - 28/03/2018) MODEL:GA26P_18 + PRESS:13BAR (29/03/2018 - ...) PRESS:13BAR

Remarks:

7.4bar = 107PSI, 9.1bar = 132PSI, 10.8bar = 157bar, 12.5bar = 181PSI

Legend:



CAPPRM:CE - Component approval mechanical:CE
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
PRESS:13BAR - Working pressure:13 bar
PRESS:8BAR - Working pressure:8 bar

CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
PRESS:7.5BAR - Working pressure:7.5 bar

MODEL:GA11P_18 - Model:GA 11+
MODEL:GA22P_18 - Model:GA 22+
PRESS:10BAR - Working pressure:10 bar
PRESS:8.5BAR - Working pressure:8.5 bar

4.4 - Vessel assembly CE - 7.5bar, 8.5bar, 10bar, 13bar (21/08/2018 - 30/12/2019)

CAPPRM:CE + ((MODEL:GA11P_18, MODEL:GA15P_18, MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA30_18) + (PRESS:10BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA26P_18 + (PRESS:10BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8BAR))



4.4 - Vessel assembly CE - 7.5bar, 8.5bar, 10bar, 13bar (21/08/2018 - 30/12/2019)

CAPPRM:CE + ((MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8BAR))

Ref	Part Number	Qty	Name	Validity
4010		1	OIL SEPARATOR	(01/08/2017 - ...) MODEL:GA11P_18 , MODEL:GA15P_18
	🔄 Substituted by:	1630 2203 57	SEPARATOR OIL (quantity: 1)	
	📦 Service kits:	2901 9908 14	OIL SEPARATOR KIT - GA 11+, GA 15+	
4010		1	OIL SEPARATOR	(01/08/2017 - ...) MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18
	📦 Service kits:	2901 9908 15	OIL SEPARATOR KIT - GA 18+, GA 22+, GA 26+, GA 30	

Remarks:

7.4bar = 107PSI, 9.1bar = 132PSI, 10.8bar = 157bar, 12.5bar = 181PSI

Legend:



CAPPRM:CE - Component approval mechanical:CE
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8BAR - Working pressure:8 bar

CAPPRM:CEAD2000 - Component approval mechanical:CE
 (based on AD2000)
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 PRESS:7.5BAR - Working pressure:7.5 bar

MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 PRESS:10BAR - Working pressure:10 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

4.5 - Vessel assembly CE - 7.5bar, 8.5bar, 10bar, 13bar (31/12/2019 - ...)

CAPPRM:CE + ((MODEL:GA11P_18, MODEL:GA15P_18, MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA30_18) + (PRESS:10BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA26P_18 + (PRESS:10BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8BAR))



4.5 - Vessel assembly CE - 7.5bar, 8.5bar, 10bar, 13bar (31/12/2019 - ...)

CAPPRM:CE + ((MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8BAR))

Ref	Part Number	Qty	Name	Validity
1020	0147 1963 08	4	HEXAGON BOLT	(28/05/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
1070	1625 4817 80	1	PIPE	(01/08/2017 - 13/03/2018) PRESS:10BAR , MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:10BAR , PRESS:7.5BAR) , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR , PRESS:10BAR + (MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
1080		1	O-RING	(01/08/2017 - 13/03/2018) PRESS:10BAR , MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:10BAR , PRESS:7.5BAR) , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR , PRESS:10BAR + (MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
	 Service kits:	2901 9908 15 - OIL SEPARATOR KIT - GA 18+ , GA 22+ , GA 26+ , GA 30 2901 9908 14 - OIL SEPARATOR KIT - GA 11+ , GA 15+		
1090		1	SPRING	(01/08/2017 - 13/03/2018) PRESS:10BAR , MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:10BAR , PRESS:7.5BAR) , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR , PRESS:10BAR + (MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
	 Service kits:	2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		
1100	1622 0525 01	1	SPRING	(01/08/2017 - 13/03/2018) PRESS:10BAR , MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:10BAR , PRESS:7.5BAR) , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR , PRESS:10BAR + (MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
1110		1	O-RING	(01/08/2017 - 13/03/2018) PRESS:10BAR , MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:10BAR , PRESS:7.5BAR) , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR , PRESS:10BAR + (MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
	 Service kits:	2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		
1120		1	O-RING	(01/08/2017 - 13/03/2018) PRESS:10BAR , MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:10BAR , PRESS:7.5BAR) , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR , PRESS:10BAR + (MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
	 Service kits:	2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		

Remarks:

7.4bar = 107PSI, 9.1bar = 132PSI, 10.8bar = 157bar, 12.5bar = 181PSI

Legend:



CAPPRM:CE - Component approval mechanical:CE
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
PRESS:13BAR - Working pressure:13 bar
PRESS:8BAR - Working pressure:8 bar

CAPPRM:CEAD2000 - Component approval mechanical:CE
(based on AD2000)
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
PRESS:7.5BAR - Working pressure:7.5 bar

MODEL:GA11P_18 - Model:GA 11+
MODEL:GA22P_18 - Model:GA 22+
PRESS:10BAR - Working pressure:10 bar
PRESS:8.5BAR - Working pressure:8.5 bar

4.5 - Vessel assembly CE - 7.5bar, 8.5bar, 10bar, 13bar (31/12/2019 - ...)

CAPPRM:CE + ((MODEL:GA11P_18, MODEL:GA15P_18, MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA30_18) + (PRESS:10BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA26P_18 + (PRESS:10BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8BAR))



4.5 - Vessel assembly CE - 7.5bar, 8.5bar, 10bar, 13bar (31/12/2019 - ...)

CAPPRM:CE + ((MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8BAR))

Atlas Copco

Ref	Part Number	Qty	Name	Validity
1130		1	VALVE ASSEMBLY	(01/08/2017 - 13/03/2018) PRESS:10BAR , MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:10BAR , PRESS:7.5BAR) , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR , PRESS:10BAR + (MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
	 Service kits:	2901 2006 53	MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT	
1140		1	PISTON	(01/08/2017 - 13/03/2018) PRESS:10BAR , MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:10BAR , PRESS:7.5BAR) , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR , PRESS:10BAR + (MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
	 Service kits:	2901 2006 53	MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT	
1150	1622 6576 01	1	HOUSING	(01/08/2017 - 13/03/2018) PRESS:10BAR , MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:10BAR , PRESS:7.5BAR) , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR , PRESS:10BAR + (MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
1160	1613 8967 12	1	GROUNDING WIRE	(28/05/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
1170	0333 3227 00	2	WASHER	(28/05/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
1180	0070 6002 69	AR	TUBE 12X14	(29/05/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
	1625 4815 91	1	OIL VESSEL	(31/12/2019 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
2010	• -	1	OIL VESSEL	
2020	• 0852 0011 50	1	BALL VALVE	
2030	• 0583 8120 97	1	ELBOW	
2040	• 1625 4201 84	1	SWIVEL ELBOW	
2050	• 1631 0832 00	1	PLUG	
2060	• 0663 2102 15	1	O-RING	
2070	• 1638 1594 00	1	SIGHT GLASS	
3010	0830 1009 87	1	SAFETY VALVE	(01/08/2017 - 13/03/2018) MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18) (29/03/2018 - ...) PRESS:7.5BAR
3010	0830 1010 02	1	SAFETY VALVE	(01/08/2017 - 13/03/2018) PRESS:10BAR (14/03/2018 - 26/03/2018) PRESS:10BAR + ((CAPPRM:CE , CAPPRM:CEAD2000) + (MODEL:GA11P_18 , MODEL:GA18P_18 , MODEL:GA26P_18) , CAPPRM:CE + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18)) (27/03/2018 - 28/03/2018) CAPPRM:CE + (MODEL:GA15P_18 + PRESS:8.5BAR , PRESS:10BAR + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18)) , PRESS:10BAR + (CAPPRM:CE , CAPPRM:CEAD2000) + (MODEL:GA11P_18 , MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:8.5BAR
3010	0830 1010 03	1	SAFETY VALVE	(27/03/2018 - 28/03/2018) MODEL:GA26P_18 + PRESS:13BAR (29/03/2018 - ...) PRESS:13BAR
4010		1	OIL SEPARATOR	(01/08/2017 - ...) MODEL:GA11P_18 , MODEL:GA15P_18
	 Substituted by:	1630 2203 57	SEPARATOR OIL (quantity: 1)	

Remarks:

7.4bar = 107PSI, 9.1bar = 132PSI, 10.8bar = 157bar, 12.5bar = 181PSI

Legend:



CAPPRM:CE - Component approval mechanical:CE
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
PRESS:13BAR - Working pressure:13 bar
PRESS:8BAR - Working pressure:8 bar

CAPPRM:CEAD2000 - Component approval mechanical:CE
(based on AD2000)
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
PRESS:7.5BAR - Working pressure:7.5 bar

MODEL:GA11P_18 - Model:GA 11+
MODEL:GA22P_18 - Model:GA 22+
PRESS:10BAR - Working pressure:10 bar
PRESS:8.5BAR - Working pressure:8.5 bar

4.5 - Vessel assembly CE - 7.5bar, 8.5bar, 10bar, 13bar (31/12/2019 - ...)

CAPPRM:CE + ((MODEL:GA11P_18, MODEL:GA15P_18, MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA30_18) + (PRESS:10BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA26P_18 + (PRESS:10BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8BAR))



4.5 - Vessel assembly CE - 7.5bar, 8.5bar, 10bar, 13bar (31/12/2019 - ...)

CAPPRM:CE + ((MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8BAR))

Ref	Part Number	Qty	Name	Validity
	 Service kits:	2901 9908 14	OIL SEPARATOR KIT - GA 11+, GA 15+	
4010		1	OIL SEPARATOR	(01/08/2017 - ...) MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18
	 Service kits:	2901 9908 15	OIL SEPARATOR KIT - GA 18+, GA 22+, GA 26+, GA 30	

Remarks:

7.4bar = 107PSI, 9.1bar = 132PSI, 10.8bar = 157bar, 12.5bar = 181PSI

Legend:

CAPPRM:CE - Component approval mechanical:CE

MODEL:GA15P_18 - Model:GA 15+

MODEL:GA26P_18 - Model:GA 26+

PRESS:13BAR - Working pressure:13 bar

PRESS:8BAR - Working pressure:8 bar

CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)

MODEL:GA18P_18 - Model:GA 18+

MODEL:GA30_18 - Model:GA 30

PRESS:7.5BAR - Working pressure:7.5 bar

MODEL:GA11P_18 - Model:GA 11+



MODEL:GA22P_18 - Model:GA 22+

PRESS:10BAR - Working pressure:10 bar

PRESS:8.5BAR - Working pressure:8.5 bar

4.6 - Vessel assembly AD 2000 - 7.5bar, 8.5bar, 10bar, 13bar

CAPPRM:CEAD2000 + ((MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8BAR))



4.6 - Vessel assembly AD 2000 - 7.5bar, 8.5bar, 10bar, 13bar

CAPPRM:CEAD2000 + ((MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))

Ref	Part Number	Qty	Name	Validity
1020	0147 1963 08	4	HEXAGON BOLT	(28/05/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
1050	1625 4817 80	1	PIPE	(27/03/2018 - 28/03/2018) PRESS:10BAR + (MODEL:GA11P_18 , MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
1060		1	O-RING	(27/03/2018 - 28/03/2018) PRESS:10BAR + (MODEL:GA11P_18 , MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
	 Service kits:	2901 9908 15 - OIL SEPARATOR KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 14 - OIL SEPARATOR KIT - GA 11+, GA 15+		
1070		1	SPRING	(27/03/2018 - 28/03/2018) PRESS:10BAR + (MODEL:GA11P_18 , MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
	 Service kits:	2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		
1080	1622 0525 01	1	SPRING	(27/03/2018 - 28/03/2018) PRESS:10BAR + (MODEL:GA11P_18 , MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
1090		1	O-RING	(27/03/2018 - 28/03/2018) PRESS:10BAR + (MODEL:GA11P_18 , MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
	 Service kits:	2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		
1100		1	O-RING	(27/03/2018 - 28/03/2018) PRESS:10BAR + (MODEL:GA11P_18 , MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
	 Service kits:	2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		
1110		1	VALVE ASSEMBLY	(27/03/2018 - 28/03/2018) PRESS:10BAR + (MODEL:GA11P_18 , MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
	 Service kits:	2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		
1120		1	PISTON	(27/03/2018 - 28/03/2018) PRESS:10BAR + (MODEL:GA11P_18 , MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
	 Service kits:	2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		
1130	1622 6576 01	1	HOUSING	(27/03/2018 - 28/03/2018) PRESS:10BAR + (MODEL:GA11P_18 , MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
1140	1613 8967 12	1	GROUNDING WIRE	(28/05/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
1150	0333 3227 00	2	WASHER	(28/05/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
1160	0070 6002 69	AR	TUBE 12X14	(29/05/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
	2204 1070 98	1	OIL VESSEL ASSEMBLY	(27/03/2018 - 28/03/2018) PRESS:10BAR + (MODEL:GA11P_18 , MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
2010	•	1	OIL VESSEL	
2020	• 1503 2565 04	1	ELBOW	(27/03/2018 - 28/03/2018) PRESS:10BAR + (MODEL:GA11P_18 , MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - 17/10/2018) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
2020	• 1625 4201 84	1	SWIVEL ELBOW	(18/10/2018 - ...)
2030	• 0852 0011 50	1	BALL VALVE	
2040	• 0583 8120 97	1	ELBOW	
2050	• 1631 0832 00	1	PLUG	
2060	• 0663 2102 15	1	O-RING	
2070	• 1638 1594 00	1	SIGHT GLASS	

Legend:



CAPPRM:CE - Component approval mechanical:CE
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
PRESS:13BAR - Working pressure:13 bar
PRESS:8BAR - Working pressure:8 bar

CAPPRM:CEAD2000 - Component approval mechanical:CE
(based on AD2000)
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
PRESS:7.5BAR - Working pressure:7.5 bar

MODEL:GA11P_18 - Model:GA 11+
MODEL:GA22P_18 - Model:GA 22+
PRESS:10BAR - Working pressure:10 bar
PRESS:8.5BAR - Working pressure:8.5 bar

4.6 - Vessel assembly AD 2000 - 7.5bar, 8.5bar, 10bar, 13bar

CAPPRM:CEAD2000 + ((MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8BAR))



4.6 - Vessel assembly AD 2000 - 7.5bar, 8.5bar, 10bar, 13bar

CAPPRM:CEAD2000 + ((MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8BAR))

Ref	Part Number	Qty	Name	Validity
3010	0830 1009 87	1	SAFETY VALVE	(01/08/2017 - 13/03/2018) CAPPRM:CE + MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) CAPPRM:CE + PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18) (29/03/2018 - ...) PRESS:7.5BAR
3010	0830 1010 02	1	SAFETY VALVE	(01/08/2017 - 13/03/2018) CAPPRM:CE + PRESS:10BAR (14/03/2018 - 26/03/2018) PRESS:10BAR + ((CAPPRM:CE , CAPPRM:CEAD2000) + (MODEL:GA11P_18 , MODEL:GA18P_18 , MODEL:GA26P_18) , CAPPRM:CE + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18)) (27/03/2018 - 28/03/2018) CAPPRM:CE + (MODEL:GA15P_18 + PRESS:8.5BAR , PRESS:10BAR + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18)) , PRESS:10BAR + (CAPPRM:CE , CAPPRM:CEAD2000) + (MODEL:GA11P_18 , MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:8.5BAR
3010	0830 1010 03	1	SAFETY VALVE	(27/03/2018 - 28/03/2018) CAPPRM:CE + MODEL:GA26P_18 + PRESS:13BAR (29/03/2018 - ...) PRESS:13BAR
4010		1	OIL SEPARATOR	(29/03/2018 - ...) MODEL:GA11P_18 , MODEL:GA15P_18
	 Substituted by:	1630 2203 57 - SEPARATOR OIL (quantity: 1)		
	 Service kits:	2901 9908 14 - OIL SEPARATOR KIT - GA 11+, GA 15+		
4010		1	OIL SEPARATOR	(29/03/2018 - ...) MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18
	 Service kits:	2901 9908 15 - OIL SEPARATOR KIT - GA 18+, GA 22+, GA 26+, GA 30		

Legend:



CAPPRM:CE - Component approval mechanical:CE
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
PRESS:13BAR - Working pressure:13 bar
PRESS:8BAR - Working pressure:8 bar

CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
PRESS:7.5BAR - Working pressure:7.5 bar

MODEL:GA11P_18 - Model:GA 11+
MODEL:GA22P_18 - Model:GA 22+
PRESS:10BAR - Working pressure:10 bar
PRESS:8.5BAR - Working pressure:8.5 bar

4.7 - Vessel assembly AS 1210 - 7.5bar, 8.5bar, 10bar, 13bar, CRN - 7.4bar, 9.1bar, 10.8bar, 12.5bar

CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , MODEL:GA26P_18 + PRESS:8BAR , PRESS:8.5BAR + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18)) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



4.7 - Vessel assembly AS 1210 - 7.5bar, 8.5bar, 10bar, 13bar, CRN - 7.4bar, 9.1bar, 10.8bar, 12.5bar

CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , MODEL:GA26P_18 + PRESS:8BAR , PRESS:8.5BAR + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18)) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

Ref	Part Number	Qty	Name	Validity
1020	0147 1963 08	4	HEXAGON BOLT	(28/05/2018 - 30/12/2019) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (31/12/2019 - ...) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)
1050	1625 4817 80	1	PIPE	(27/03/2018 - 28/03/2018) CAPPRM:CRNASME + MODEL:GA18P_18 + PRESS:9.1BAR (29/03/2018 - 29/03/2018) CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (30/03/2018 - 30/12/2019) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (31/12/2019 - ...) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)
1060		1	O-RING	(27/03/2018 - 28/03/2018) CAPPRM:CRNASME + MODEL:GA18P_18 + PRESS:9.1BAR (29/03/2018 - 29/03/2018) CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (30/03/2018 - 30/12/2019) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (31/12/2019 - ...) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)
 Service kits:		2901 9908 15 - OIL SEPARATOR KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 14 - OIL SEPARATOR KIT - GA 11+, GA 15+		
1070		1	SPRING	(27/03/2018 - 28/03/2018) CAPPRM:CRNASME + MODEL:GA18P_18 + PRESS:9.1BAR (29/03/2018 - 29/03/2018) CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (30/03/2018 - 30/12/2019) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (31/12/2019 - ...) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)
 Service kits:		2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		
1080	1622 0525 01	1	SPRING	(27/03/2018 - 28/03/2018) CAPPRM:CRNASME + MODEL:GA18P_18 + PRESS:9.1BAR (29/03/2018 - 29/03/2018) CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (30/03/2018 - 30/12/2019) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (31/12/2019 - ...) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)
1090		1	O-RING	(27/03/2018 - 28/03/2018) CAPPRM:CRNASME + MODEL:GA18P_18 + PRESS:9.1BAR (29/03/2018 - 29/03/2018) CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (30/03/2018 - 30/12/2019) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (31/12/2019 - ...) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)
 Service kits:		2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		

Remarks:

7.4bar = 107PSI, 9.1bar = 132PSI, 10.8bar = 157bar, 12.5bar = 181PSI

Legend:

CAPPRM:AS1210 - Component approval mechanical:AS1210
CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)

MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
PRESS:10BAR - Working pressure:10 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:8BAR - Working pressure:8 bar



CAPPRM:ASME - Component approval mechanical:ASME
CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)

MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.5BAR - Working pressure:7.5 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:CE - Component approval mechanical:CE
MODEL:GA11P_18 - Model:GA 11+
MODEL:GA22P_18 - Model:GA 22+
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:8.5BAR - Working pressure:8.5 bar

4.7 - Vessel assembly AS 1210 - 7.5bar, 8.5bar, 10bar, 13bar, CRN - 7.4bar, 9.1bar, 10.8bar, 12.5bar

CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , MODEL:GA26P_18 + PRESS:8BAR , PRESS:8.5BAR + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18)) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



4.7 - Vessel assembly AS 1210 - 7.5bar, 8.5bar, 10bar, 13bar, CRN - 7.4bar, 9.1bar, 10.8bar, 12.5bar

CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , MODEL:GA26P_18 + PRESS:8BAR , PRESS:8.5BAR + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18)) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

Ref	Part Number	Qty	Name	Validity
1100		1	O-RING	(27/03/2018 - 28/03/2018) CAPPRM:CRNASME + MODEL:GA18P_18 + PRESS:9.1BAR (29/03/2018 - 29/03/2018) CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (30/03/2018 - 30/12/2019) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (31/12/2019 - ...) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)
	 Service kits:	2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		
1110		1	VALVE ASSEMBLY	(27/03/2018 - 28/03/2018) CAPPRM:CRNASME + MODEL:GA18P_18 + PRESS:9.1BAR (29/03/2018 - 29/03/2018) CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (30/03/2018 - 30/12/2019) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (31/12/2019 - ...) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)
	 Service kits:	2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		
1120		1	PISTON	(27/03/2018 - 28/03/2018) CAPPRM:CRNASME + MODEL:GA18P_18 + PRESS:9.1BAR (29/03/2018 - 29/03/2018) CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (30/03/2018 - 30/12/2019) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (31/12/2019 - ...) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)
	 Service kits:	2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		
1130	1622 6576 01	1	HOUSING	(27/03/2018 - 28/03/2018) CAPPRM:CRNASME + MODEL:GA18P_18 + PRESS:9.1BAR (29/03/2018 - 29/03/2018) CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (30/03/2018 - 30/12/2019) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (31/12/2019 - ...) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)
1140	1613 8967 12	1	GROUNDING WIRE	(28/05/2018 - 30/12/2019) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (31/12/2019 - ...) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)
1150	0333 3227 00	2	WASHER	(28/05/2018 - 30/12/2019) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (31/12/2019 - ...) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)
1160	0070 6002 69	AR	TUBE 12X14	(29/05/2018 - 30/12/2019) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (31/12/2019 - ...) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)

Remarks:

7.4bar = 107PSI, 9.1bar = 132PSI, 10.8bar = 157bar, 12.5bar = 181PSI

Legend:

CAPPRM:AS1210 - Component approval mechanical:AS1210
CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)

MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
PRESS:10BAR - Working pressure:10 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:8BAR - Working pressure:8 bar



CAPPRM:ASME - Component approval mechanical:ASME
CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)

MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.5BAR - Working pressure:7.5 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:CE - Component approval mechanical:CE
MODEL:GA11P_18 - Model:GA 11+
MODEL:GA22P_18 - Model:GA 22+
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:8.5BAR - Working pressure:8.5 bar

4.7 - Vessel assembly AS 1210 - 7.5bar, 8.5bar, 10bar, 13bar, CRN - 7.4bar, 9.1bar, 10.8bar, 12.5bar

CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , MODEL:GA26P_18 + PRESS:8BAR , PRESS:8.5BAR + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18)) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



4.7 - Vessel assembly AS 1210 - 7.5bar, 8.5bar, 10bar, 13bar, CRN - 7.4bar, 9.1bar, 10.8bar, 12.5bar

CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , MODEL:GA26P_18 + PRESS:8BAR , PRESS:8.5BAR + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18)) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

Ref	Part Number	Qty	Name	Validity
	1625 8614 15	1	OIL VESSEL	(21/08/2018 - 30/12/2019) CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)
	1625 4815 93			(30/03/2018 - ...) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)
2010 • -		1	OIL VESSEL	(27/03/2018 - ...)
2020 • 0852 0011 50		1	BALL VALVE	(30/03/2018 - 20/08/2018) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (21/08/2018 - 30/12/2019) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (31/12/2019 - ...) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)
2030 • 0583 8120 97		1	ELBOW	(30/03/2018 - 20/08/2018) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (21/08/2018 - 30/12/2019) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (31/12/2019 - ...) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)
2040 • 1503 2565 04		1	ELBOW	(30/03/2018 - 20/08/2018) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (21/08/2018 - 17/10/2018) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (18/10/2018 - 24/01/2019) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)
2040 • 1625 4201 84		1	ELBOW	(18/10/2018 - ...)
2050 • 1631 0832 00		1	PLUG	(30/03/2018 - 20/08/2018) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (21/08/2018 - 30/12/2019) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (31/12/2019 - ...) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)
2060 • 0663 2102 15		1	O-RING	(30/03/2018 - 20/08/2018) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (21/08/2018 - 30/12/2019) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (31/12/2019 - ...) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)
2070 • 1638 1594 00		1	SIGHT GLASS	(30/03/2018 - 20/08/2018) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (21/08/2018 - 30/12/2019) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (31/12/2019 - ...) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)
3010 0830 1009 87		1	SAFETY VALVE	(01/08/2017 - 13/03/2018) CAPPRM:CE + MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) CAPPRM:CE + PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18) (29/03/2018 - ...) PRESS:7.5BAR + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)

Remarks:

7.4bar = 107PSI, 9.1bar = 132PSI, 10.8bar = 157bar, 12.5bar = 181PSI

Legend:

CAPPRM:AS1210 - Component approval mechanical:AS1210
CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)

MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
PRESS:10BAR - Working pressure:10 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:8BAR - Working pressure:8 bar



CAPPRM:ASME - Component approval mechanical:ASME
(based on ASME)

MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.5BAR - Working pressure:7.5 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:CE - Component approval mechanical:CE
MODEL:GA11P_18 - Model:GA 11+
MODEL:GA22P_18 - Model:GA 22+
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:8.5BAR - Working pressure:8.5 bar

4.7 - Vessel assembly AS 1210 - 7.5bar, 8.5bar, 10bar, 13bar, CRN - 7.4bar, 9.1bar, 10.8bar, 12.5bar

CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , MODEL:GA26P_18 + PRESS:8BAR , PRESS:8.5BAR + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18)) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



4.7 - Vessel assembly AS 1210 - 7.5bar, 8.5bar, 10bar, 13bar, CRN - 7.4bar, 9.1bar, 10.8bar, 12.5bar

CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , MODEL:GA26P_18 + PRESS:8BAR , PRESS:8.5BAR + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18)) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

Ref	Part Number	Qty	Name	Validity
3010	0830 1010 02	1	SAFETY VALVE	(01/08/2017 - 13/03/2018) CAPPRM:CE + PRESS:10BAR (14/03/2018 - 26/03/2018) PRESS:10BAR + ((CAPPRM:CE , CAPPRM:CEAD2000) + (MODEL:GA11P_18 , MODEL:GA18P_18 , MODEL:GA26P_18) , CAPPRM:CE + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18)) (27/03/2018 - 28/03/2018) CAPPRM:CE + (MODEL:GA15P_18 + PRESS:8.5BAR , PRESS:10BAR + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18)) , PRESS:10BAR + (CAPPRM:CE , CAPPRM:CEAD2000) + (MODEL:GA11P_18 , MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - ...) (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000) + (PRESS:10BAR , PRESS:8.5BAR)
3010	0830 1009 89	1	SAFETY VALVE	(01/08/2017 - 01/08/2017) CAPPRM:ASME + MODEL:GA22P_18 + PRESS:7.4BAR (02/08/2017 - 13/03/2018) CAPPRM:ASME + PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18) (14/03/2018 - 28/03/2018) CAPPRM:ASME + PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) (29/03/2018 - ...) PRESS:7.4BAR + (CAPPRM:ASME , CAPPRM:CRNASME)
3010	0830 1009 96	1	SAFETY VALVE	(01/08/2017 - 13/03/2018) CAPPRM:ASME + MODEL:GA30_18 + PRESS:9.1BAR (14/03/2018 - 28/03/2018) PRESS:9.1BAR + (CAPPRM:ASME + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) , CAPPRM:CRNASME + MODEL:GA18P_18) (29/03/2018 - ...) PRESS:9.1BAR + (CAPPRM:ASME , CAPPRM:CRNASME)
3010	0830 1009 98	1	SAFETY VALVE	(02/08/2017 - 13/03/2018) CAPPRM:ASME + MODEL:GA26P_18 + PRESS:10.8BAR (14/03/2018 - 28/03/2018) CAPPRM:ASME + PRESS:10.8BAR + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) (29/03/2018 - 29/03/2018) PRESS:10.8BAR + (CAPPRM:ASME , CAPPRM:CRNASME) (30/03/2018 - ...) (CAPPRM:ASME , CAPPRM:CRNASME) + (PRESS:10.8BAR , PRESS:12.5BAR)
3010	0830 1010 03	1	SAFETY VALVE	(27/03/2018 - 28/03/2018) CAPPRM:CE + MODEL:GA26P_18 + PRESS:13BAR (29/03/2018 - ...) PRESS:13BAR + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
4010		1	OIL SEPARATOR	(30/03/2018 - ...) MODEL:GA11P_18 , MODEL:GA15P_18
	Substituted by:	1630 2203 57 - SEPARATOR OIL (quantity: 1)		
	Service kits:	2901 9908 14 - OIL SEPARATOR KIT - GA 11+ , GA 15+		
4010		1	OIL SEPARATOR	(30/03/2018 - ...) MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18
	Service kits:	2901 9908 15 - OIL SEPARATOR KIT - GA 18+ , GA 22+ , GA 26+ , GA 30		

Remarks:

7.4bar = 107PSI, 9.1bar = 132PSI, 10.8bar = 157bar, 12.5bar = 181PSI

Legend:

CAPPRM:AS1210 - Component approval mechanical:AS1210

CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)

MODEL:GA15P_18 - Model:GA 15+

MODEL:GA26P_18 - Model:GA 26+

PRESS:10BAR - Working pressure:10 bar

PRESS:7.4BAR - Working pressure:7.4 bar

PRESS:8BAR - Working pressure:8 bar

CAPPRM:ASME - Component approval mechanical:ASME

CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)

MODEL:GA18P_18 - Model:GA 18+

MODEL:GA30_18 - Model:GA 30

PRESS:12.5BAR - Working pressure:12.5 bar

PRESS:7.5BAR - Working pressure:7.5 bar

PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:CE - Component approval mechanical:CE

MODEL:GA11P_18 - Model:GA 11+

MODEL:GA22P_18 - Model:GA 22+



PRESS:10.8BAR - Working pressure:10.8 bar

PRESS:13BAR - Working pressure:13 bar

PRESS:8.5BAR - Working pressure:8.5 bar

4.8 - Vessel assembly ASME - 7.4bar, 9.1bar, 10.8bar, 12.5bar

CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



4.8 - Vessel assembly ASME - 7.4bar, 9.1bar, 10.8bar, 12.5bar

CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

Atlas Copco

Ref	Part Number	Qty	Name	Validity
1020	0147 1963 08	4	HEXAGON BOLT	(28/05/2018 - ...)
1030	1079 9930 38	1	LABEL WARNING	(01/08/2017 - 01/08/2017) MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + PRESS:9.1BAR (02/08/2017 - 13/03/2018) MODEL:GA26P_18 + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18) (14/03/2018 - 28/03/2018) (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , PRESS:10.8BAR + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) (29/03/2018 - 09/04/2018)
1070	1625 4817 80	1	PIPE	(01/08/2017 - 01/08/2017) MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + PRESS:9.1BAR (02/08/2017 - 13/03/2018) MODEL:GA26P_18 + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18) (14/03/2018 - 28/03/2018) (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , PRESS:10.8BAR + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) (29/03/2018 - ...)
1080		1	O-RING	(01/08/2017 - 01/08/2017) MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + PRESS:9.1BAR (02/08/2017 - 13/03/2018) MODEL:GA26P_18 + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18) (14/03/2018 - 28/03/2018) (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , PRESS:10.8BAR + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) (29/03/2018 - ...)
	 Service kits:	2901 9908 15 - OIL SEPARATOR KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 14 - OIL SEPARATOR KIT - GA 11+, GA 15+		
1090		1	SPRING	(01/08/2017 - 01/08/2017) MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + PRESS:9.1BAR (02/08/2017 - 13/03/2018) MODEL:GA26P_18 + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18) (14/03/2018 - 28/03/2018) (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , PRESS:10.8BAR + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) (29/03/2018 - ...)
	 Service kits:	2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		
1100	1622 0525 01	1	SPRING	(01/08/2017 - 01/08/2017) MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + PRESS:9.1BAR (02/08/2017 - 13/03/2018) MODEL:GA26P_18 + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18) (14/03/2018 - 28/03/2018) (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , PRESS:10.8BAR + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) (29/03/2018 - ...)
1110		1	O-RING	(01/08/2017 - 01/08/2017) MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + PRESS:9.1BAR (02/08/2017 - 13/03/2018) MODEL:GA26P_18 + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18) (14/03/2018 - 28/03/2018) (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , PRESS:10.8BAR + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) (29/03/2018 - ...)
	 Service kits:	2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		

Remarks:

7.4bar = 107PSI, 9.1bar = 132PSI, 10.8bar = 157bar, 12.5bar = 181PSI

Legend:



CAPPRM:ASME - Component approval mechanical:ASME
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
PRESS:12.5BAR - Working pressure:12.5 bar

CAPPRM:CRNASME - Component approval mechanical:CRN
(based on ASME)
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
PRESS:7.4BAR - Working pressure:7.4 bar

MODEL:GA11P_18 - Model:GA 11+
MODEL:GA22P_18 - Model:GA 22+
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

4.8 - Vessel assembly ASME - 7.4bar, 9.1bar, 10.8bar, 12.5bar

CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



4.8 - Vessel assembly ASME - 7.4bar, 9.1bar, 10.8bar, 12.5bar

CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

Atlas Copco

Ref	Part Number	Qty	Name	Validity
1120		1	O-RING	(01/08/2017 - 01/08/2017) MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + PRESS:9.1BAR (02/08/2017 - 13/03/2018) MODEL:GA26P_18 + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18) (14/03/2018 - 28/03/2018) (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , PRESS:10.8BAR + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) (29/03/2018 - ...)
	 Service kits:	2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		
1130		1	VALVE ASSEMBLY	(01/08/2017 - 01/08/2017) MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + PRESS:9.1BAR (02/08/2017 - 13/03/2018) MODEL:GA26P_18 + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18) (14/03/2018 - 28/03/2018) (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , PRESS:10.8BAR + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) (29/03/2018 - ...)
	 Service kits:	2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		
1140		1	PISTON	(01/08/2017 - 01/08/2017) MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + PRESS:9.1BAR (02/08/2017 - 13/03/2018) MODEL:GA26P_18 + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18) (14/03/2018 - 28/03/2018) (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , PRESS:10.8BAR + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) (29/03/2018 - ...)
	 Service kits:	2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		
1150	1622 6576 01	1	HOUSING	(01/08/2017 - 01/08/2017) MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + PRESS:9.1BAR (02/08/2017 - 13/03/2018) MODEL:GA26P_18 + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18) (14/03/2018 - 28/03/2018) (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , PRESS:10.8BAR + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) (29/03/2018 - ...)
1160	1613 8967 12	1	GROUNDING WIRE	(28/05/2018 - ...)
1170	0333 3227 00	2	WASHER	(28/05/2018 - ...)
1180	0070 6002 69	AR	TUBE 12X14	(29/05/2018 - ...)
	1625 8614 15	1	OIL VESSEL	(21/08/2018 - 30/12/2019)
	1625 4815 94			(01/08/2017 - 01/08/2017) MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + PRESS:9.1BAR (02/08/2017 - 13/03/2018) MODEL:GA26P_18 + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18) (14/03/2018 - 28/03/2018) (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , PRESS:10.8BAR + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) (29/03/2018 - 20/08/2018) (31/12/2019 - ...)
2010 •	1625 4815 04	1	SEPARATOR OIL	(31/12/2019 - ...)
2010 •	-	1	OIL VESSEL	(01/08/2017 - ...)
2020 •	0852 0011 50	1	BALL VALVE	(21/08/2018 - 30/12/2019)

Remarks:

7.4bar = 107PSI, 9.1bar = 132PSI, 10.8bar = 157bar, 12.5bar = 181PSI

Legend:



CAPPRM:ASME - Component approval mechanical:ASME
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
PRESS:12.5BAR - Working pressure:12.5 bar

CAPPRM:CRNASME - Component approval mechanical:CRN
(based on ASME)
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
PRESS:7.4BAR - Working pressure:7.4 bar

MODEL:GA11P_18 - Model:GA 11+
MODEL:GA22P_18 - Model:GA 22+
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

4.8 - Vessel assembly ASME - 7.4bar, 9.1bar, 10.8bar, 12.5bar

CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



4.8 - Vessel assembly ASME - 7.4bar, 9.1bar, 10.8bar, 12.5bar

CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

Atlas Copco

Ref	Part Number	Qty	Name	Validity
2020	• 0852 0011 50	1	BALL VALVE	(01/08/2017 - 01/08/2017) MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + PRESS:9.1BAR (02/08/2017 - 13/03/2018) MODEL:GA26P_18 + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18) (14/03/2018 - 28/03/2018) (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , PRESS:10.8BAR + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) (29/03/2018 - 20/08/2018) (31/12/2019 - ...)
2020	• 0852 0011 50	1	BALL VALVE	
2030	• 0583 8120 97	1	ELBOW	(01/08/2017 - 01/08/2017) MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + PRESS:9.1BAR (02/08/2017 - 13/03/2018) MODEL:GA26P_18 + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18) (14/03/2018 - 28/03/2018) (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , PRESS:10.8BAR + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) (29/03/2018 - 30/12/2019) (31/12/2019 - ...)
2030	• 0583 8120 97	1	ELBOW	
2040	• 1503 2565 04	1	ELBOW	(01/08/2017 - 01/08/2017) MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + PRESS:9.1BAR (02/08/2017 - 13/03/2018) MODEL:GA26P_18 + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18) (14/03/2018 - 28/03/2018) (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , PRESS:10.8BAR + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) (29/03/2018 - 17/10/2018) (18/10/2018 - 30/12/2019) (31/12/2019 - ...)
2040	• 1625 4201 84	1	ELBOW	
2040	• 1625 4201 84	1	ELBOW	
2050	• 1631 0832 00	1	PLUG	(01/08/2017 - 01/08/2017) MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + PRESS:9.1BAR (02/08/2017 - 13/03/2018) MODEL:GA26P_18 + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18) (14/03/2018 - 28/03/2018) (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , PRESS:10.8BAR + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) (29/03/2018 - 30/12/2019) (31/12/2019 - ...)
2050	• 1631 0832 00	1	PLUG	
2060	• 0663 2102 15	1	O-RING	(01/08/2017 - 01/08/2017) MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + PRESS:9.1BAR (02/08/2017 - 13/03/2018) MODEL:GA26P_18 + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18) (14/03/2018 - 28/03/2018) (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , PRESS:10.8BAR + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) (29/03/2018 - 30/12/2019) (31/12/2019 - ...)
2060	• 0663 2102 15	1	O-RING	
2070	• 1638 1594 00	1	SIGHT GLASS	(01/08/2017 - 01/08/2017) MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + PRESS:9.1BAR (02/08/2017 - 13/03/2018) MODEL:GA26P_18 + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18) (14/03/2018 - 28/03/2018) (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , PRESS:10.8BAR + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) (29/03/2018 - 30/12/2019) (31/12/2019 - ...)

Remarks:

7.4bar = 107PSI, 9.1bar = 132PSI, 10.8bar = 157bar, 12.5bar = 181PSI

Legend:



CAPPRM:ASME - Component approval mechanical:ASME
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
PRESS:12.5BAR - Working pressure:12.5 bar

CAPPRM:CRNASME - Component approval mechanical:CRN
(based on ASME)
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
PRESS:7.4BAR - Working pressure:7.4 bar

MODEL:GA11P_18 - Model:GA 11+
MODEL:GA22P_18 - Model:GA 22+
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

4.8 - Vessel assembly ASME - 7.4bar, 9.1bar, 10.8bar, 12.5bar

CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



4.8 - Vessel assembly ASME - 7.4bar, 9.1bar, 10.8bar, 12.5bar

CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

Atlas Copco

Ref	Part Number	Qty	Name	Validity
2070 •	1638 1594 00	1	SIGHT GLASS	(31/12/2019 - ...)
3010	0830 1009 89	1	SAFETY VALVE	(01/08/2017 - 01/08/2017) MODEL:GA22P_18 + PRESS:7.4BAR (02/08/2017 - 13/03/2018) PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18) (14/03/2018 - 28/03/2018) PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) (29/03/2018 - ...) PRESS:7.4BAR
3010	0830 1009 96	1	SAFETY VALVE	(01/08/2017 - 13/03/2018) MODEL:GA30_18 + PRESS:9.1BAR (14/03/2018 - 28/03/2018) PRESS:9.1BAR + (CAPPRM:ASME + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) , CAPPRM:CRNASME + MODEL:GA18P_18) (29/03/2018 - ...) PRESS:9.1BAR
3010	0830 1009 98	1	SAFETY VALVE	(02/08/2017 - 13/03/2018) MODEL:GA26P_18 + PRESS:10.8BAR (14/03/2018 - 28/03/2018) PRESS:10.8BAR + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) (29/03/2018 - 29/03/2018) PRESS:10.8BAR (30/03/2018 - ...) PRESS:10.8BAR , PRESS:12.5BAR (01/08/2017 - ...) MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18
4010		1	OIL SEPARATOR	
	 Service kits:	2901 9908 15	OIL SEPARATOR KIT - GA 18+, GA 22+, GA 26+, GA 30	
4010		1	OIL SEPARATOR	(01/08/2017 - ...) MODEL:GA11P_18 , MODEL:GA15P_18
	 Substituted by:	1630 2203 57	SEPARATOR OIL (quantity: 1)	
	 Service kits:	2901 9908 14	OIL SEPARATOR KIT - GA 11+, GA 15+	

Remarks:


7.4bar = 107PSI, 9.1bar = 132PSI, 10.8bar = 157bar, 12.5bar = 181PSI

Legend:

CAPPRM:ASME - Component approval mechanical:ASME
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
PRESS:12.5BAR - Working pressure:12.5 bar

CAPPRM:CRNASME - Component approval mechanical:CRN
(based on ASME)
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
PRESS:7.4BAR - Working pressure:7.4 bar

MODEL:GA11P_18 - Model:GA 11+
MODEL:GA22P_18 - Model:GA 22+
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar



5.1 - Cooler

Ref	Part Number	Qty	Name	Validity
1010	1625 4737 53	1	COOLER ASSEMBLY	(17/10/2018 - ...) MODEL:GA26P_18
	1625 4737 51			(17/10/2018 - ...) MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18
	1625 4737 52			(17/10/2018 - ...) MODEL:GA22P_18
	1625 4737 54			(17/10/2018 - ...) MODEL:GA30_18
1020	0215 0010 13	1	SCREW	(01/08/2017 - 09/04/2018) (19/09/2018 - ...)
1030	1625 4767 83	1	PLATE	(10/04/2018 - ...) MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18
1030	1625 4767 82	1	PLATE	(10/04/2018 - ...) MODEL:GA22P_18
1030	1625 4767 81	1	PLATE	(10/04/2018 - ...) MODEL:GA26P_18
1040	1625 8614 42	1	EARTHING CABLE	(28/02/2020 - ...)

Legend:


MODEL:GA11P_18 - Model:GA 11+
MODEL:GA22P_18 - Model:GA 22+

MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+

MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30

5.2 - Fan (GA 11+ - (230V, 380V-460V/60Hz) IEC, (200-230-460V/60Hz, 460V-575V/60Hz) UL-cUL), (GA 15+ - (230V/50Hz, 380V-460V/60Hz) IEC, 460V-575V/60Hz UL-cUL), (GA 18+, GA 26+ - (230V, 380V-460V/60Hz) IEC, (200-230-460V/60Hz, 460V/60Hz) UL-cUL), (GA 22+ - (230V, 460V-60Hz) IEC, 460V-575V/60Hz UL-cUL), GA 30 - (230V, 380V-460V/60Hz) IEC, 460V-575V/60Hz UL-cUL

CAPPRE:IEC + FREQ:50HZ + MOVOL:230V, FREQ:60HZ + (MOVOL:460V, (CAPPRE:IEC + (MOVOL:230V, MOVOL:380V), CAPPRE:ULCUL + MOVOL:575V) + (MODEL:GA11P_18, MODEL:GA26P_18, MODEL:GA30_18), CAPPRE:IEC + (MOVOL:230V + (MODEL:GA18P_18, MODEL:GA22P_18), MOVOL:380V + (MODEL:GA15P_18, MODEL:GA18P_18))), CAPPRE:ULCUL + (MOVOL:200230460V + (MODEL:GA11P_18, MODEL:GA18P_18), MOVOL:575V + (MODEL:GA15P_18, MODEL:GA22P_18)))



5.2 - Fan (GA 11+ - (230V, 380V-460V/60Hz) IEC, (200-230-460V/60Hz, 460V-575V/60Hz) UL-cUL), (GA 15+ - (230V/50Hz, 380V-460V/60Hz) IEC, 460V-575V/60Hz UL-cUL), (GA 18+, GA 26+ - (230V, 380V-460V/60Hz) IEC, (200-230-460V/60Hz, 460V/60Hz) UL-cUL), (GA 22+ - (230V, 460V-60Hz) IEC, 460V-575V/60Hz UL-cUL), GA 30 - (230V, 380V-460V/60Hz) IEC, 460V-575V/60Hz UL-cUL

CAPPRE:IEC + FREQ:50HZ + MOVOL:230V , FREQ:60HZ + (MOVOL:460V , (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V) , CAPPRE:ULCUL + MOVOL:575V) + (MODEL:GA11P_18 , MODEL:GA26P_18 , MODEL:GA30_18) , CAPPRE:IEC + (MOVOL:230V + (MODEL:GA18P_18 , MODEL:GA22P_18) , MOVOL:380V + (MODEL:GA15P_18 , MODEL:GA18P_18)) , CAPPRE:ULCUL + (MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA18P_18) , MOVOL:575V + (MODEL:GA15P_18 , MODEL:GA22P_18)))

Ref	Part Number	Qty	Name	Validity
1010	1625 4249 01	1	AXIAL FAN	(30/03/2018 - ...) CAPPRE:IEC + MOVOL:230V + (MODEL:GA11P_18 , FREQ:50HZ + MODEL:GA15P_18) , CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA11P_18 + MOVOL:200230460V
1010	1625 4249 00	1	AXIAL FAN	(30/03/2018 - ...) FREQ:60HZ + (MODEL:GA11P_18 , MODEL:GA15P_18) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)
1010	1625 2202 93	1	AXIAL FAN	(30/03/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MOVOL:575V + (MODEL:GA11P_18 , MODEL:GA15P_18)
1010	1625 4806 01	1	AXIAL FAN	(30/03/2018 - 16/04/2018) CAPPRE:IEC + MOVOL:230V + (MODEL:GA18P_18 , MODEL:GA22P_18) , CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA18P_18 + MOVOL:200230460V (17/04/2018 - ...) CAPPRE:IEC + MOVOL:230V + (MODEL:GA18P_18 , MODEL:GA22P_18 , FREQ:60HZ + (MODEL:GA26P_18 , MODEL:GA30_18)) , CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA18P_18 + MOVOL:200230460V
1010	1625 4806 00	1	AXIAL FAN	(30/03/2018 - ...) FREQ:60HZ + ((MODEL:GA18P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V) , MODEL:GA22P_18 + MOVOL:460V)
1010	1625 4806 02	1	AXIAL FAN	(30/03/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MOVOL:575V + (MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18)
1010	1625 4805 05	1	AXIAL FAN	(30/03/2018 - 16/04/2018) CAPPRE:IEC + MOVOL:230V + (MODEL:GA26P_18 , MODEL:GA30_18) (17/04/2018 - ...) CAPPRE:IEC + FREQ:50HZ + MOVOL:230V + (MODEL:GA26P_18 , MODEL:GA30_18)
1020	0215 0010 16	4	SCREW	(30/03/2018 - ...)
1030	0300 0274 34	2	WASHER	(30/03/2018 - 03/01/2019)
1030	0301 2335 00	2	WASHER	(04/01/2019 - ...)
1040	0291 1110 00	2	LOCKNUT	(30/03/2018 - ...)
1050	1625 2200 00	1	DUCT	(30/03/2018 - ...) (CAPPRE:IEC + FREQ:50HZ + MOVOL:230V , FREQ:60HZ + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V , CAPPRE:ULCUL + MOVOL:575V)) + (MODEL:GA11P_18 , MODEL:GA15P_18) , FREQ:60HZ + MODEL:GA11P_18 + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V)
1050	1625 4794 82	1	DUCT	(30/03/2018 - 03/01/2019) CAPPRE:IEC + MOVOL:230V + (MODEL:GA18P_18 , MODEL:GA22P_18) , FREQ:60HZ + ((MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (MOVOL:460V , CAPPRE:ULCUL + MOVOL:575V) , CAPPRE:IEC + MOVOL:380V + (MODEL:GA18P_18 , MODEL:GA26P_18 , MODEL:GA30_18) , MODEL:GA18P_18 + (MOVOL:460V , CAPPRE:ULCUL + MOVOL:200230460V)) (04/01/2019 - ...) CAPPRE:IEC + FREQ:50HZ + MOVOL:230V + (MODEL:GA18P_18 , MODEL:GA22P_18) , FREQ:60HZ + ((MODEL:GA18P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (MOVOL:460V , CAPPRE:IEC + (MOVOL:230V , MOVOL:380V)) , CAPPRE:ULCUL + (MODEL:GA18P_18 + MOVOL:200230460V , MOVOL:575V + (MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18)) , MODEL:GA22P_18 + (MOVOL:460V , CAPPRE:IEC + MOVOL:230V))
	• 1619-3843-00	AR	SEAL	(30/03/2018 - ...) CAPPRE:IEC + MOVOL:230V + (MODEL:GA18P_18 , MODEL:GA22P_18) , FREQ:60HZ + ((MODEL:GA18P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V) , CAPPRE:IEC + MODEL:GA22P_18 + MOVOL:460V , CAPPRE:ULCUL + (MODEL:GA18P_18 + MOVOL:200230460V , MOVOL:575V + (MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18)))
	⚙ Substituted by:	1619 3843 01 - SEAL (quantity: 1)		
1050	1625 4752 81	1	DUCT	(30/03/2018 - 03/01/2019) CAPPRE:IEC + MOVOL:230V + (MODEL:GA26P_18 , MODEL:GA30_18) (04/01/2019 - ...) CAPPRE:IEC + FREQ:50HZ + MOVOL:230V + (MODEL:GA26P_18 , MODEL:GA30_18)

Legend:


CAPPRE:IEC - Component approval electrical:IEC
FREQ:60HZ - Frequency:60 Hz
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
MOVOL:380V - Supply voltage:380 V

CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA11P_18 - Model:GA 11+
MODEL:GA22P_18 - Model:GA 22+
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:460V - Supply voltage:460 V

FREQ:50HZ - Frequency:50 Hz
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
MOVOL:230V - Supply voltage:230 V
MOVOL:575V - Supply voltage:575 V

5.2 - Fan (GA 11+ - (230V, 380V-460V/60Hz) IEC, (200-230-460V/60Hz, 460V-575V/60Hz) UL-cUL), (GA 15+ - (230V/50Hz, 380V-460V/60Hz) IEC, 460V-575V/60Hz UL-cUL), (GA 18+, GA 26+ - (230V, 380V-460V/60Hz) IEC, (200-230-460V/60Hz, 460V/60Hz) UL-cUL), (GA 22+ - (230V, 460V-60Hz) IEC, 460V-575V/60Hz UL-cUL), GA 30 - (230V, 380V-460V/60Hz) IEC, 460V-575V/60Hz UL-cUL

CAPPRE:IEC + FREQ:50HZ + MOVOL:230V , FREQ:60HZ + (MOVOL:460V , (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V) , CAPPRE:ULCUL + MOVOL:575V) + (MODEL:GA11P_18 , MODEL:GA26P_18 , MODEL:GA30_18) , CAPPRE:IEC + (MOVOL:230V + (MODEL:GA18P_18 , MODEL:GA22P_18) , MOVOL:380V + (MODEL:GA15P_18 , MODEL:GA18P_18)) , CAPPRE:ULCUL + (MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA18P_18) , MOVOL:575V + (MODEL:GA15P_18 , MODEL:GA22P_18)))



5.2 - Fan (GA 11+ - (230V, 380V-460V/60Hz) IEC, (200-230-460V/60Hz, 460V-575V/60Hz) UL-cUL), (GA 15+ - (230V/50Hz, 380V-460V/60Hz) IEC, 460V-575V/60Hz UL-cUL), (GA 18+, GA 26+ - (230V, 380V-460V/60Hz) IEC, (200-230-460V/60Hz, 460V/60Hz) UL-cUL), (GA 22+ - (230V, 460V-60Hz) IEC, 460V-575V/60Hz UL-cUL), GA 30 - (230V, 380V-460V/60Hz) IEC, 460V-575V/60Hz UL-cUL

CAPPRE:IEC + FREQ:50HZ + MOVOL:230V , FREQ:60HZ + (MOVOL:460V , (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V) , CAPPRE:ULCUL + MOVOL:575V) + (MODEL:GA11P_18 , MODEL:GA26P_18 , MODEL:GA30_18) , CAPPRE:IEC + (MOVOL:230V + (MODEL:GA18P_18 , MODEL:GA22P_18) , MOVOL:380V + (MODEL:GA15P_18 , MODEL:GA18P_18)) , CAPPRE:ULCUL + (MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA18P_18) , MOVOL:575V + (MODEL:GA15P_18 , MODEL:GA22P_18)))

Ref	Part Number	Qty	Name	Validity
	• 1619 3843 00	AR	SEAL	
	↻ Substituted by:	1619 3843 01 - SEAL (quantity: 1)		
1060	1625 4264 82	1	FAN PROTECTION	(30/03/2018 - ...)
	• 1079 9901 18	1	WARNING LABEL	
1070	0147 1963 08	2	HEXAGON BOLT	(30/03/2018 - ...)

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 MOVOL:380V - Supply voltage:380 V

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:460V - Supply voltage:460 V

FREQ:50HZ - Frequency:50 Hz
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:230V - Supply voltage:230 V
 MOVOL:575V - Supply voltage:575 V

5.3 - Fan GA 15+ - 230V/60Hz IEC, GA 18+ - 575V/60Hz UL-cUL, GA 22+ - 380V/60Hz IEC

FREQ:60HZ + (CAPPRE:IEC + (MODEL:GA15P_18 + MOVOL:230V , MODEL:GA22P_18 + MOVOL:380V) , CAPPRE:ULCUL + MODEL:GA18P_18 + MOVOL:575V)



5.3 - Fan GA 15+ - 230V/60Hz IEC, GA 18+ - 575V/60Hz UL-cUL, GA 22+ - 380V/60Hz IEC

FREQ:60HZ + (CAPPRE:IEC + (MODEL:GA15P_18 + MOVOL:230V , MODEL:GA22P_18 + MOVOL:380V) , CAPPRE:ULCUL + MODEL:GA18P_18 + MOVOL:575V)

Ref	Part Number	Qty	Name	Validity
1010	1625 4806 02	1	AXIAL FAN	(27/03/2018 - ...) CAPPRE:ULCUL + MODEL:GA18P_18 + MOVOL:575V
1010	1625 4249 01	1	AXIAL FAN	(27/03/2018 - ...) CAPPRE:IEC + MODEL:GA15P_18 + MOVOL:230V
1010	1625 4806 00	1	AXIAL FAN	(27/03/2018 - ...) CAPPRE:IEC + MODEL:GA22P_18 + MOVOL:380V
1020	0215 0010 16	4	SCREW	(27/03/2018 - ...)
1030	0291 1110 00	2	LOCKNUT	(27/03/2018 - ...)
1050	1625 4794 82	1	DUCT	(27/03/2018 - ...) CAPPRE:IEC + MODEL:GA22P_18 + MOVOL:380V , CAPPRE:ULCUL + MODEL:GA18P_18 + MOVOL:575V
	• 1619 3843 00	AR	SEAL	
	↻ Substituted by:	1619 3843 01	SEAL (quantity: 1)	
1050	1625 2200 00	1	DUCT	(27/03/2018 - ...) CAPPRE:IEC + MODEL:GA15P_18 + MOVOL:230V
1060	1625 4264 82	1	FAN PROTECTION	(27/03/2018 - ...)
	• 1079 9901 18	1	WARNING LABEL	
1070	0147 1963 08	2	HEXAGON BOLT	(27/03/2018 - ...)


Legend:

CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA15P_18 - Model:GA 15+
MOVOL:230V - Supply voltage:230 V

CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA18P_18 - Model:GA 18+
MOVOL:380V - Supply voltage:380 V

FREQ:60HZ - Frequency:60 Hz
MODEL:GA22P_18 - Model:GA 22+
MOVOL:575V - Supply voltage:575 V

5.4 - Fan GA 11+-30 - 400V-400V+N/50Hz IEC, GA 15+, GA 22+, GA 26+ - 200-230-460V/60Hz UL-cUL, GA 30 - (200V/60Hz, 230-460V/60Hz) UL-cUL
 CAPPRE:IEC + FREQ:50HZ + (MOVOL:400V , MOVOL:400VN) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18))



5.4 - Fan GA 11+-30 - 400V-400V+N/50Hz IEC, GA 15+, GA 22+, GA 26+ - 200-230-460V/60Hz UL-cUL, GA 30 - (200V/60Hz, 230-460V/60Hz) UL-cUL
 CAPPRE:IEC + FREQ:50HZ + (MOVOL:400V , MOVOL:400VN) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18))

Ref	Part Number	Qty	Name	Validity
1010	1625 4249 00	1	AXIAL FAN	(01/08/2017 - 13/03/2018) CAPPRE:IEC + FREQ:50HZ + MOVOL:400V + (MODEL:GA11P_18 , MODEL:GA15P_18) (14/03/2018 - 28/03/2018) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA11P_18 + (MOVOL:400V , MOVOL:400VN) , MODEL:GA15P_18 + MOVOL:400V) (29/03/2018 - ...) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA11P_18 , MODEL:GA15P_18) + (MOVOL:400V , MOVOL:400VN)
1010	1625 4806 00	1	AXIAL FAN	(01/08/2017 - 28/03/2018) CAPPRE:IEC + FREQ:50HZ + MOVOL:400V + (MODEL:GA18P_18 , MODEL:GA22P_18) (29/03/2018 - ...) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA18P_18 , MODEL:GA22P_18) + (MOVOL:400V , MOVOL:400VN)
1010	1625 4805 00	1	AXIAL FAN	(01/08/2017 - 28/03/2018) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 + MOVOL:400V , MODEL:GA30_18 + (MOVOL:400V , MOVOL:400VN)) (29/03/2018 - ...) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 , MODEL:GA30_18) + (MOVOL:400V , MOVOL:400VN)
1010	1625 4806 01	1	AXIAL FAN	(01/08/2017 - 16/04/2018) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA22P_18 + MOVOL:200230460V (17/04/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA22P_18 , MODEL:GA26P_18))
1010	1625 4805 05	1	AXIAL FAN	(01/08/2017 - 01/08/2017) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA30_18 + MOVOL:230_460_V (02/08/2017 - 16/04/2018) CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V))
1010	1625 4249 01	1	AXIAL FAN	(02/08/2017 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA15P_18 + MOVOL:200230460V
1020	0215 0010 16	4	SCREW	(10/04/2018 - ...)
1030	0301 2335 00	2	WASHER	(04/01/2019 - ...)
1040	0291 1110 00	2	LOCKNUT	(01/08/2017 - 01/08/2017) CAPPRE:IEC + FREQ:50HZ + (MOVOL:400V , MODEL:GA30_18 + MOVOL:400VN) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA22P_18 + MOVOL:200230460V , MODEL:GA30_18 + MOVOL:230_460_V) (02/08/2017 - 13/03/2018) CAPPRE:IEC + FREQ:50HZ + (MOVOL:400V , MODEL:GA30_18 + MOVOL:400VN) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) (14/03/2018 - 28/03/2018) CAPPRE:IEC + FREQ:50HZ + (MOVOL:400V , MOVOL:400VN + (MODEL:GA11P_18 , MODEL:GA30_18)) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) (29/03/2018 - ...)
1050	0147 1963 08	2	HEXAGON BOLT	(01/08/2017 - 01/08/2017) CAPPRE:IEC + FREQ:50HZ + (MOVOL:400V , MODEL:GA30_18 + MOVOL:400VN) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA22P_18 + MOVOL:200230460V , MODEL:GA30_18 + MOVOL:230_460_V) (02/08/2017 - 13/03/2018) CAPPRE:IEC + FREQ:50HZ + (MOVOL:400V , MODEL:GA30_18 + MOVOL:400VN) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) (14/03/2018 - 28/03/2018) CAPPRE:IEC + FREQ:50HZ + (MOVOL:400V , MOVOL:400VN + (MODEL:GA11P_18 , MODEL:GA30_18)) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) (29/03/2018 - ...)


Legend:

CAPPRE:IEC - Component approval electrical:IEC
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 MOVOL:230_460_V - Supply voltage:230-460 V

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:400V - Supply voltage:400 V

FREQ:50HZ - Frequency:50 Hz
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:200V - Supply voltage:200 V
 MOVOL:400VN - Supply voltage:400 V+N

5.4 - Fan GA 11+-30 - 400V-400V+N/50Hz IEC, GA 15+, GA 22+, GA 26+ - 200-230-460V/60Hz UL-cUL, GA 30 - (200V/60Hz, 230-460V/60Hz) UL-cUL
 CAPPRE:IEC + FREQ:50HZ + (MOVOL:400V , MOVOL:400VN) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18))



5.4 - Fan GA 11+-30 - 400V-400V+N/50Hz IEC, GA 15+, GA 22+, GA 26+ - 200-230-460V/60Hz UL-cUL, GA 30 - (200V/60Hz, 230-460V/60Hz) UL-cUL
 CAPPRE:IEC + FREQ:50HZ + (MOVOL:400V , MOVOL:400VN) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18))


Ref	Part Number	Qty	Name	Validity
1060	1625 2200 00	1	DUCT	(01/08/2017 - 01/08/2017) CAPPRE:IEC + FREQ:50HZ + MOVOL:400V + (MODEL:GA11P_18 , MODEL:GA15P_18) (02/08/2017 - 13/03/2018) CAPPRE:IEC + FREQ:50HZ + MOVOL:400V + (MODEL:GA11P_18 , MODEL:GA15P_18) , CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA15P_18 + MOVOL:200230460V (14/03/2018 - 28/03/2018) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA11P_18 + (MOVOL:400V , MOVOL:400VN) , MODEL:GA15P_18 + MOVOL:400V) , CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA15P_18 + MOVOL:200230460V (29/03/2018 - ...) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA11P_18 , MODEL:GA15P_18) + (MOVOL:400V , MOVOL:400VN) , CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA15P_18 + MOVOL:200230460V
1060	1625 4794 82	1	DUCT	(02/08/2017 - 28/03/2018) CAPPRE:IEC + FREQ:50HZ + MOVOL:400V + (MODEL:GA18P_18 , MODEL:GA22P_18) , CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA22P_18 + MOVOL:200230460V (29/03/2018 - 03/01/2019) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA18P_18 , MODEL:GA22P_18) + (MOVOL:400V , MOVOL:400VN) , CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA22P_18 + MOVOL:200230460V (04/01/2019 - ...) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA18P_18 , MODEL:GA22P_18) + (MOVOL:400V , MOVOL:400VN) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA22P_18 , MODEL:GA26P_18)) (02/08/2017 - 28/03/2018) CAPPRE:IEC + FREQ:50HZ + MOVOL:400V + (MODEL:GA18P_18 , MODEL:GA22P_18) (29/03/2018 - ...) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA18P_18 , MODEL:GA22P_18) + (MOVOL:400V , MOVOL:400VN)
	• 1619-3843-00	AR	SEAL	
	⚙ Substituted by: 1619 3843 01 - SEAL (quantity: 1)			
1060	1625 4752 81	1	DUCT	(01/08/2017 - 01/08/2017) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 + MOVOL:400V , MODEL:GA30_18 + (MOVOL:400V , MOVOL:400VN)) , CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA30_18 + MOVOL:230_460_V (02/08/2017 - 28/03/2018) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 + MOVOL:400V , MODEL:GA30_18 + (MOVOL:400V , MOVOL:400VN)) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V)) (29/03/2018 - 03/01/2019) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 , MODEL:GA30_18) + (MOVOL:400V , MOVOL:400VN) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V)) (04/01/2019 - ...) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 , MODEL:GA30_18) + (MOVOL:400V , MOVOL:400VN) (01/08/2017 - 28/03/2018) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 + MOVOL:400V , MODEL:GA30_18 + (MOVOL:400V , MOVOL:400VN)) (29/03/2018 - ...) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 , MODEL:GA30_18) + (MOVOL:400V , MOVOL:400VN)
	• 1619-3843-00	AR	SEAL	
	⚙ Substituted by: 1619 3843 01 - SEAL (quantity: 1)			
1070	1625 4264 82	1	PROTECTION FAN	(01/08/2017 - 01/08/2017) CAPPRE:IEC + FREQ:50HZ + (MOVOL:400V , MODEL:GA30_18 + MOVOL:400VN) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA22P_18 + MOVOL:200230460V , MODEL:GA30_18 + MOVOL:230_460_V) (02/08/2017 - 13/03/2018) CAPPRE:IEC + FREQ:50HZ + (MOVOL:400V , MODEL:GA30_18 + MOVOL:400VN) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) (14/03/2018 - 28/03/2018) CAPPRE:IEC + FREQ:50HZ + (MOVOL:400V , MOVOL:400VN + (MODEL:GA11P_18 , MODEL:GA30_18)) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) (29/03/2018 - ...)
	• 1079 9901 18	1	WARNING LABEL	

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 MOVOL:230_460_V - Supply voltage:230-460 V

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:400V - Supply voltage:400 V

FREQ:50HZ - Frequency:50 Hz
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:200V - Supply voltage:200 V
 MOVOL:400VN - Supply voltage:400 V+N



Ref	Part Number	Qty	Name	Validity
1010	1625-4735-00	1	INSTRUMENT BLOCK	(01/08/2017 - 01/08/2017) OEM:N + (CAPPRM:ASME + OILTYP:RXD + (IDRY:N + MODEL:GA22P_18 + MOVOL:200230460V + PRESS:7.4BAR , MODEL:GA30_18 + MOVOL:230_460_V + PRESS:9.1BAR) , CAPPRM:CE + OILTYP:RIF + (IDRY:Y + MODEL:GA30_18 + MOVOL:400VN + PRESS:7.5BAR , MOVOL:400V + PRESS:10BAR)) (02/08/2017 - 13/03/2018) OEM:N + (CAPPRM:ASME + OILTYP:RXD + (IDRY:N + MOVOL:200230460V + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , MODEL:GA30_18 + PRESS:9.1BAR + (MOVOL:230_460_V , IDRY:Y + MOVOL:200V)) , CAPPRM:CE + OILTYP:RIF + (IDRY:Y + MODEL:GA30_18 + MOVOL:400VN + PRESS:7.5BAR , MOVOL:400V + PRESS:10BAR)) (14/03/2018 - 28/03/2018) OEM:N + (CAPPRM:ASME + (IDRY:N + OILTYP:RIF + PRESS:9.1BAR + (MODEL:GA15P_18 + MOVOL:230V , MODEL:GA22P_18 + MOVOL:380V) , OILTYP:RXD + (IDRY:N + (MODEL:GA30_18 + MOVOL:230_460_V + PRESS:7.4BAR , MOVOL:200230460V + (MODEL:GA15P_18 + PRESS:7.4BAR , MODEL:GA22P_18 + (PRESS:10.8BAR , PRESS:7.4BAR) , MODEL:GA26P_18 + PRESS:10.8BAR)) , IDRY:Y + MODEL:GA15P_18 + MOVOL:200230460V + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR + (MOVOL:230_460_V , IDRY:Y + MOVOL:200V))) , CAPPRM:CRNASME + IDRY:N + MODEL:GA18P_18 + MOVOL:575V + OILTYP:RXD + PRESS:9.1BAR , OILTYP:RIF + (CAPPRM:CE + IDRY:Y + MOVOL:400VN + PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA30_18) , MOVOL:400V + (CAPPRM:CE + (IDRY:N + (MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR) , IDRY:Y + MODEL:GA22P_18 + PRESS:7.5BAR) , PRESS:10BAR + (CAPPRM:CE , CAPPRM:CEAD2000 + (IDRY:N + (MODEL:GA11P_18 , MODEL:GA18P_18) , IDRY:Y + MODEL:GA26P_18)))))) (29/03/2018 - 20/02/2019) OEM:N + (CAPPRM:ASME + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18))) , CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , OILTYP:RIF + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))
Substituted by: 1625 4735 01 - INSTRUMENT BLOCK-MACHINED (quantity: 1)				

Legend:

CAPPRM:AS1210 - Component approval mechanical:AS1210

CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)

IDRY:Y - Integrated dryer:Yes

MODEL:GA18P_18 - Model:GA 18+

MODEL:GA30_18 - Model:GA 30

MOVOL:230_460_V - Supply voltage:230-460 V

MOVOL:400V - Supply voltage:400 V

MOVOL:575V - Supply voltage:575 V

OILTYP:RIF - Oil type:Roto inject fluid oil

PRESS:10BAR - Working pressure:10 bar

PRESS:7.4BAR - Working pressure:7.4 bar

PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME

CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)

MODEL:GA11P_18 - Model:GA 11+

MODEL:GA22P_18 - Model:GA 22+

MOVOL:200230460V - Supply voltage:200-230-460 V

MOVOL:230V - Supply voltage:230 V

MOVOL:400VN - Supply voltage:400 V+N

OEM:AMMANN - OEM:Ammann asphalt

OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid

PRESS:12.5BAR - Working pressure:12.5 bar

PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:N - Integrated dryer:No

MODEL:GA15P_18 - Model:GA 15+

MODEL:GA26P_18 - Model:GA 26+

MOVOL:200V - Supply voltage:200 V

MOVOL:380V - Supply voltage:380 V


MOVOL:460V - Supply voltage:460 V

OEM:N - OEM:N

PRESS:10.8BAR - Working pressure:10.8 bar

PRESS:13BAR - Working pressure:13 bar

PRESS:8.5BAR - Working pressure:8.5 bar



Ref	Part Number	Qty	Name	Validity
1010	1625 4735 02	1	INSTRUMENT BLOCK	(21/02/2019 - 22/07/2019) OEM:N + (CAPPRM:ASME + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18))) , CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , OILTYP:RIF + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (23/07/2019 - ...) OEM:N + (CAPPRM:ASME + (MOVOL:460V + OILTYP:RXD , OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V)) , OILTYP:RXD + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) , CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , OILTYP:RIF + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))

Legend:

CAPPRM:AS1210 - Component approval mechanical:AS1210

CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)

IDRY:Y - Integrated dryer:Yes

MODEL:GA18P_18 - Model:GA 18+

MODEL:GA30_18 - Model:GA 30

MOVOL:230_460_V - Supply voltage:230-460 V

MOVOL:400V - Supply voltage:400 V

MOVOL:575V - Supply voltage:575 V

OILTYP:RIF - Oil type:Roto inject fluid oil

PRESS:10BAR - Working pressure:10 bar

PRESS:7.4BAR - Working pressure:7.4 bar

PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME

CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)

MODEL:GA11P_18 - Model:GA 11+

MODEL:GA22P_18 - Model:GA 22+

MOVOL:200230460V - Supply voltage:200-230-460 V

MOVOL:230V - Supply voltage:230 V

MOVOL:400VN - Supply voltage:400 V+N

OEM:AMMANN - OEM:Ammann asphalt

OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid

PRESS:12.5BAR - Working pressure:12.5 bar

PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:N - Integrated dryer:No

MODEL:GA15P_18 - Model:GA 15+

MODEL:GA26P_18 - Model:GA 26+

MOVOL:200V - Supply voltage:200 V

MOVOL:380V - Supply voltage:380 V


MOVOL:460V - Supply voltage:460 V

OEM:N - OEM:N

PRESS:10.8BAR - Working pressure:10.8 bar

PRESS:13BAR - Working pressure:13 bar

PRESS:8.5BAR - Working pressure:8.5 bar



Ref	Part Number	Qty	Name	Validity
1020	0663 2116 84	2	O-RING	(01/08/2017 - 01/08/2017) OEM:N + (CAPPRM:ASME + OILTYP:RXD + (IDRY:N + MODEL:GA22P_18 + MOVOL:200230460V + PRESS:7.4BAR , MODEL:GA30_18 + MOVOL:230_460_V + PRESS:9.1BAR) , CAPPRM:CE + OILTYP:RIF + (IDRY:Y + MODEL:GA30_18 + MOVOL:400VN + PRESS:7.5BAR , MOVOL:400V + PRESS:10BAR)) (02/08/2017 - 13/03/2018) OEM:N + (CAPPRM:ASME + OILTYP:RXD + (IDRY:N + MOVOL:200230460V + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , MODEL:GA30_18 + PRESS:9.1BAR + (MOVOL:230_460_V , IDRY:Y + MOVOL:200V)) , CAPPRM:CE + OILTYP:RIF + (IDRY:Y + MODEL:GA30_18 + MOVOL:400VN + PRESS:7.5BAR , MOVOL:400V + PRESS:10BAR)) (14/03/2018 - 28/03/2018) OEM:N + (CAPPRM:ASME + (IDRY:N + OILTYP:RIF + PRESS:9.1BAR + (MODEL:GA15P_18 + MOVOL:230V , MODEL:GA22P_18 + MOVOL:380V) , OILTYP:RXD + (IDRY:N + (MODEL:GA30_18 + MOVOL:230_460_V + PRESS:7.4BAR , MOVOL:200230460V + (MODEL:GA15P_18 + PRESS:7.4BAR , MODEL:GA22P_18 + (PRESS:10.8BAR , PRESS:7.4BAR) , MODEL:GA26P_18 + PRESS:10.8BAR)) , IDRY:Y + MODEL:GA15P_18 + MOVOL:200230460V + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR + (MOVOL:230_460_V , IDRY:Y + MOVOL:200V))) , CAPPRM:CRNASME + IDRY:N + MODEL:GA18P_18 + MOVOL:575V + OILTYP:RXD + PRESS:9.1BAR , OILTYP:RIF + (CAPPRM:CE + IDRY:Y + MOVOL:400VN + PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA30_18) , MOVOL:400V + (CAPPRM:CE + (IDRY:N + (MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR) , IDRY:Y + MODEL:GA22P_18 + PRESS:7.5BAR) , PRESS:10BAR + (CAPPRM:CE , CAPPRM:CEAD2000 + (IDRY:N + (MODEL:GA11P_18 , MODEL:GA18P_18) , IDRY:Y + MODEL:GA26P_18)))))) (29/03/2018 - 22/07/2019) OEM:N + (CAPPRM:ASME + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18))) , CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , OILTYP:RIF + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (23/07/2019 - ...) OEM:N + (CAPPRM:ASME + (MOVOL:460V + OILTYP:RXD , OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V)) , OILTYP:RXD + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) , CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , OILTYP:RIF + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))

Legend:

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)


IDRY:Y - Integrated dryer:Yes
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 MOVOL:230_460_V - Supply voltage:230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V
 OILTYP:RIF - Oil type:Roto inject fluid oil
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)

MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N
 OEM:AMMANN - OEM:Ammann asphalt
 OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:N - Integrated dryer:No
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:200V - Supply voltage:200 V
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V
 OEM:N - OEM:N
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar



Ref	Part Number	Qty	Name	Validity
1030	0663 2116 85	1	O-RING	(01/08/2017 - 01/08/2017) OEM:N + (CAPPRM:ASME + OILTYP:RXD + (IDRY:N + MODEL:GA22P_18 + MOVOL:200230460V + PRESS:7.4BAR , MODEL:GA30_18 + MOVOL:230_460_V + PRESS:9.1BAR) , CAPPRM:CE + OILTYP:RIF + (IDRY:Y + MODEL:GA30_18 + MOVOL:400VN + PRESS:7.5BAR , MOVOL:400V + PRESS:10BAR)) (02/08/2017 - 13/03/2018) OEM:N + (CAPPRM:ASME + OILTYP:RXD + (IDRY:N + MOVOL:200230460V + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , MODEL:GA30_18 + PRESS:9.1BAR + (MOVOL:230_460_V , IDRY:Y + MOVOL:200V)) , CAPPRM:CE + OILTYP:RIF + (IDRY:Y + MODEL:GA30_18 + MOVOL:400VN + PRESS:7.5BAR , MOVOL:400V + PRESS:10BAR)) (14/03/2018 - 28/03/2018) OEM:N + (CAPPRM:ASME + (IDRY:N + OILTYP:RIF + PRESS:9.1BAR + (MODEL:GA15P_18 + MOVOL:230V , MODEL:GA22P_18 + MOVOL:380V) , OILTYP:RXD + (IDRY:N + (MODEL:GA30_18 + MOVOL:230_460_V + PRESS:7.4BAR , MOVOL:200230460V + (MODEL:GA15P_18 + PRESS:7.4BAR , MODEL:GA22P_18 + (PRESS:10.8BAR , PRESS:7.4BAR) , MODEL:GA26P_18 + PRESS:10.8BAR)) , IDRY:Y + MODEL:GA15P_18 + MOVOL:200230460V + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR + (MOVOL:230_460_V , IDRY:Y + MOVOL:200V))) , CAPPRM:CRNASME + IDRY:N + MODEL:GA18P_18 + MOVOL:575V + OILTYP:RXD + PRESS:9.1BAR , OILTYP:RIF + (CAPPRM:CE + IDRY:Y + MOVOL:400VN + PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA30_18) , MOVOL:400V + (CAPPRM:CE + (IDRY:N + (MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR) , IDRY:Y + MODEL:GA22P_18 + PRESS:7.5BAR) , PRESS:10BAR + (CAPPRM:CE , CAPPRM:CEAD2000 + (IDRY:N + (MODEL:GA11P_18 , MODEL:GA18P_18) , IDRY:Y + MODEL:GA26P_18)))))) (29/03/2018 - 22/07/2019) OEM:N + (CAPPRM:ASME + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18))) , CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , OILTYP:RIF + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (23/07/2019 - ...) OEM:N + (CAPPRM:ASME + (MOVOL:460V + OILTYP:RXD , OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) , CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , OILTYP:RIF + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))

Legend:

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)

IDRY:Y - Integrated dryer:Yes

MODEL:GA18P_18 - Model:GA 18+

MODEL:GA30_18 - Model:GA 30

MOVOL:230_460_V - Supply voltage:230-460 V

MOVOL:400V - Supply voltage:400 V

MOVOL:575V - Supply voltage:575 V

OILTYP:RIF - Oil type:Roto inject fluid oil

PRESS:10BAR - Working pressure:10 bar

PRESS:7.4BAR - Working pressure:7.4 bar

PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)

MODEL:GA11P_18 - Model:GA 11+

MODEL:GA22P_18 - Model:GA 22+

MOVOL:200230460V - Supply voltage:200-230-460 V

MOVOL:230V - Supply voltage:230 V

MOVOL:400VN - Supply voltage:400 V+N

OEM:AMMANN - OEM:Ammann asphalt

OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid

PRESS:12.5BAR - Working pressure:12.5 bar

PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:N - Integrated dryer:No

MODEL:GA15P_18 - Model:GA 15+

MODEL:GA26P_18 - Model:GA 26+

MOVOL:200V - Supply voltage:200 V

MOVOL:380V - Supply voltage:380 V


MOVOL:460V - Supply voltage:460 V

OEM:N - OEM:N

PRESS:10.8BAR - Working pressure:10.8 bar

PRESS:13BAR - Working pressure:13 bar

PRESS:8.5BAR - Working pressure:8.5 bar



Ref	Part Number	Qty	Name	Validity
1040	0663 2116 86	1	O-RING	(01/08/2017 - 01/08/2017) OEM:N + (CAPPRM:ASME + OILTYP:RXD + (IDRY:N + MODEL:GA22P_18 + MOVOL:200230460V + PRESS:7.4BAR , MODEL:GA30_18 + MOVOL:230_460_V + PRESS:9.1BAR) , CAPPRM:CE + OILTYP:RIF + (IDRY:Y + MODEL:GA30_18 + MOVOL:400VN + PRESS:7.5BAR , MOVOL:400V + PRESS:10BAR)) (02/08/2017 - 13/03/2018) OEM:N + (CAPPRM:ASME + OILTYP:RXD + (IDRY:N + MOVOL:200230460V + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , MODEL:GA30_18 + PRESS:9.1BAR + (MOVOL:230_460_V , IDRY:Y + MOVOL:200V)) , CAPPRM:CE + OILTYP:RIF + (IDRY:Y + MODEL:GA30_18 + MOVOL:400VN + PRESS:7.5BAR , MOVOL:400V + PRESS:10BAR)) (14/03/2018 - 28/03/2018) OEM:N + (CAPPRM:ASME + (IDRY:N + OILTYP:RIF + PRESS:9.1BAR + (MODEL:GA15P_18 + MOVOL:230V , MODEL:GA22P_18 + MOVOL:380V) , OILTYP:RXD + (IDRY:N + (MODEL:GA30_18 + MOVOL:230_460_V + PRESS:7.4BAR , MOVOL:200230460V + (MODEL:GA15P_18 + PRESS:7.4BAR , MODEL:GA22P_18 + (PRESS:10.8BAR , PRESS:7.4BAR) , MODEL:GA26P_18 + PRESS:10.8BAR)) , IDRY:Y + MODEL:GA15P_18 + MOVOL:200230460V + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR + (MOVOL:230_460_V , IDRY:Y + MOVOL:200V))) , CAPPRM:CRNASME + IDRY:N + MODEL:GA18P_18 + MOVOL:575V + OILTYP:RXD + PRESS:9.1BAR , OILTYP:RIF + (CAPPRM:CE + IDRY:Y + MOVOL:400VN + PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA30_18) , MOVOL:400V + (CAPPRM:CE + (IDRY:N + (MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR) , IDRY:Y + MODEL:GA22P_18 + PRESS:7.5BAR) , PRESS:10BAR + (CAPPRM:CE , CAPPRM:CEAD2000 + (IDRY:N + (MODEL:GA11P_18 , MODEL:GA18P_18) , IDRY:Y + MODEL:GA26P_18)))))) (29/03/2018 - 22/07/2019) OEM:N + (CAPPRM:ASME + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18))) , CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , OILTYP:RIF + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (23/07/2019 - ...) OEM:N + (CAPPRM:ASME + (MOVOL:460V + OILTYP:RXD , OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V)) , OILTYP:RXD + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) , CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , OILTYP:RIF + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))

Legend:

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)


IDRY:Y - Integrated dryer:Yes
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 MOVOL:230_460_V - Supply voltage:230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V
 OILTYP:RIF - Oil type:Roto inject fluid oil
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)

MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N
 OEM:AMMANN - OEM:Ammann asphalt
 OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:N - Integrated dryer:No
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:200V - Supply voltage:200 V
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V
 OEM:N - OEM:N
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar



Ref	Part Number	Qty	Name	Validity
1050	0211 1371 03	4	SCREW	(01/08/2017 - 01/08/2017) OEM:N + (CAPPRM:ASME + OILTYP:RXD + (IDRY:N + MODEL:GA22P_18 + MOVOL:200230460V + PRESS:7.4BAR , MODEL:GA30_18 + MOVOL:230_460_V + PRESS:9.1BAR) , CAPPRM:CE + OILTYP:RIF + (IDRY:Y + MODEL:GA30_18 + MOVOL:400VN + PRESS:7.5BAR , MOVOL:400V + PRESS:10BAR)) (02/08/2017 - 13/03/2018) OEM:N + (CAPPRM:ASME + OILTYP:RXD + (IDRY:N + MOVOL:200230460V + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , MODEL:GA30_18 + PRESS:9.1BAR + (MOVOL:230_460_V , IDRY:Y + MOVOL:200V)) , CAPPRM:CE + OILTYP:RIF + (IDRY:Y + MODEL:GA30_18 + MOVOL:400VN + PRESS:7.5BAR , MOVOL:400V + PRESS:10BAR)) (14/03/2018 - 28/03/2018) OEM:N + (CAPPRM:ASME + (IDRY:N + OILTYP:RIF + PRESS:9.1BAR + (MODEL:GA15P_18 + MOVOL:230V , MODEL:GA22P_18 + MOVOL:380V) , OILTYP:RXD + (IDRY:N + (MODEL:GA30_18 + MOVOL:230_460_V + PRESS:7.4BAR , MOVOL:200230460V + (MODEL:GA15P_18 + PRESS:7.4BAR , MODEL:GA22P_18 + (PRESS:10.8BAR , PRESS:7.4BAR) , MODEL:GA26P_18 + PRESS:10.8BAR)) , IDRY:Y + MODEL:GA15P_18 + MOVOL:200230460V + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR + (MOVOL:230_460_V , IDRY:Y + MOVOL:200V))) , CAPPRM:CRNASME + IDRY:N + MODEL:GA18P_18 + MOVOL:575V + OILTYP:RXD + PRESS:9.1BAR , OILTYP:RIF + (CAPPRM:CE + IDRY:Y + MOVOL:400VN + PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA30_18) , MOVOL:400V + (CAPPRM:CE + (IDRY:N + (MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR) , IDRY:Y + MODEL:GA22P_18 + PRESS:7.5BAR) , PRESS:10BAR + (CAPPRM:CE , CAPPRM:CEAD2000 + (IDRY:N + (MODEL:GA11P_18 , MODEL:GA18P_18) , IDRY:Y + MODEL:GA26P_18)))))) (29/03/2018 - 22/07/2019) OEM:N + (CAPPRM:ASME + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18))) , CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , OILTYP:RIF + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (23/07/2019 - ...) OEM:N + (CAPPRM:ASME + (MOVOL:460V + OILTYP:RXD , OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) , CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , OILTYP:RIF + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))

Legend:

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)

IDRY:Y - Integrated dryer:Yes

MODEL:GA18P_18 - Model:GA 18+

MODEL:GA30_18 - Model:GA 30

MOVOL:230_460_V - Supply voltage:230-460 V

MOVOL:400V - Supply voltage:400 V

MOVOL:575V - Supply voltage:575 V

OILTYP:RIF - Oil type:Roto inject fluid oil

PRESS:10BAR - Working pressure:10 bar

PRESS:7.4BAR - Working pressure:7.4 bar

PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)

MODEL:GA11P_18 - Model:GA 11+

MODEL:GA22P_18 - Model:GA 22+

MOVOL:200230460V - Supply voltage:200-230-460 V

MOVOL:230V - Supply voltage:230 V

MOVOL:400VN - Supply voltage:400 V+N

OEM:AMMANN - OEM:Ammann asphalt

OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid

PRESS:12.5BAR - Working pressure:12.5 bar

PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:N - Integrated dryer:No

MODEL:GA15P_18 - Model:GA 15+

MODEL:GA26P_18 - Model:GA 26+

MOVOL:200V - Supply voltage:200 V

MOVOL:380V - Supply voltage:380 V


MOVOL:460V - Supply voltage:460 V

OEM:N - OEM:N

PRESS:10.8BAR - Working pressure:10.8 bar

PRESS:13BAR - Working pressure:13 bar

PRESS:8.5BAR - Working pressure:8.5 bar



Ref	Part Number	Qty	Name	Validity
1060		1	O-RING	(01/08/2017 - 01/08/2017) OEM:N + (CAPPRM:ASME + OILTYP:RXD + (IDRY:N + MODEL:GA22P_18 + MOVOL:200230460V + PRESS:7.4BAR , MODEL:GA30_18 + MOVOL:230_460_V + PRESS:9.1BAR) , CAPPRM:CE + OILTYP:RIF + (IDRY:Y + MODEL:GA30_18 + MOVOL:400VN + PRESS:7.5BAR , MOVOL:400V + PRESS:10BAR)) (02/08/2017 - 13/03/2018) OEM:N + (CAPPRM:ASME + OILTYP:RXD + (IDRY:N + MOVOL:200230460V + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18) , MODEL:GA30_18 + PRESS:9.1BAR + (MOVOL:230_460_V , IDRY:Y + MOVOL:200V)) , CAPPRM:CE + OILTYP:RIF + (IDRY:Y + MODEL:GA30_18 + MOVOL:400VN + PRESS:7.5BAR , MOVOL:400V + PRESS:10BAR)) (14/03/2018 - 28/03/2018) OEM:N + (CAPPRM:ASME + (IDRY:N + OILTYP:RIF + PRESS:9.1BAR + (MODEL:GA15P_18 + MOVOL:230V , MODEL:GA22P_18 + MOVOL:380V) , OILTYP:RXD + (IDRY:N + (MODEL:GA30_18 + MOVOL:230_460_V + PRESS:7.4BAR , MOVOL:200230460V + (MODEL:GA15P_18 + PRESS:7.4BAR , MODEL:GA22P_18 + (PRESS:10.8BAR , PRESS:7.4BAR) , MODEL:GA26P_18 + PRESS:10.8BAR)) , IDRY:Y + MODEL:GA15P_18 + MOVOL:200230460V + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR + (MOVOL:230_460_V , IDRY:Y + MOVOL:200V))) , CAPPRM:CRNASME + IDRY:N + MODEL:GA18P_18 + MOVOL:575V + OILTYP:RXD + PRESS:9.1BAR , OILTYP:RIF + (CAPPRM:CE + IDRY:Y + MOVOL:400VN + PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA30_18) , MOVOL:400V + (CAPPRM:CE + (IDRY:N + (MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR) , IDRY:Y + MODEL:GA22P_18 + PRESS:7.5BAR) , PRESS:10BAR + (CAPPRM:CE , CAPPRM:CEAD2000 + (IDRY:N + (MODEL:GA11P_18 , MODEL:GA18P_18) , IDRY:Y + MODEL:GA26P_18)))))) (29/03/2018 - 18/02/2019) OEM:N + (CAPPRM:ASME + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18))) , CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , OILTYP:RIF + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))
 Service kits:		2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		

Legend:

CAPPRM:AS1210 - Component approval mechanical:AS1210

CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)

IDRY:Y - Integrated dryer:Yes

MODEL:GA18P_18 - Model:GA 18+

MODEL:GA30_18 - Model:GA 30

MOVOL:230_460_V - Supply voltage:230-460 V

MOVOL:400V - Supply voltage:400 V

MOVOL:575V - Supply voltage:575 V

OILTYP:RIF - Oil type:Roto inject fluid oil

PRESS:10BAR - Working pressure:10 bar

PRESS:7.4BAR - Working pressure:7.4 bar

PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME

(based on CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)

MODEL:GA11P_18 - Model:GA 11+

MODEL:GA22P_18 - Model:GA 22+

MOVOL:200230460V - Supply voltage:200-230-460 V

MOVOL:230V - Supply voltage:230 V

MOVOL:400VN - Supply voltage:400 V+N

OEM:AMMANN - OEM:Ammann asphalt

OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid

PRESS:12.5BAR - Working pressure:12.5 bar

PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:N - Integrated dryer:No

MODEL:GA15P_18 - Model:GA 15+

MODEL:GA26P_18 - Model:GA 26+

MOVOL:200V - Supply voltage:200 V

MOVOL:380V - Supply voltage:380 V


MOVOL:460V - Supply voltage:460 V

OEM:N - OEM:N

PRESS:10.8BAR - Working pressure:10.8 bar

PRESS:13BAR - Working pressure:13 bar

PRESS:8.5BAR - Working pressure:8.5 bar



Ref	Part Number	Qty	Name	Validity
1060	0663 7132 00	1	O-RING	(19/02/2019 - 22/07/2019) OEM:N + (CAPPRM:ASME + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18))) , CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , OILTYP:RIF + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (23/07/2019 - ...) OEM:N + (CAPPRM:ASME + (MOVOL:460V + OILTYP:RXD , OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V)) , OILTYP:RXD + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) , CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , OILTYP:RIF + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))

Legend:

CAPPRM:AS1210 - Component approval mechanical:AS1210

CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)

IDRY:Y - Integrated dryer:Yes

MODEL:GA18P_18 - Model:GA 18+

MODEL:GA30_18 - Model:GA 30

MOVOL:230_460_V - Supply voltage:230-460 V

MOVOL:400V - Supply voltage:400 V

MOVOL:575V - Supply voltage:575 V

OILTYP:RIF - Oil type:Roto inject fluid oil

PRESS:10BAR - Working pressure:10 bar

PRESS:7.4BAR - Working pressure:7.4 bar

PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME

CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)

MODEL:GA11P_18 - Model:GA 11+

MODEL:GA22P_18 - Model:GA 22+

MOVOL:200230460V - Supply voltage:200-230-460 V

MOVOL:230V - Supply voltage:230 V

MOVOL:400VN - Supply voltage:400 V+N

OEM:AMMANN - OEM:Ammann asphalt

OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid

PRESS:12.5BAR - Working pressure:12.5 bar

PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:N - Integrated dryer:No

MODEL:GA15P_18 - Model:GA 15+

MODEL:GA26P_18 - Model:GA 26+

MOVOL:200V - Supply voltage:200 V

MOVOL:380V - Supply voltage:380 V


MOVOL:460V - Supply voltage:460 V

OEM:N - OEM:N

PRESS:10.8BAR - Working pressure:10.8 bar

PRESS:13BAR - Working pressure:13 bar

PRESS:8.5BAR - Working pressure:8.5 bar



Ref	Part Number	Qty	Name	Validity
1070	1614 6118 00	1	THERMOSTAT FLANGE	(01/08/2017 - 01/08/2017) OEM:N + (CAPPRM:ASME + OILTYP:RXD + (IDRY:N + MODEL:GA22P_18 + MOVOL:200230460V + PRESS:7.4BAR , MODEL:GA30_18 + MOVOL:230_460_V + PRESS:9.1BAR) , CAPPRM:CE + OILTYP:RIF + (IDRY:Y + MODEL:GA30_18 + MOVOL:400VN + PRESS:7.5BAR , MOVOL:400V + PRESS:10BAR)) (02/08/2017 - 13/03/2018) OEM:N + (CAPPRM:ASME + OILTYP:RXD + (IDRY:N + MOVOL:200230460V + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , MODEL:GA30_18 + PRESS:9.1BAR + (MOVOL:230_460_V , IDRY:Y + MOVOL:200V)) , CAPPRM:CE + OILTYP:RIF + (IDRY:Y + MODEL:GA30_18 + MOVOL:400VN + PRESS:7.5BAR , MOVOL:400V + PRESS:10BAR)) (14/03/2018 - 28/03/2018) OEM:N + (CAPPRM:ASME + (IDRY:N + OILTYP:RIF + PRESS:9.1BAR + (MODEL:GA15P_18 + MOVOL:230V , MODEL:GA22P_18 + MOVOL:380V) , OILTYP:RXD + (IDRY:N + (MODEL:GA30_18 + MOVOL:230_460_V + PRESS:7.4BAR , MOVOL:200230460V + (MODEL:GA15P_18 + PRESS:7.4BAR , MODEL:GA22P_18 + (PRESS:10.8BAR , PRESS:7.4BAR) , MODEL:GA26P_18 + PRESS:10.8BAR)) , IDRY:Y + MODEL:GA15P_18 + MOVOL:200230460V + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR + (MOVOL:230_460_V , IDRY:Y + MOVOL:200V))) , CAPPRM:CRNASME + IDRY:N + MODEL:GA18P_18 + MOVOL:575V + OILTYP:RXD + PRESS:9.1BAR , OILTYP:RIF + (CAPPRM:CE + IDRY:Y + MOVOL:400VN + PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA30_18) , MOVOL:400V + (CAPPRM:CE + (IDRY:N + (MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR) , IDRY:Y + MODEL:GA22P_18 + PRESS:7.5BAR) , PRESS:10BAR + (CAPPRM:CE , CAPPRM:CEAD2000 + (IDRY:N + (MODEL:GA11P_18 , MODEL:GA18P_18) , IDRY:Y + MODEL:GA26P_18)))))) (29/03/2018 - 20/02/2019) OEM:N + (CAPPRM:ASME + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18))) , CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , OILTYP:RIF + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))

Legend:

CAPPRM:AS1210 - Component approval mechanical:AS1210

CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)

IDRY:Y - Integrated dryer:Yes

MODEL:GA18P_18 - Model:GA 18+

MODEL:GA30_18 - Model:GA 30

MOVOL:230_460_V - Supply voltage:230-460 V

MOVOL:400V - Supply voltage:400 V

MOVOL:575V - Supply voltage:575 V

OILTYP:RIF - Oil type:Roto inject fluid oil

PRESS:10BAR - Working pressure:10 bar

PRESS:7.4BAR - Working pressure:7.4 bar

PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME

(based on ASME)

MODEL:GA11P_18 - Model:GA 11+

MODEL:GA22P_18 - Model:GA 22+

MOVOL:200230460V - Supply voltage:200-230-460 V

MOVOL:230V - Supply voltage:230 V

MOVOL:400VN - Supply voltage:400 V+N

OEM:AMMANN - OEM:Ammann asphalt

OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid

PRESS:12.5BAR - Working pressure:12.5 bar

PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:N - Integrated dryer:No

MODEL:GA15P_18 - Model:GA 15+

MODEL:GA26P_18 - Model:GA 26+

MOVOL:200V - Supply voltage:200 V

MOVOL:380V - Supply voltage:380 V


MOVOL:460V - Supply voltage:460 V

OEM:N - OEM:N

PRESS:10.8BAR - Working pressure:10.8 bar

PRESS:13BAR - Working pressure:13 bar

PRESS:8.5BAR - Working pressure:8.5 bar



Ref	Part Number	Qty	Name	Validity
1070	1625 4602 10	1	THERMOSTAT FLANGE	(21/02/2019 - 22/07/2019) OEM:N + (CAPPRM:ASME + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18))) , CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , OILTYP:RIF + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (23/07/2019 - 30/12/2027) OEM:N + (CAPPRM:ASME + (MOVOL:460V + OILTYP:RXD , OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) , CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , OILTYP:RIF + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))

Legend:

CAPPRM:AS1210 - Component approval mechanical:AS1210

CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)

IDRY:Y - Integrated dryer:Yes

MODEL:GA18P_18 - Model:GA 18+

MODEL:GA30_18 - Model:GA 30

MOVOL:230_460_V - Supply voltage:230-460 V

MOVOL:400V - Supply voltage:400 V

MOVOL:575V - Supply voltage:575 V

OILTYP:RIF - Oil type:Roto inject fluid oil

PRESS:10BAR - Working pressure:10 bar

PRESS:7.4BAR - Working pressure:7.4 bar

PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME

CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)

MODEL:GA11P_18 - Model:GA 11+

MODEL:GA22P_18 - Model:GA 22+

MOVOL:200230460V - Supply voltage:200-230-460 V

MOVOL:230V - Supply voltage:230 V

MOVOL:400VN - Supply voltage:400 V+N

OEM:AMMANN - OEM:Ammann asphalt

OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid

PRESS:12.5BAR - Working pressure:12.5 bar

PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:N - Integrated dryer:No

MODEL:GA15P_18 - Model:GA 15+

MODEL:GA26P_18 - Model:GA 26+

MOVOL:200V - Supply voltage:200 V

MOVOL:380V - Supply voltage:380 V


MOVOL:460V - Supply voltage:460 V

OEM:N - OEM:N

PRESS:10.8BAR - Working pressure:10.8 bar

PRESS:13BAR - Working pressure:13 bar

PRESS:8.5BAR - Working pressure:8.5 bar



Ref	Part Number	Qty	Name	Validity
1080	0147 1246 03	2	HEXAGON BOLT	(01/08/2017 - 01/08/2017) OEM:N + (CAPPRM:ASME + OILTYP:RXD + (IDRY:N + MODEL:GA22P_18 + MOVOL:200230460V + PRESS:7.4BAR , MODEL:GA30_18 + MOVOL:230_460_V + PRESS:9.1BAR) , CAPPRM:CE + OILTYP:RIF + (IDRY:Y + MODEL:GA30_18 + MOVOL:400VN + PRESS:7.5BAR , MOVOL:400V + PRESS:10BAR)) (02/08/2017 - 13/03/2018) OEM:N + (CAPPRM:ASME + OILTYP:RXD + (IDRY:N + MOVOL:200230460V + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , MODEL:GA30_18 + PRESS:9.1BAR + (MOVOL:230_460_V , IDRY:Y + MOVOL:200V)) , CAPPRM:CE + OILTYP:RIF + (IDRY:Y + MODEL:GA30_18 + MOVOL:400VN + PRESS:7.5BAR , MOVOL:400V + PRESS:10BAR)) (14/03/2018 - 28/03/2018) OEM:N + (CAPPRM:ASME + (IDRY:N + OILTYP:RIF + PRESS:9.1BAR + (MODEL:GA15P_18 + MOVOL:230V , MODEL:GA22P_18 + MOVOL:380V) , OILTYP:RXD + (IDRY:N + (MODEL:GA30_18 + MOVOL:230_460_V + PRESS:7.4BAR , MOVOL:200230460V + (MODEL:GA15P_18 + PRESS:7.4BAR , MODEL:GA22P_18 + (PRESS:10.8BAR , PRESS:7.4BAR) , MODEL:GA26P_18 + PRESS:10.8BAR)) , IDRY:Y + MODEL:GA15P_18 + MOVOL:200230460V + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR + (MOVOL:230_460_V , IDRY:Y + MOVOL:200V))) , CAPPRM:CRNASME + IDRY:N + MODEL:GA18P_18 + MOVOL:575V + OILTYP:RXD + PRESS:9.1BAR , OILTYP:RIF + (CAPPRM:CE + IDRY:Y + MOVOL:400VN + PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA30_18) , MOVOL:400V + (CAPPRM:CE + (IDRY:N + (MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR) , IDRY:Y + MODEL:GA22P_18 + PRESS:7.5BAR) , PRESS:10BAR + (CAPPRM:CE , CAPPRM:CEAD2000 + (IDRY:N + (MODEL:GA11P_18 , MODEL:GA18P_18) , IDRY:Y + MODEL:GA26P_18)))))) (29/03/2018 - 22/07/2019) OEM:N + (CAPPRM:ASME + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18))) , CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , OILTYP:RIF + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (23/07/2019 - ...) OEM:N + (CAPPRM:ASME + (MOVOL:460V + OILTYP:RXD , OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) , CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , OILTYP:RIF + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))

Legend:

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)

IDRY:Y - Integrated dryer:Yes

MODEL:GA18P_18 - Model:GA 18+

MODEL:GA30_18 - Model:GA 30

MOVOL:230_460_V - Supply voltage:230-460 V

MOVOL:400V - Supply voltage:400 V

MOVOL:575V - Supply voltage:575 V

OILTYP:RIF - Oil type:Roto inject fluid oil

PRESS:10BAR - Working pressure:10 bar

PRESS:7.4BAR - Working pressure:7.4 bar

PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)

MODEL:GA11P_18 - Model:GA 11+

MODEL:GA22P_18 - Model:GA 22+

MOVOL:200230460V - Supply voltage:200-230-460 V

MOVOL:230V - Supply voltage:230 V

MOVOL:400VN - Supply voltage:400 V+N

OEM:AMMANN - OEM:Ammann asphalt

OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid

PRESS:12.5BAR - Working pressure:12.5 bar

PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:N - Integrated dryer:No

MODEL:GA15P_18 - Model:GA 15+

MODEL:GA26P_18 - Model:GA 26+

MOVOL:200V - Supply voltage:200 V

MOVOL:380V - Supply voltage:380 V


MOVOL:460V - Supply voltage:460 V

OEM:N - OEM:N

PRESS:10.8BAR - Working pressure:10.8 bar

PRESS:13BAR - Working pressure:13 bar

PRESS:8.5BAR - Working pressure:8.5 bar



Ref	Part Number	Qty	Name	Validity
1090	0686 3718 15	1	PLUG	(01/08/2017 - 01/08/2017) OEM:N + (CAPPRM:ASME + OILTYP:RXD + (IDRY:N + MODEL:GA22P_18 + MOVOL:200230460V + PRESS:7.4BAR , MODEL:GA30_18 + MOVOL:230_460_V + PRESS:9.1BAR) , CAPPRM:CE + OILTYP:RIF + (IDRY:Y + MODEL:GA30_18 + MOVOL:400VN + PRESS:7.5BAR , MOVOL:400V + PRESS:10BAR)) (02/08/2017 - 13/03/2018) OEM:N + (CAPPRM:ASME + OILTYP:RXD + (IDRY:N + MOVOL:200230460V + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , MODEL:GA30_18 + PRESS:9.1BAR + (MOVOL:230_460_V , IDRY:Y + MOVOL:200V)) , CAPPRM:CE + OILTYP:RIF + (IDRY:Y + MODEL:GA30_18 + MOVOL:400VN + PRESS:7.5BAR , MOVOL:400V + PRESS:10BAR)) (14/03/2018 - 28/03/2018) OEM:N + (CAPPRM:ASME + (IDRY:N + OILTYP:RIF + PRESS:9.1BAR + (MODEL:GA15P_18 + MOVOL:230V , MODEL:GA22P_18 + MOVOL:380V) , OILTYP:RXD + (IDRY:N + (MODEL:GA30_18 + MOVOL:230_460_V + PRESS:7.4BAR , MOVOL:200230460V + (MODEL:GA15P_18 + PRESS:7.4BAR , MODEL:GA22P_18 + (PRESS:10.8BAR , PRESS:7.4BAR) , MODEL:GA26P_18 + PRESS:10.8BAR)) , IDRY:Y + MODEL:GA15P_18 + MOVOL:200230460V + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR + (MOVOL:230_460_V , IDRY:Y + MOVOL:200V))) , CAPPRM:CRNASME + IDRY:N + MODEL:GA18P_18 + MOVOL:575V + OILTYP:RXD + PRESS:9.1BAR , OILTYP:RIF + (CAPPRM:CE + IDRY:Y + MOVOL:400VN + PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA30_18) , MOVOL:400V + (CAPPRM:CE + (IDRY:N + (MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR) , IDRY:Y + MODEL:GA22P_18 + PRESS:7.5BAR) , PRESS:10BAR + (CAPPRM:CE , CAPPRM:CEAD2000 + (IDRY:N + (MODEL:GA11P_18 , MODEL:GA18P_18) , IDRY:Y + MODEL:GA26P_18)))))) (29/03/2018 - 22/07/2019) OEM:N + (CAPPRM:ASME + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18))) , CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , OILTYP:RIF + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (23/07/2019 - ...) OEM:N + (CAPPRM:ASME + (MOVOL:460V + OILTYP:RXD , OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V)) , OILTYP:RXD + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) , CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , OILTYP:RIF + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))

Legend:

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)

IDRY:Y - Integrated dryer:Yes

MODEL:GA18P_18 - Model:GA 18+

MODEL:GA30_18 - Model:GA 30

MOVOL:230_460_V - Supply voltage:230-460 V

MOVOL:400V - Supply voltage:400 V

MOVOL:575V - Supply voltage:575 V

OILTYP:RIF - Oil type:Roto inject fluid oil

PRESS:10BAR - Working pressure:10 bar

PRESS:7.4BAR - Working pressure:7.4 bar

PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)

MODEL:GA11P_18 - Model:GA 11+

MODEL:GA22P_18 - Model:GA 22+

MOVOL:200230460V - Supply voltage:200-230-460 V

MOVOL:230V - Supply voltage:230 V

MOVOL:400VN - Supply voltage:400 V+N

OEM:AMMANN - OEM:Ammann asphalt

OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid

PRESS:12.5BAR - Working pressure:12.5 bar

PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:N - Integrated dryer:No

MODEL:GA15P_18 - Model:GA 15+

MODEL:GA26P_18 - Model:GA 26+

MOVOL:200V - Supply voltage:200 V

MOVOL:380V - Supply voltage:380 V


MOVOL:460V - Supply voltage:460 V

OEM:N - OEM:N

PRESS:10.8BAR - Working pressure:10.8 bar

PRESS:13BAR - Working pressure:13 bar

PRESS:8.5BAR - Working pressure:8.5 bar



Ref	Part Number	Qty	Name	Validity
1100	1625 4260 00	1	NIPPLE	(01/08/2017 - 01/08/2017) OEM:N + (CAPPRM:ASME + OILTYP:RXD + (IDRY:N + MODEL:GA22P_18 + MOVOL:200230460V + PRESS:7.4BAR , MODEL:GA30_18 + MOVOL:230_460_V + PRESS:9.1BAR) , CAPPRM:CE + OILTYP:RIF + (IDRY:Y + MODEL:GA30_18 + MOVOL:400VN + PRESS:7.5BAR , MOVOL:400V + PRESS:10BAR)) (02/08/2017 - 13/03/2018) OEM:N + (CAPPRM:ASME + OILTYP:RXD + (IDRY:N + MOVOL:200230460V + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , MODEL:GA30_18 + PRESS:9.1BAR + (MOVOL:230_460_V , IDRY:Y + MOVOL:200V)) , CAPPRM:CE + OILTYP:RIF + (IDRY:Y + MODEL:GA30_18 + MOVOL:400VN + PRESS:7.5BAR , MOVOL:400V + PRESS:10BAR)) (14/03/2018 - 28/03/2018) OEM:N + (CAPPRM:ASME + (IDRY:N + OILTYP:RIF + PRESS:9.1BAR + (MODEL:GA15P_18 + MOVOL:230V , MODEL:GA22P_18 + MOVOL:380V) , OILTYP:RXD + (IDRY:N + (MODEL:GA30_18 + MOVOL:230_460_V + PRESS:7.4BAR , MOVOL:200230460V + (MODEL:GA15P_18 + PRESS:7.4BAR , MODEL:GA22P_18 + (PRESS:10.8BAR , PRESS:7.4BAR) , MODEL:GA26P_18 + PRESS:10.8BAR)) , IDRY:Y + MODEL:GA15P_18 + MOVOL:200230460V + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR + (MOVOL:230_460_V , IDRY:Y + MOVOL:200V))) , CAPPRM:CRNASME + IDRY:N + MODEL:GA18P_18 + MOVOL:575V + OILTYP:RXD + PRESS:9.1BAR , OILTYP:RIF + (CAPPRM:CE + IDRY:Y + MOVOL:400VN + PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA30_18) , MOVOL:400V + (CAPPRM:CE + (IDRY:N + (MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR) , IDRY:Y + MODEL:GA22P_18 + PRESS:7.5BAR) , PRESS:10BAR + (CAPPRM:CE , CAPPRM:CEAD2000 + (IDRY:N + (MODEL:GA11P_18 , MODEL:GA18P_18) , IDRY:Y + MODEL:GA26P_18)))))) (29/03/2018 - 22/07/2019) OEM:N + (CAPPRM:ASME + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18))) , CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , OILTYP:RIF + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (23/07/2019 - ...) OEM:N + (CAPPRM:ASME + (MOVOL:460V + OILTYP:RXD , OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) , CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , OILTYP:RIF + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (01/08/2017 - ...) OILTYP:RIF
1110		1	OIL FILTER	
	 Service kits:	2901 9908 16	AIR FILTER KIT - ROTO-INJECT FLUID	
1110		1	OIL FILTER	(01/08/2017 - ...) OILTYP:RXD
	 Service kits:	2901 9908 17	AIR FILTER KIT - ROTO-XTEND DUTY FLUID	

Legend:

CAPPRM:AS1210 - Component approval mechanical:AS1210
CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)

IDRY:Y - Integrated dryer:Yes

MODEL:GA18P_18 - Model:GA 18+

MODEL:GA30_18 - Model:GA 30

MOVOL:230_460_V - Supply voltage:230-460 V

MOVOL:400V - Supply voltage:400 V

MOVOL:575V - Supply voltage:575 V

OILTYP:RIF - Oil type:Roto inject fluid oil

PRESS:10BAR - Working pressure:10 bar

PRESS:7.4BAR - Working pressure:7.4 bar

PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)

MODEL:GA11P_18 - Model:GA 11+

MODEL:GA22P_18 - Model:GA 22+

MOVOL:200230460V - Supply voltage:200-230-460 V

MOVOL:230V - Supply voltage:230 V

MOVOL:400VN - Supply voltage:400 V+N

OEM:AMMANN - OEM:Ammann asphalt

OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid

PRESS:12.5BAR - Working pressure:12.5 bar

PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:N - Integrated dryer:No

MODEL:GA15P_18 - Model:GA 15+

MODEL:GA26P_18 - Model:GA 26+

MOVOL:200V - Supply voltage:200 V

MOVOL:380V - Supply voltage:380 V


MOVOL:460V - Supply voltage:460 V

OEM:N - OEM:N

PRESS:10.8BAR - Working pressure:10.8 bar

PRESS:13BAR - Working pressure:13 bar

PRESS:8.5BAR - Working pressure:8.5 bar



Ref	Part Number	Qty	Name	Validity
1120	1629 0333 00	1	DECAL ROTO-INJECT NDURANCE	(16/04/2018 - 10/03/2019) OILTYP:RIF + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + ((CAPPRM:CE + (MOVOL:230V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)))
1120	1629 0334 00	1	DECAL ROTO-XTEND DUTY FLUID	(16/04/2018 - 22/07/2019) OEM:N + OILTYP:RXD + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + MOVOL:575V) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , MODEL:GA30_18 + (CAPPRM:ASME + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V) , CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (23/07/2019 - ...) OEM:N + OILTYP:RXD + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , MODEL:GA30_18 + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:ASME + MOVOL:460V , CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)
1120	1629 0336 00	1	DECAL RS ULTRA	(11/03/2019 - ...) OILTYP:RIF + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + ((CAPPRM:CE + (MOVOL:230V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)))

Legend:

CAPPRM:AS1210 - Component approval mechanical:AS1210

CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)

IDRY:Y - Integrated dryer:Yes

MODEL:GA18P_18 - Model:GA 18+

MODEL:GA30_18 - Model:GA 30

MOVOL:230_460_V - Supply voltage:230-460 V

MOVOL:400V - Supply voltage:400 V

MOVOL:575V - Supply voltage:575 V

OILTYP:RIF - Oil type:Roto inject fluid oil

PRESS:10BAR - Working pressure:10 bar

PRESS:7.4BAR - Working pressure:7.4 bar

PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME

CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)

MODEL:GA11P_18 - Model:GA 11+

MODEL:GA22P_18 - Model:GA 22+

MOVOL:200230460V - Supply voltage:200-230-460 V

MOVOL:230V - Supply voltage:230 V

MOVOL:400VN - Supply voltage:400 V+N

OEM:AMMANN - OEM:Ammann asphalt

OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid

PRESS:12.5BAR - Working pressure:12.5 bar

PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:N - Integrated dryer:No

MODEL:GA15P_18 - Model:GA 15+

MODEL:GA26P_18 - Model:GA 26+

MOVOL:200V - Supply voltage:200 V

MOVOL:380V - Supply voltage:380 V


MOVOL:460V - Supply voltage:460 V

OEM:N - OEM:N

PRESS:10.8BAR - Working pressure:10.8 bar

PRESS:13BAR - Working pressure:13 bar

PRESS:8.5BAR - Working pressure:8.5 bar



Ref	Part Number	Qty	Name	Validity
1130	0301 2321 00	2	WASHER	(26/03/2018 - 28/03/2018) OEM:N + (CAPPRM:ASME + (IDRY:N + OILTYP:RIF + PRESS:9.1BAR + (MODEL:GA15P_18 + MOVOL:230V , MODEL:GA22P_18 + MOVOL:380V) , OILTYP:RXD + (IDRY:N + (MODEL:GA30_18 + MOVOL:230_460_V + PRESS:7.4BAR , MOVOL:200230460V + (MODEL:GA15P_18 + PRESS:7.4BAR , MODEL:GA22P_18 + (PRESS:10.8BAR , PRESS:7.4BAR) , MODEL:GA26P_18 + PRESS:10.8BAR)) , IDRY:Y + MODEL:GA15P_18 + MOVOL:200230460V + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR + (MOVOL:230_460_V , IDRY:Y + MOVOL:200V))) , CAPPRM:CRNASME + IDRY:N + MODEL:GA18P_18 + MOVOL:575V + OILTYP:RXD + PRESS:9.1BAR , OILTYP:RIF + (CAPPRM:CE + IDRY:Y + MOVOL:400VN + PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA30_18) , MOVOL:400V + (CAPPRM:CE + (IDRY:N + (MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR) , IDRY:Y + MODEL:GA22P_18 + PRESS:7.5BAR) , PRESS:10BAR + (CAPPRM:CE , CAPPRM:CEAD2000 + (IDRY:N + (MODEL:GA11P_18 , MODEL:GA18P_18) , IDRY:Y + MODEL:GA26P_18)))))) (29/03/2018 - 22/07/2019) OEM:N + (CAPPRM:ASME + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18))) , CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , OILTYP:RIF + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (23/07/2019 - ...) OEM:N + (CAPPRM:ASME + (MOVOL:460V + OILTYP:RXD , OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V)) , OILTYP:RXD + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) , CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , OILTYP:RIF + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))

Legend:

CAPPRM:AS1210 - Component approval mechanical:AS1210

CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)

IDRY:Y - Integrated dryer:Yes

MODEL:GA18P_18 - Model:GA 18+

MODEL:GA30_18 - Model:GA 30

MOVOL:230_460_V - Supply voltage:230-460 V

MOVOL:400V - Supply voltage:400 V

MOVOL:575V - Supply voltage:575 V

OILTYP:RIF - Oil type:Roto inject fluid oil

PRESS:10BAR - Working pressure:10 bar

PRESS:7.4BAR - Working pressure:7.4 bar

PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME

CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)

MODEL:GA11P_18 - Model:GA 11+

MODEL:GA22P_18 - Model:GA 22+

MOVOL:200230460V - Supply voltage:200-230-460 V

MOVOL:230V - Supply voltage:230 V

MOVOL:400VN - Supply voltage:400 V+N

OEM:AMMANN - OEM:Ammann asphalt

OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid

PRESS:12.5BAR - Working pressure:12.5 bar

PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:N - Integrated dryer:No

MODEL:GA15P_18 - Model:GA 15+

MODEL:GA26P_18 - Model:GA 26+

MOVOL:200V - Supply voltage:200 V

MOVOL:380V - Supply voltage:380 V


MOVOL:460V - Supply voltage:460 V

OEM:N - OEM:N

PRESS:10.8BAR - Working pressure:10.8 bar

PRESS:13BAR - Working pressure:13 bar

PRESS:8.5BAR - Working pressure:8.5 bar



Ref	Part Number	Qty	Name	Validity
2010		1	THERMOSTATIC VALVE 71#C	(01/08/2017 - 13/03/2018) CAPPRM:CE + OEM:N + OILTYP:RIF + (IDRY:Y + MODEL:GA30_18 + MOVOL:400VN + PRESS:7.5BAR , MOVOL:400V + PRESS:10BAR) (14/03/2018 - 28/03/2018) OEM:N + OILTYP:RIF + (CAPPRM:CE + (IDRY:Y + PRESS:7.5BAR + (MODEL:GA22P_18 + MOVOL:400V , MOVOL:400VN + (MODEL:GA11P_18 , MODEL:GA30_18)) , MOVOL:400V + (PRESS:10BAR , IDRY:N + MODEL:GA15P_18 + PRESS:8.5BAR)) , CAPPRM:CEAD2000 + MOVOL:400V + PRESS:10BAR + (IDRY:N + (MODEL:GA11P_18 , MODEL:GA18P_18) , IDRY:Y + MODEL:GA26P_18)) (29/03/2018 - 16/04/2018) OILTYP:RIF + (CAPPRM:CE + MOVOL:400V + OEM:AMMANN + PRESS:10BAR , OEM:N + (CAPPRM:CE + (MOVOL:230V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (17/04/2018 - ...) OEM:N + (CAPPRM:ASME + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18))) , CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , OILTYP:RIF + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))
 Service kits:		2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		

Legend:

CAPPRM:AS1210 - Component approval mechanical:AS1210

CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)

IDRY:Y - Integrated dryer:Yes

MODEL:GA18P_18 - Model:GA 18+

MODEL:GA30_18 - Model:GA 30

MOVOL:230_460_V - Supply voltage:230-460 V

MOVOL:400V - Supply voltage:400 V

MOVOL:575V - Supply voltage:575 V

OILTYP:RIF - Oil type:Roto inject fluid oil

PRESS:10BAR - Working pressure:10 bar

PRESS:7.4BAR - Working pressure:7.4 bar

PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME

CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)

MODEL:GA11P_18 - Model:GA 11+

MODEL:GA22P_18 - Model:GA 22+

MOVOL:200230460V - Supply voltage:200-230-460 V

MOVOL:230V - Supply voltage:230 V

MOVOL:400VN - Supply voltage:400 V+N

OEM:AMMANN - OEM:Ammann asphalt

OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid

PRESS:12.5BAR - Working pressure:12.5 bar

PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:N - Integrated dryer:No

MODEL:GA15P_18 - Model:GA 15+

MODEL:GA26P_18 - Model:GA 26+

MOVOL:200V - Supply voltage:200 V

MOVOL:380V - Supply voltage:380 V


MOVOL:460V - Supply voltage:460 V

OEM:N - OEM:N

PRESS:10.8BAR - Working pressure:10.8 bar

PRESS:13BAR - Working pressure:13 bar

PRESS:8.5BAR - Working pressure:8.5 bar



7 - Condensate drain Pack


IDRY:N

Atlas Copco

Ref	Part Number	Qty	Name	Validity
1020	1625 8614 13	1	LD200 DRAIN	(03/08/2018 - ...)
	• 2902 0161 03	1	LD DRAIN 8000H MAINTENANCE KIT	
	⚡ Substituted by:	2200 9020 17	KIT WEAR DRAIN (quantity: 1)	
1030	0581 0000 43	2	BULKHEAD	(29/05/2018 - 17/03/2019)
1030	0570 7017 28	2	BULKHEAD	(18/03/2019 - ...)
1040	0583 8100 66	1	FITTING	(21/08/2018 - ...)
1050	0583 8100 76	2	COUPLING	(29/05/2018 - ...)
1060	0070 6002 68	AR	TUBE	(01/08/2017 - ...)
	⚡ Substituted by:	0070 7250 04	TUBE ID4 OD6 BLACK (quantity: 1)	
1070	0070 6002 03	AR	TUBE	(01/08/2017 - ...)
1080	0147 1963 08	1	HEXAGON BOLT	(29/05/2018 - ...)

Legend:

IDRY:N - Integrated dryer:No



8 - Condensate drain Full-Feature


IDRY:Y

Atlas Copco

Ref	Part Number	Qty	Name	Validity
1020	1625 8614 13	1	LD200 DRAIN	(03/08/2017 - ...)
	• 2902 0161 03	1	LD DRAIN 8000H MAINTENANCE KIT	
	⚙ Substituted by:	2200 9020 17	- KIT WEAR DRAIN (quantity: 1)	
1030	0581 0000 43	4	BULKHEAD	(29/05/2018 - 17/03/2019)
1030	0570 7017 28	4	BULKHEAD	(18/03/2019 - ...)
1040	0583 8100 66	2	FITTING	(29/05/2018 - ...)
1050	0583 8100 76	4	COUPLING	(29/05/2018 - ...)
1060	0070 6002 68	AR	TUBE 4X6	(01/08/2017 - ...)
	⚙ Substituted by:	0070 7250 04	- TUBE ID4 OD6 BLACK (quantity: 1)	
1070	0070 6002 03	AR	TUBE 6X8	(01/08/2017 - ...)
1080	1627 1512 87	1	LD200 DRAIN	(01/08/2017 - 28/02/2019)
	• 2902 0161 03	1	LD DRAIN 8000H MAINTENANCE KIT	
	⚙ Substituted by:	2200 9020 17	- KIT WEAR DRAIN (quantity: 1)	
1090	0147 1963 08	1	HEXAGON BOLT	(01/03/2019 - ...)
1090	0147 1963 08	2	HEXAGON BOLT	(29/05/2018 - 28/02/2019)

Legend:


IDRY:Y - Integrated dryer:Yes



Ref	Part Number	Qty	Name	Validity
1010	0580 0017 37	1	NIPPLE	(12/03/2018 - ...)
1020	1625 2202 51	1	HOSE	(13/04/2018 - ...)
2010	0580 0017 36	1	NIPPLE	(12/03/2018 - ...)
2020	1625 2202 48	1	HOSE	(13/04/2018 - ...)
2050	1625 2202 48	1	HOSE	(13/04/2018 - ...)
2060	0580 0017 36	1	NIPPLE	(12/03/2018 - ...)
3010	0663 7134 00	1	O-RING	(12/03/2018 - ...)
3020	1625 2201 20	1	FLEXIBLE	(12/03/2018 - ...)
	⚙ Substituted by: 1625 2202 20 - HOSE ASSEMBLY (ELEMENT-VESSEL) (quantity: 1)			
3030	0211 1957 59	2	SCREW	(12/03/2018 - ...)
3040	0663 7134 00	1	O-RING	(12/03/2018 - ...)
3050	0211 1957 59	2	SCREW	(12/03/2018 - ...)
4010	0583 8121 00	1	ELBOW	(12/03/2018 - 19/08/2019) (29/11/2019 - ...)
	⚙ Substituted by: 0583 8121 58 - ELBOW G1/4 X 6 (quantity: 1)			
4020	0070 6002 68	AR	TUBE 4X6	(12/03/2018 - ...)
	⚙ Substituted by: 0070 7250 04 - TUBE ID4 OD6 BLACK (quantity: 1)			
4030	0583 8121 39	1	ELBOW	(12/03/2018 - ...)
4040		1	NON RETURN VALVE	(12/03/2018 - ...)
	🧰 Service kits: 2901 9908 18 - NON RETURN VALVE KIT			
4050		1	O-RING	(12/03/2018 - ...)
	🧰 Service kits: 2901 9908 18 - NON RETURN VALVE KIT			
4060	1625 2203 43	1	NIPPLE	(08/06/2018 - ...)
4070		1	O-RING	(08/06/2018 - ...)
	🧰 Service kits: 2901 9908 18 - NON RETURN VALVE KIT			
5010	0580 0017 37	1	NIPPLE	(12/03/2018 - ...)
5020	1625 4821 00	1	PIPE	(12/03/2018 - 08/07/2018) (21/08/2018 - 28/02/2019)
5020	1625 8614 37	1	PIPE	(01/03/2019 - ...)
5030	0580 0017 37	1	NIPPLE	(12/03/2018 - ...)
5040	1625 4820 00	1	BUSHING	(12/03/2018 - ...)
5050	0697 9809 25	1	NUT	(12/03/2018 - ...)
5060	0583 8160 58	1	COUPLING	(25/10/2018 - ...)
5070	0070 6002 68	AR	TUBE 4X6	(12/03/2018 - ...)
	⚙ Substituted by: 0070 7250 04 - TUBE ID4 OD6 BLACK (quantity: 1)			
5090	0070 6002 68	AR	TUBE 4X6	(29/05/2018 - ...)
	⚙ Substituted by: 0070 7250 04 - TUBE ID4 OD6 BLACK (quantity: 1)			
5100	0583 8100 71	1	PIPE FITTING	(29/05/2018 - ...)
5110	0070 6002 69	AR	TUBE 12X14	(29/05/2018 - ...)
6010	0580 0017 36	1	NIPPLE	(12/03/2018 - ...)
6020	0580 2501 79	1	ELBOW	(12/03/2018 - 30/04/2019)
6030	1625 2202 43	1	HOSE	(28/05/2018 - 30/04/2019)
6030	1625 2202 57	1	HOSE	(01/05/2019 - ...)
6050	0580 0018 55	1	NIPPLE	(12/03/2018 - ...)
7010	0583 8121 31	1	ELBOW	(12/03/2018 - ...)
7020	0070 6002 74	10	TUBE 8X10	(12/03/2018 - ...)
7030	0583 8100 68	1	PIPE FITTING	(08/06/2018 - ...)

10 - Fluid transport - Air dryer ID 40 - (GA 11+, (GA 15+ - 12.5bar, 13bar))

IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR))



10 - Fluid transport - Air dryer ID 40 - (GA 11+, (GA 15+ - 12.5bar, 13bar))

IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR))

Ref	Part Number	Qty	Name	Validity
1010	0580 0018 33	1	NIPPLE	(12/03/2018 - 13/03/2018) PRESS:10BAR + (MODEL:GA11P_18 , MODEL:GA15P_18) (14/03/2018 - 28/03/2018) MODEL:GA11P_18 + (PRESS:10BAR , PRESS:7.5BAR) , MODEL:GA15P_18 + (PRESS:10.8BAR , PRESS:10BAR) (29/03/2018 - 20/08/2018) (MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) (21/08/2018 - ...)
1020	1625 2202 55	1	HOSE	(08/06/2018 - 20/08/2018) (MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) (21/08/2018 - ...)
1030	0580 0018 33	1	NIPPLE	(12/03/2018 - 13/03/2018) PRESS:10BAR + (MODEL:GA11P_18 , MODEL:GA15P_18) (14/03/2018 - 28/03/2018) MODEL:GA11P_18 + (PRESS:10BAR , PRESS:7.5BAR) , MODEL:GA15P_18 + (PRESS:10.8BAR , PRESS:10BAR) (29/03/2018 - 20/08/2018) (MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) (21/08/2018 - ...)
1050	0583 8100 71	1	PIPE FITTING	(29/05/2018 - 20/08/2018) (MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) (21/08/2018 - ...)
1060	0070 6002 69	AR	TUBE 12X14	(29/05/2018 - 20/08/2018) (MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) (21/08/2018 - ...)
1070	0583 8120 73	1	ELBOW	(29/05/2018 - 20/08/2018) (MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) (21/08/2018 - ...)
1080	0070-6002-68	AR	TUBE 4X6	(29/05/2018 - 20/08/2018) (MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) (21/08/2018 - ...)
	↻ Substituted by:	0070 7250 04 - TUBE ID4 OD6 BLACK (quantity: 1)		
2010	1625 4288 00	1	NIPPLE	(11/07/2018 - 20/08/2018) (MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) (21/08/2018 - ...)
	0663 3130 00	1	O-RING	(18/10/2018 - ...)
2030	1625 8614 08	1	OUTLET PIPE	(11/07/2018 - 20/08/2018) (MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) (21/08/2018 - 20/10/2019)
2030	1625 8614 36	1	PIPE	(21/10/2019 - ...)
2050	0583 8120 73	1	ELBOW	(12/03/2018 - 13/03/2018) PRESS:10BAR + (MODEL:GA11P_18 , MODEL:GA15P_18) (14/03/2018 - 28/03/2018) MODEL:GA11P_18 + (PRESS:10BAR , PRESS:7.5BAR) , MODEL:GA15P_18 + (PRESS:10.8BAR , PRESS:10BAR) (29/03/2018 - 20/08/2018) (MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) (21/08/2018 - ...)

Legend:


IDRY:Y - Integrated dryer:Yes
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:8.5BAR - Working pressure:8.5 bar

MODEL:GA11P_18 - Model:GA 11+
PRESS:10BAR - Working pressure:10 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:9.1BAR - Working pressure:9.1 bar

MODEL:GA15P_18 - Model:GA 15+
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.5BAR - Working pressure:7.5 bar

10 - Fluid transport - Air dryer ID 40 - (GA 11+, (GA 15+ - 12.5bar, 13bar))

IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR))



10 - Fluid transport - Air dryer ID 40 - (GA 11+, (GA 15+ - 12.5bar, 13bar))

IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR))

Ref	Part Number	Qty	Name	Validity
2060	0070 6002 68	AR	TUBE 4X6	(12/03/2018 - 13/03/2018) PRESS:10BAR + (MODEL:GA11P_18 , MODEL:GA15P_18) (14/03/2018 - 28/03/2018) MODEL:GA11P_18 + (PRESS:10BAR , PRESS:7.5BAR) , MODEL:GA15P_18 + (PRESS:10.8BAR , PRESS:10BAR) (29/03/2018 - 20/08/2018) (MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) (21/08/2018 - ...)

Substituted by: 0070 7250 04 - TUBE ID4 OD6 BLACK (quantity: 1)

Legend:


IDRY:Y - Integrated dryer:Yes
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

MODEL:GA11P_18 - Model:GA 11+
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

MODEL:GA15P_18 - Model:GA 15+
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

11 - Fluid transport - Air dryer ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar))

IDRY:Y + ((MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:10BAR, PRESS:12.5BAR, PRESS:13BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:10.8BAR, PRESS:10BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA26P_18 + PRESS:8BAR, PRESS:8.5BAR + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA30_18))



11 - Fluid transport - Air dryer ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar))

IDRY:Y + ((MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:10BAR, PRESS:12.5BAR, PRESS:13BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:10.8BAR, PRESS:10BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA26P_18 + PRESS:8BAR, PRESS:8.5BAR + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA30_18))

Ref	Part Number	Qty	Name	Validity
1010	0580 0017 37	1	NIPPLE	(12/03/2018 - 13/03/2018) MODEL:GA30_18 + (PRESS:7.5BAR, PRESS:9.1BAR), PRESS:10BAR + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) (14/03/2018 - 28/03/2018) (MODEL:GA22P_18, MODEL:GA30_18) + (PRESS:10BAR, PRESS:7.5BAR), MODEL:GA30_18 + PRESS:9.1BAR, PRESS:10BAR + (MODEL:GA18P_18, MODEL:GA26P_18) (29/03/2018 - 20/08/2018) (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:10BAR, PRESS:12.5BAR, PRESS:13BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR) (21/08/2018 - ...) (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:10BAR, PRESS:12.5BAR, PRESS:13BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:10.8BAR, PRESS:10BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR)
1020	1625 2202 52	1	HOSE	(13/04/2018 - 20/08/2018) (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:10BAR, PRESS:12.5BAR, PRESS:13BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR) (21/08/2018 - ...) (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:10BAR, PRESS:12.5BAR, PRESS:13BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:10.8BAR, PRESS:10BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR)
1030	0580 0017 37	1	NIPPLE	(12/03/2018 - 13/03/2018) MODEL:GA30_18 + (PRESS:7.5BAR, PRESS:9.1BAR), PRESS:10BAR + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) (14/03/2018 - 28/03/2018) (MODEL:GA22P_18, MODEL:GA30_18) + (PRESS:10BAR, PRESS:7.5BAR), MODEL:GA30_18 + PRESS:9.1BAR, PRESS:10BAR + (MODEL:GA18P_18, MODEL:GA26P_18) (29/03/2018 - 20/08/2018) (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:10BAR, PRESS:12.5BAR, PRESS:13BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR) (21/08/2018 - ...) (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:10BAR, PRESS:12.5BAR, PRESS:13BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:10.8BAR, PRESS:10BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR)
1040	0583 8100 71	1	PIPE FITTING	(29/05/2018 - 20/08/2018) (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:10BAR, PRESS:12.5BAR, PRESS:13BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR) (21/08/2018 - ...) (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:10BAR, PRESS:12.5BAR, PRESS:13BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:10.8BAR, PRESS:10BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR)

Legend:


IDRY:Y - Integrated dryer:Yes
MODEL:GA22P_18 - Model:GA 22+
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:8.5BAR - Working pressure:8.5 bar

MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
PRESS:10BAR - Working pressure:10 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:8BAR - Working pressure:8 bar

MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.5BAR - Working pressure:7.5 bar
PRESS:9.1BAR - Working pressure:9.1 bar

11 - Fluid transport - Air dryer ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar))

IDRY:Y + ((MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:10BAR, PRESS:12.5BAR, PRESS:13BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:10.8BAR, PRESS:10BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA26P_18 + PRESS:8BAR, PRESS:8.5BAR + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA30_18))



11 - Fluid transport - Air dryer ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar))

IDRY:Y + ((MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:10BAR, PRESS:12.5BAR, PRESS:13BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:10.8BAR, PRESS:10BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA26P_18 + PRESS:8BAR, PRESS:8.5BAR + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA30_18))

Ref	Part Number	Qty	Name	Validity
1050	0070 6002 69	AR	TUBE 12X14	(29/05/2018 - 20/08/2018) (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:10BAR, PRESS:12.5BAR, PRESS:13BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR) (21/08/2018 - ...) (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:10BAR, PRESS:12.5BAR, PRESS:13BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:10.8BAR, PRESS:10BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR)
1060	0583 8120 73	1	ELBOW	(29/05/2018 - 20/08/2018) (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:10BAR, PRESS:12.5BAR, PRESS:13BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR) (21/08/2018 - ...) (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:10BAR, PRESS:12.5BAR, PRESS:13BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:10.8BAR, PRESS:10BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR)
1070	0070-6002-68	AR	TUBE 4X6	(29/05/2018 - 20/08/2018) (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:10BAR, PRESS:12.5BAR, PRESS:13BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR) (21/08/2018 - ...) (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:10BAR, PRESS:12.5BAR, PRESS:13BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:10.8BAR, PRESS:10BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR)
Substituted by: 0070 7250 04 - TUBE ID4 OD6 BLACK (quantity: 1)				
2010	0663 3130 00	1	O-RING	(12/03/2018 - 13/03/2018) MODEL:GA30_18 + (PRESS:7.5BAR, PRESS:9.1BAR), PRESS:10BAR + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) (14/03/2018 - 28/03/2018) (MODEL:GA22P_18, MODEL:GA30_18) + (PRESS:10BAR, PRESS:7.5BAR), MODEL:GA30_18 + PRESS:9.1BAR, PRESS:10BAR + (MODEL:GA18P_18, MODEL:GA26P_18) (29/03/2018 - 20/08/2018) (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:10BAR, PRESS:12.5BAR, PRESS:13BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR) (21/08/2018 - ...) (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:10BAR, PRESS:12.5BAR, PRESS:13BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:10.8BAR, PRESS:10BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR)

Legend:


IDRY:Y - Integrated dryer:Yes
MODEL:GA22P_18 - Model:GA 22+
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:8.5BAR - Working pressure:8.5 bar

MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
PRESS:10BAR - Working pressure:10 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:8BAR - Working pressure:8 bar

MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.5BAR - Working pressure:7.5 bar
PRESS:9.1BAR - Working pressure:9.1 bar

11 - Fluid transport - Air dryer ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar))

IDRY:Y + ((MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:10BAR, PRESS:12.5BAR, PRESS:13BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:10.8BAR, PRESS:10BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA26P_18 + PRESS:8BAR, PRESS:8.5BAR + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA30_18))



11 - Fluid transport - Air dryer ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar))

IDRY:Y + ((MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:8BAR , PRESS:8.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18))

Ref	Part Number	Qty	Name	Validity
2020	1625 4819 00	1	BUSHING	(12/03/2018 - 13/03/2018) MODEL:GA30_18 + (PRESS:7.5BAR , PRESS:9.1BAR) , PRESS:10BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) (14/03/2018 - 28/03/2018) (MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:10BAR , PRESS:7.5BAR) , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:10BAR + (MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - 20/08/2018) (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) (21/08/2018 - ...) (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR)
2030	0070-6002-68	AR	TUBE 4X6	(12/03/2018 - 13/03/2018) MODEL:GA30_18 + (PRESS:7.5BAR , PRESS:9.1BAR) , PRESS:10BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) (14/03/2018 - 28/03/2018) (MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:10BAR , PRESS:7.5BAR) , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:10BAR + (MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - 20/08/2018) (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) (21/08/2018 - ...) (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR)
 Substituted by: 0070 7250 04 - TUBE ID4 OD6 BLACK (quantity: 1)				

Legend:


IDRY:Y - Integrated dryer:Yes
MODEL:GA22P_18 - Model:GA 22+
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:8.5BAR - Working pressure:8.5 bar

MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
PRESS:10BAR - Working pressure:10 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:8BAR - Working pressure:8 bar

MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.5BAR - Working pressure:7.5 bar
PRESS:9.1BAR - Working pressure:9.1 bar

12 - Loose parts Pack

IDRY:N + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:9.1BAR , MODEL:GA26P_18 + PRESS:8BAR , PRESS:8.5BAR + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18))



12 - Loose parts Pack

IDRY:N + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:9.1BAR , MODEL:GA26P_18 + PRESS:8BAR , PRESS:8.5BAR + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18))

Ref	Part Number	Qty	Name	Validity
1010	0852 0011 02	1	BALL VALVE	(11/07/2018 - ...)
1020	0852 0010 55	1	BALL VALVE	(11/07/2018 - ...)
1030	1625 2201 19	1	PLATE COVER	(11/07/2018 - ...)
1040	0211 1246 03	4	SCREW	(10/04/2018 - ...)
1050	0989 3700 47	1	LOCKNUT	(11/07/2018 - ...)
1060	0698 5140 76	1	CABLE GLAND	(11/07/2018 - ...)
1070	0698 5148 70	1	SEAL	(11/07/2018 - ...)
1080	1089 9154 02	1	KEY	(11/07/2018 - ...)
1090	1089 9068 01	1	KEY	(11/07/2018 - ...)

Remarks:

7.4bar - 107psig, 9.1bar - 132psig, 10.8bar - 157psig, 12.5bar - 181psig

Legend:


IDRY:N - Integrated dryer:No
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:8BAR - Working pressure:8 bar

13 - Loose parts Full-Feature - ID 40 - (GA 11+, (GA 15+ - 12.5bar, 13bar))

IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR))



13 - Loose parts Full-Feature - ID 40 - (GA 11+, (GA 15+ - 12.5bar, 13bar))

IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR))

Ref	Part Number	Qty	Name	Validity
1010	1619 6153 06	1	BALL VALVE	(21/08/2018 - ...)
1020	0852 0010 55	2	BALL VALVE	(21/08/2018 - ...)
1030	1625 2201 19	1	PLATE COVER	(21/08/2018 - ...)
1040	0211 1246 03	4	SCREW	(21/08/2018 - ...)
1050	0989 3700 47	1	LOCKNUT	(21/08/2018 - ...)
1060	0698 5140 76	1	CABLE GLAND	(21/08/2018 - ...)
1070	0698 5148 70	1	SEAL	(21/08/2018 - ...)
1080	1089 9154 02	1	KEY	(21/08/2018 - ...)
1090	1089 9068 01	1	KEY	(21/08/2018 - ...)

Remarks:

7.4bar - 107psig, 9.1bar - 132psig, 10.8bar - 157psig, 12.5bar - 181psig

Legend:

IDRY:Y - Integrated dryer:Yes

PRESS:10.8BAR - Working pressure:10.8 bar

PRESS:13BAR - Working pressure:13 bar

PRESS:8.5BAR - Working pressure:8.5 bar

MODEL:GA11P_18 - Model:GA 11+

PRESS:10BAR - Working pressure:10 bar

PRESS:7.4BAR - Working pressure:7.4 bar

PRESS:9.1BAR - Working pressure:9.1 bar


MODEL:GA15P_18 - Model:GA 15+

PRESS:12.5BAR - Working pressure:12.5 bar

PRESS:7.5BAR - Working pressure:7.5 bar

14 - Loose parts Full-Feature - ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar))

IDRY:Y + ((MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:8BAR , PRESS:8.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18))



14 - Loose parts Full-Feature - ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar))

IDRY:Y + ((MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:8BAR , PRESS:8.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18))

Ref	Part Number	Qty	Name	Validity
1010	0852 0011 02	1	BALL VALVE	(21/08/2018 - ...)
1020	0852 0010 55	2	BALL VALVE	(21/08/2018 - ...)
1030	1625 2201 19	1	PLATE COVER	(21/08/2018 - ...)
1040	0211 1246 03	4	SCREW	(21/08/2018 - ...)
1050	0989 3700 47	1	LOCKNUT	(21/08/2018 - ...)
1060	0698 5140 76	1	CABLE GLAND	(21/08/2018 - ...)
1070	0698 5148 70	1	SEAL	(21/08/2018 - ...)
1080	1089 9154 02	1	KEY	(21/08/2018 - ...)
1090	1089 9068 01	1	KEY	(21/08/2018 - ...)

Remarks:

7.4bar - 107psig, 9.1bar - 132psig, 10.8bar - 157psig, 12.5bar - 181psig

Legend:


IDRY:Y - Integrated dryer:Yes
 MODEL:GA22P_18 - Model:GA 22+
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:8BAR - Working pressure:8 bar

MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

15.1 - Assembly ID 40

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR))



15.1 - Assembly ID 40

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR))

Ref	Part Number	Qty	Name	Validity
1010	-	1	AIR DRYER	(10/06/2018 - ...)
1020	0147 1963 08	3	HEXAGON BOLT	(01/08/2017 - 26/03/2018) CAPPRE:IEC + CAPPRM:CE + FREQ:50HZ + MOVOL:400V + PRESS:10BAR + (MODEL:GA11P_18 , MODEL:GA15P_18) (27/03/2018 - 28/03/2018) CAPPRE:IEC + CAPPRM:CE + FREQ:50HZ + (MODEL:GA11P_18 + MOVOL:400VN + PRESS:7.5BAR , MOVOL:400V + PRESS:10BAR + (MODEL:GA11P_18 , MODEL:GA15P_18)) (29/03/2018 - 09/06/2018) CAPPRE:IEC + FREQ:50HZ + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) (10/06/2018 - 20/08/2018) CAPPRE:IEC + FREQ:50HZ + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) , FREQ:60HZ + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) (21/08/2018 - 18/09/2018) CAPPRE:IEC + FREQ:50HZ + (CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR) (19/09/2018 - 22/07/2019) CAPPRE:ULCUL + FREQ:60HZ + (CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + MOVOL:575V) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR) (23/07/2019 - ...) CAPPRE:ULCUL + FREQ:60HZ + (CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR) (19/09/2018 - ...) CAPPRE:IEC + (CAPPRM:ASME + FREQ:60HZ + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR) + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , FREQ:50HZ + (CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR))
1020	0147 1963 08	2	HEXAGON BOLT	(19/09/2018 - ...) CAPPRE:IEC + (CAPPRM:ASME + FREQ:60HZ + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR) + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , FREQ:50HZ + (CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR))

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
 IDRY:Y - Integrated dryer:Yes
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 FREQ:50HZ - Frequency:50 Hz
 MODEL:GA11P_18 - Model:GA 11+
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA15P_18 - Model:GA 15+
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

15.1 - Assembly ID 40

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR))



15.1 - Assembly ID 40

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR))

Ref	Part Number	Qty	Name	Validity
1030	1089 9610 31	1	TRANSFORMER	(10/06/2018 - 20/08/2018) CAPPRE:IEC + FREQ:50HZ + MOVOL:400V + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000) , CAPPRM:ASME + FREQ:60HZ + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V) (21/08/2018 - ...) CAPPRE:IEC + FREQ:50HZ + MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , CAPPRM:ASME + FREQ:60HZ + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)
1030	1089 9610 43	1	TRANSFORMER	(10/06/2018 - 20/08/2018) CAPPRE:IEC + CAPPRM:CE + FREQ:50HZ + MOVOL:230V + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) , FREQ:60HZ + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + MOVOL:575V)) (21/08/2018 - 04/03/2019) CAPPRE:IEC + CAPPRM:CE + FREQ:50HZ + MOVOL:230V + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR) (05/03/2019 - 22/07/2019) FREQ:60HZ + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR) (23/07/2019 - ...) FREQ:60HZ + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:CRNASME + MOVOL:575V , MOVOL:200230460V + (CAPPRM:ASME , CAPPRM:CRNASME))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)

Legend:


CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:ASME - Component approval mechanical:ASME
CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
IDRY:Y - Integrated dryer:Yes
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:400V - Supply voltage:400 V
MOVOL:575V - Supply voltage:575 V
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
CAPPRM:CE - Component approval mechanical:CE
FREQ:50HZ - Frequency:50 Hz
MODEL:GA11P_18 - Model:GA 11+
MOVOL:230V - Supply voltage:230 V
MOVOL:400VN - Supply voltage:400 V+N
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
FREQ:60HZ - Frequency:60 Hz
MODEL:GA15P_18 - Model:GA 15+
MOVOL:380V - Supply voltage:380 V
MOVOL:460V - Supply voltage:460 V
PRESS:10BAR - Working pressure:10 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:9.1BAR - Working pressure:9.1 bar

15.1 - Assembly ID 40

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR))



15.1 - Assembly ID 40

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR))

Ref	Part Number	Qty	Name	Validity
1040	0226 0305 00	4	SCREW	(10/06/2018 - 20/08/2018) CAPPRE:IEC + FREQ:50HZ + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (CAPPRM:CE + MOVOL:230V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) , FREQ:60HZ + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) (21/08/2018 - 18/09/2018) CAPPRE:IEC + FREQ:50HZ + (CAPPRM:CE + MOVOL:230V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)
1040	0211 1246 03	2	SCREW	(05/03/2019 - 22/07/2019) CAPPRE:IEC + FREQ:50HZ + MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR) (23/07/2019 - ...) CAPPRE:IEC + FREQ:50HZ + MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)

Legend:


CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:ASME - Component approval mechanical:ASME
CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
IDRY:Y - Integrated dryer:Yes
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:400V - Supply voltage:400 V
MOVOL:575V - Supply voltage:575 V
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
CAPPRM:CE - Component approval mechanical:CE
FREQ:50HZ - Frequency:50 Hz
MODEL:GA11P_18 - Model:GA 11+
MOVOL:230V - Supply voltage:230 V
MOVOL:400VN - Supply voltage:400 V+N
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
FREQ:60HZ - Frequency:60 Hz
MODEL:GA15P_18 - Model:GA 15+
MOVOL:380V - Supply voltage:380 V
MOVOL:460V - Supply voltage:460 V
PRESS:10BAR - Working pressure:10 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:9.1BAR - Working pressure:9.1 bar

15.1 - Assembly ID 40

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR))



15.1 - Assembly ID 40

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR))

Ref	Part Number	Qty	Name	Validity
1050	1625 2201 25	1	TRAFO COVER	(10/06/2018 - 20/08/2018) CAPPRE:IEC + FREQ:50HZ + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (CAPPRM:CE + MOVOL:230V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) , FREQ:60HZ + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) (21/08/2018 - 04/03/2019) CAPPRE:IEC + FREQ:50HZ + (CAPPRM:CE + MOVOL:230V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR) (05/03/2019 - 22/07/2019) CAPPRE:IEC + FREQ:50HZ + MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR) (23/07/2019 - ...) CAPPRE:IEC + FREQ:50HZ + MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)
1060	0211 1246 03	2	SCREW	(05/03/2019 - 22/07/2019) CAPPRE:IEC + FREQ:50HZ + MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR) (23/07/2019 - ...) CAPPRE:IEC + FREQ:50HZ + MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
 IDRY:Y - Integrated dryer:Yes
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 FREQ:50HZ - Frequency:50 Hz
 MODEL:GA11P_18 - Model:GA 11+
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA15P_18 - Model:GA 15+
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

15.2 - Assembly ID 73

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + ((MODEL:GA15P_18, MODEL:GA18P_18, MODEL:GA22P_18) + (PRESS:10BAR, PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA26P_18 + PRESS:10BAR, PRESS:13BAR + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18)) + (MOVOL:230V, MOVOL:400V, MOVOL:400VN), FREQ:60HZ + ((MODEL:GA15P_18, MODEL:GA18P_18, MODEL:GA22P_18) + (PRESS:10.8BAR, PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA26P_18 + PRESS:10.8BAR, PRESS:12.5BAR + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18)) + (CAPPRE:IEC + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + (MOVOL:200230460V, MOVOL:460V, MOVOL:575V)))



15.2 - Assembly ID 73

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)))

Ref	Part Number	Qty	Name	Validity
1010	-	1	AIR DRYER	(10/06/2018 - ...)
1020	0147 1963 08	4	HEXAGON BOLT	(29/05/2018 - 09/06/2018) CAPPRE:IEC + FREQ:50HZ + MOVOL:400V + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000) (10/06/2018 - 20/08/2018) CAPPRE:IEC + FREQ:50HZ + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) , FREQ:60HZ + (((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + (PRESS:10.8BAR , PRESS:12.5BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) , MODEL:GA30_18 + PRESS:12.5BAR + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V)))) (21/08/2018 - 22/07/2019) CAPPRE:IEC + FREQ:50HZ + ((CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA15P_18 + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + (PRESS:10BAR , PRESS:13BAR)) , (CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , FREQ:60HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , PRESS:10.8BAR + (MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) (23/07/2019 - ...) CAPPRE:IEC + FREQ:50HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) , FREQ:60HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)))

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
 IDRY:Y - Integrated dryer:Yes
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 FREQ:50HZ - Frequency:50 Hz
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:200V - Supply voltage:200 V
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 MOVOL:230_460_V - Supply voltage:230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

15.2 - Assembly ID 73

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + ((MODEL:GA15P_18, MODEL:GA18P_18, MODEL:GA22P_18) + (PRESS:10BAR, PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA26P_18 + PRESS:10BAR, PRESS:13BAR + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18)) + (MOVOL:230V, MOVOL:400V, MOVOL:400VN), FREQ:60HZ + ((MODEL:GA15P_18, MODEL:GA18P_18, MODEL:GA22P_18) + (PRESS:10.8BAR, PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA26P_18 + PRESS:10.8BAR, PRESS:12.5BAR + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18)) + (CAPPRE:IEC + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + (MOVOL:200230460V, MOVOL:460V, MOVOL:575V)))



15.2 - Assembly ID 73

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)))

Ref	Part Number	Qty	Name	Validity
1030	1089 9610 42	1	TRANSFORMER	(10/06/2018 - 20/08/2018) CAPPRE:IEC + MOVOL:230V + (CAPPRM:ASME + FREQ:60HZ + MODEL:GA30_18 + PRESS:12.5BAR , CAPPRM:CE + FREQ:50HZ + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA26P_18 , MODEL:GA30_18))) , FREQ:60HZ + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + (PRESS:10.8BAR , PRESS:12.5BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V)) , CAPPRE:ULCUL + MODEL:GA30_18 + PRESS:12.5BAR + (CAPPRM:ASME + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:CRNASME + MOVOL:575V)) (21/08/2018 - 04/03/2019) CAPPRE:IEC + CAPPRM:CE + FREQ:50HZ + MOVOL:230V + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) , FREQ:60HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + MOVOL:575V)) (05/03/2019 - 22/07/2019) FREQ:60HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + MOVOL:575V)) (23/07/2019 - ...) FREQ:60HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V))) (05/03/2019 - 22/07/2019) FREQ:60HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + MOVOL:575V)) (23/07/2019 - ...) FREQ:60HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V)))
1040	0211 1246 03	2	SCREW	(05/03/2019 - 22/07/2019) FREQ:60HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + MOVOL:575V)) (23/07/2019 - ...) FREQ:60HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V)))

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
 IDRY:Y - Integrated dryer:Yes
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 FREQ:50HZ - Frequency:50 Hz
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:200V - Supply voltage:200 V
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 MOVOL:230_460_V - Supply voltage:230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

15.2 - Assembly ID 73

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + ((MODEL:GA15P_18, MODEL:GA18P_18, MODEL:GA22P_18) + (PRESS:10BAR, PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA26P_18 + PRESS:10BAR, PRESS:13BAR + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18)) + (MOVOL:230V, MOVOL:400V, MOVOL:400VN), FREQ:60HZ + ((MODEL:GA15P_18, MODEL:GA18P_18, MODEL:GA22P_18) + (PRESS:10.8BAR, PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA26P_18 + PRESS:10.8BAR, PRESS:12.5BAR + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18)) + (CAPPRE:IEC + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + (MOVOL:200230460V, MOVOL:460V, MOVOL:575V)))



15.2 - Assembly ID 73

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)))

Ref	Part Number	Qty	Name	Validity
1050	1625 2201 25	1	TRAFO COVER	(10/06/2018 - 20/08/2018) CAPPRE:IEC + MOVOL:230V + (CAPPRM:ASME + FREQ:60HZ + MODEL:GA30_18 + PRESS:12.5BAR , CAPPRM:CE + FREQ:50HZ + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA26P_18 , MODEL:GA30_18))) , FREQ:60HZ + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + (PRESS:10.8BAR , PRESS:12.5BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V)) , CAPPRE:ULCUL + MODEL:GA30_18 + PRESS:12.5BAR + (CAPPRM:ASME + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:CRNASME + MOVOL:575V)) (21/08/2018 - 04/03/2019) CAPPRE:IEC + CAPPRM:CE + FREQ:50HZ + MOVOL:230V + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) , FREQ:60HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + MOVOL:575V)) (05/03/2019 - 22/07/2019) FREQ:60HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + MOVOL:575V)) (23/07/2019 - ...) FREQ:60HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V)))

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
 IDRY:Y - Integrated dryer:Yes
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 FREQ:50HZ - Frequency:50 Hz
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:200V - Supply voltage:200 V
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 MOVOL:230_460_V - Supply voltage:230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

15.2 - Assembly ID 73

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + ((MODEL:GA15P_18, MODEL:GA18P_18, MODEL:GA22P_18) + (PRESS:10BAR, PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA26P_18 + PRESS:10BAR, PRESS:13BAR + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18)) + (MOVOL:230V, MOVOL:400V, MOVOL:400VN), FREQ:60HZ + ((MODEL:GA15P_18, MODEL:GA18P_18, MODEL:GA22P_18) + (PRESS:10.8BAR, PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA26P_18 + PRESS:10.8BAR, PRESS:12.5BAR + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18)) + (CAPPRE:IEC + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + (MOVOL:200230460V, MOVOL:460V, MOVOL:575V)))



15.2 - Assembly ID 73

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)))

Ref	Part Number	Qty	Name	Validity
1060	0147 1963 08	2	HEXAGON BOLT	(10/06/2018 - 20/08/2018) CAPPRE:IEC + MOVOL:230V + (CAPPRM:ASME + FREQ:60HZ + MODEL:GA30_18 + PRESS:12.5BAR , CAPPRM:CE + FREQ:50HZ + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA26P_18 , MODEL:GA30_18))) , FREQ:60HZ + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + (PRESS:10.8BAR , PRESS:12.5BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V)) , CAPPRE:ULCUL + MODEL:GA30_18 + PRESS:12.5BAR + (CAPPRM:ASME + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:CRNASME + MOVOL:575V)) (21/08/2018 - 18/09/2018) CAPPRE:IEC + CAPPRM:CE + FREQ:50HZ + MOVOL:230V + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) , FREQ:60HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + MOVOL:575V))
1060	0211 1246 03	2	SCREW	(05/03/2019 - 22/07/2019) FREQ:60HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + MOVOL:575V)) (23/07/2019 - ...) FREQ:60HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V)))

Legend:


CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:ASME - Component approval mechanical:ASME
CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
IDRY:Y - Integrated dryer:Yes
MODEL:GA22P_18 - Model:GA 22+
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:230V - Supply voltage:230 V
MOVOL:400VN - Supply voltage:400 V+N
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
CAPPRM:CE - Component approval mechanical:CE
FREQ:50HZ - Frequency:50 Hz
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
MOVOL:200V - Supply voltage:200 V
MOVOL:380V - Supply voltage:380 V
MOVOL:460V - Supply voltage:460 V
PRESS:10BAR - Working pressure:10 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
FREQ:60HZ - Frequency:60 Hz
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
MOVOL:230_460_V - Supply voltage:230-460 V
MOVOL:400V - Supply voltage:400 V
MOVOL:575V - Supply voltage:575 V
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.5BAR - Working pressure:7.5 bar

15.3 - Assembly ID 96

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 + (PRESS:7.5BAR , PRESS:8BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V , MOVOL:575V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)))



15.3 - Assembly ID 96

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 + (PRESS:7.5BAR, PRESS:8BAR), MODEL:GA30_18 + (PRESS:10BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8.5BAR)) + (MOVOL:230V, MOVOL:400V, MOVOL:400VN), FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + (MOVOL:200230460V, MOVOL:460V, MOVOL:575V)) + (PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + (MOVOL:200V, MOVOL:230_460_V, MOVOL:460V, MOVOL:575V)) + (PRESS:10.8BAR, PRESS:12.5BAR, PRESS:7.4BAR, PRESS:9.1BAR)))

Ref	Part Number	Qty	Name	Validity
1010	-	1	AIR DRYER	(10/06/2018 - ...)
1020	0147 1963 08	4	HEXAGON BOLT	(29/05/2018 - 09/06/2018) CAPPRE:IEC + FREQ:50HZ + ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + PRESS:10BAR) + (CAPPRM:CE + MOVOL:400VN, MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CE, CAPPRM:CEAD2000)), CAPPRE:ULCUL + CAPPRM:ASME + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V + (PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA30_18 + (MOVOL:200V, MOVOL:230_460_V) + (PRESS:10.8BAR, PRESS:7.4BAR, PRESS:9.1BAR))) (10/06/2018 - 20/08/2018) CAPPRE:IEC + FREQ:50HZ + (CAPPRM:CE + (MOVOL:230V, MOVOL:400VN), MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CE, CAPPRM:CEAD2000)) + (MODEL:GA26P_18 + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + (PRESS:10BAR, PRESS:7.5BAR, PRESS:8.5BAR)), FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V, CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + (MOVOL:200230460V, MOVOL:460V))) + (PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA30_18 + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V, CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + (MOVOL:200V, MOVOL:230_460_V, MOVOL:460V))) + (PRESS:10.8BAR, PRESS:7.4BAR, PRESS:9.1BAR))) (21/08/2018 - 22/07/2019) CAPPRE:IEC + FREQ:50HZ + ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + (PRESS:10BAR, PRESS:13BAR)) + (CAPPRM:CE + (MOVOL:230V, MOVOL:400V, MOVOL:400VN), MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CEAD2000)), FREQ:60HZ + ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA30_18 + (PRESS:10.8BAR, PRESS:12.5BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V, CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + MOVOL:460V)), CAPPRE:ULCUL + CAPPRM:ASME + (MODEL:GA26P_18 + MOVOL:200230460V + (PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA30_18 + (MOVOL:200V, MOVOL:230_460_V) + (PRESS:10.8BAR, PRESS:12.5BAR, PRESS:7.4BAR, PRESS:9.1BAR))) (23/07/2019 - ...) CAPPRE:IEC + FREQ:50HZ + ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + (PRESS:10BAR, PRESS:13BAR)) + (CAPPRM:CE + (MOVOL:230V, MOVOL:400V, MOVOL:400VN), MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CEAD2000)), FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V, MOVOL:575V), CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + (MOVOL:200230460V, MOVOL:460V))) + (PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA30_18 + (CAPPRE:ULCUL + ((CAPPRM:ASME, CAPPRM:CRNASME) + (MOVOL:200V, MOVOL:230_460_V), CAPPRM:CRNASME + MOVOL:575V), CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + MOVOL:460V))) + (PRESS:10.8BAR, PRESS:12.5BAR, PRESS:7.4BAR, PRESS:9.1BAR)))

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
 IDRY:Y - Integrated dryer:Yes
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 FREQ:50HZ - Frequency:50 Hz
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:200V - Supply voltage:200 V
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:8BAR - Working pressure:8 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA30_18 - Model:GA 30
 MOVOL:230_460_V - Supply voltage:230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

15.3 - Assembly ID 96

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 + (PRESS:7.5BAR , PRESS:8BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V , MOVOL:575V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)))



15.3 - Assembly ID 96

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 + (PRESS:7.5BAR, PRESS:8BAR), MODEL:GA30_18 + (PRESS:10BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8.5BAR)) + (MOVOL:230V, MOVOL:400V, MOVOL:400VN), FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + (MOVOL:200230460V, MOVOL:460V, MOVOL:575V)) + (PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + (MOVOL:200V, MOVOL:230_460_V, MOVOL:460V, MOVOL:575V)) + (PRESS:10.8BAR, PRESS:12.5BAR, PRESS:7.4BAR, PRESS:9.1BAR)))

Ref	Part Number	Qty	Name	Validity
1030	1089 9610 42	1	TRANSFORMER	(10/06/2018 - 20/08/2018) CAPPRE:IEC + CAPPRM:CE + FREQ:50HZ + MOVOL:230V + (MODEL:GA26P_18 + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + (PRESS:10BAR, PRESS:7.5BAR, PRESS:8.5BAR)), FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V, CAPPRM:ASME + (CAPPRE:IEC + MOVOL:230V, CAPPRE:ULCUL + MOVOL:200230460V)) + (PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA30_18 + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V, CAPPRE:ULCUL + (CAPPRM:ASME + (MOVOL:200V, MOVOL:230_460_V), CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:10.8BAR, PRESS:7.4BAR, PRESS:9.1BAR)) (21/08/2018 - 04/03/2019) CAPPRE:IEC + CAPPRM:CE + FREQ:50HZ + MOVOL:230V + (MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + (PRESS:10BAR, PRESS:13BAR), FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V, CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V, CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA30_18 + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V, CAPPRE:ULCUL + (CAPPRM:ASME + (MOVOL:200V, MOVOL:230_460_V), CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:10.8BAR, PRESS:12.5BAR, PRESS:7.4BAR, PRESS:9.1BAR)) (05/03/2019 - 22/07/2019) FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V, CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V, CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA30_18 + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V, CAPPRM:ASME + (CAPPRE:IEC + MOVOL:230V, CAPPRE:ULCUL + (MOVOL:200V, MOVOL:230_460_V))) + (PRESS:10.8BAR, PRESS:12.5BAR, PRESS:7.4BAR, PRESS:9.1BAR)) (23/07/2019 - ...) FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V, CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V, CAPPRM:CRNASME + (MOVOL:200230460V, MOVOL:575V))) + (PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA30_18 + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V, CAPPRE:ULCUL + ((CAPPRM:ASME, CAPPRM:CRNASME) + (MOVOL:200V, MOVOL:230_460_V), CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:10.8BAR, PRESS:12.5BAR, PRESS:7.4BAR, PRESS:9.1BAR))
1040	0226 0305 00	4	SCREW	(10/06/2018 - 20/08/2018) CAPPRE:IEC + CAPPRM:CE + FREQ:50HZ + MOVOL:230V + (MODEL:GA26P_18 + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + (PRESS:10BAR, PRESS:7.5BAR, PRESS:8.5BAR)), FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V, CAPPRM:ASME + (CAPPRE:IEC + MOVOL:230V, CAPPRE:ULCUL + MOVOL:200230460V)) + (PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA30_18 + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V, CAPPRE:ULCUL + (CAPPRM:ASME + (MOVOL:200V, MOVOL:230_460_V), CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:10.8BAR, PRESS:7.4BAR, PRESS:9.1BAR)) (21/08/2018 - 18/09/2018) CAPPRE:IEC + CAPPRM:CE + FREQ:50HZ + MOVOL:230V + (MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + (PRESS:10BAR, PRESS:13BAR), FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V, CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V, CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA30_18 + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V, CAPPRE:ULCUL + (CAPPRM:ASME + (MOVOL:200V, MOVOL:230_460_V), CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:10.8BAR, PRESS:12.5BAR, PRESS:7.4BAR, PRESS:9.1BAR))

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
 IDRY:Y - Integrated dryer:Yes
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 FREQ:50HZ - Frequency:50 Hz
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:200V - Supply voltage:200 V
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:8BAR - Working pressure:8 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA30_18 - Model:GA 30
 MOVOL:230_460_V - Supply voltage:230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

15.3 - Assembly ID 96

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 + (PRESS:7.5BAR , PRESS:8BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V , MOVOL:575V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)))



15.3 - Assembly ID 96

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 + (PRESS:7.5BAR , PRESS:8BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V , MOVOL:575V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)))

Ref	Part Number	Qty	Name	Validity
1040	0211 1246 03	2	SCREW	(05/03/2019 - 22/07/2019) FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) (23/07/2019 - ...) FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V))) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))
1050	1625 2201 25	1	TRAFO COVER	(10/06/2018 - 20/08/2018) CAPPRE:IEC + CAPPRM:CE + FREQ:50HZ + MOVOL:230V + (MODEL:GA26P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR)) (21/08/2018 - 04/03/2019) CAPPRE:IEC + CAPPRM:CE + FREQ:50HZ + MOVOL:230V + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR)) , FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) (05/03/2019 - 22/07/2019) FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) (23/07/2019 - ...) FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V))) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))

Legend:


CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:ASME - Component approval mechanical:ASME
CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
IDRY:Y - Integrated dryer:Yes
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:230V - Supply voltage:230 V
MOVOL:400VN - Supply voltage:400 V+N
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
CAPPRM:CE - Component approval mechanical:CE
FREQ:50HZ - Frequency:50 Hz
MODEL:GA26P_18 - Model:GA 26+
MOVOL:200V - Supply voltage:200 V
MOVOL:380V - Supply voltage:380 V
MOVOL:460V - Supply voltage:460 V
PRESS:10BAR - Working pressure:10 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:8BAR - Working pressure:8 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
FREQ:60HZ - Frequency:60 Hz
MODEL:GA30_18 - Model:GA 30
MOVOL:230_460_V - Supply voltage:230-460 V
MOVOL:400V - Supply voltage:400 V
MOVOL:575V - Supply voltage:575 V
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.5BAR - Working pressure:7.5 bar
PRESS:9.1BAR - Working pressure:9.1 bar

15.3 - Assembly ID 96

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 + (PRESS:7.5BAR , PRESS:8BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V , MOVOL:575V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)))



15.3 - Assembly ID 96

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 + (PRESS:7.5BAR , PRESS:8BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V , MOVOL:575V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)))

Ref	Part Number	Qty	Name	Validity
1060	0211 1246 03	2	SCREW	(05/03/2019 - 22/07/2019) FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) (23/07/2019 - ...) FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V))) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
 IDRY:Y - Integrated dryer:Yes
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 FREQ:50HZ - Frequency:50 Hz
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:200V - Supply voltage:200 V
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:8BAR - Working pressure:8 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA30_18 - Model:GA 30
 MOVOL:230_460_V - Supply voltage:230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

15.4 - Components ID 40 ((GA 11+ - 7.5bar, 8.5bar, 10bar, 13bar), (GA 15+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (01/08/2017 - 09/06/2018)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)



15.4 - Components ID 40 ((GA 11+ - 7.5bar, 8.5bar, 10bar, 13bar), (GA 15+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (01/08/2017 - 09/06/2018)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity
	1627 1470 82	1	AIR DRYER	(01/08/2017 - 28/03/2018) CAPPRM:CE + MOVOL:400V + PRESS:10BAR + (MODEL:GA11P_18 , MODEL:GA15P_18) (29/03/2018 - 09/06/2018) MOVOL:400V + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
	⚙ Substituted by: 8092 3503 73 - ID40 VSD+ TRAFO 50HZ-S (quantity: 1)			
	•	1	CANOPY	
1010	•• 2203 0870 81	1	FRAME ASSEMBLY	
	••• 2203 0870 01	1	FRAME	
	••• 0348 0102 11	1	CABLE TIE	
	••• 1627 1828 00	1	DECAL WARNING	
	•	1	HEAT EXCHANGER CONNECTION	
2020	•• 0291 1128 18	3	LOCK NUT	
2030	•• 0301 2335 00	3	PLAIN WASHER	
3010	•• 1624 9111 80	1	HEAT EXCHANGER	
3050	••• 1624 9804 00	1	TEMPERATURE SENSOR	
	•	1	REFRIGIRANT CONNECTION	
4020	•• 1617 2996 01	1	FILTER DRYER	
4030	•• 2202 7351 02	1	CONDENSOR	
4040	•• 0226 3256 00	3	SCREW	
4050	•• 0300 0274 70	3	WASHER	
4055	•• 1622 0000 20	1	DECAL SYMBOLS	
4060	•• 2204 1522 80	1	PIPE ASSEMBLY	
	••• 1624 2906 00	1	REGULATOR VALVE	
	••• 1619 5563 07	2	SCHRADER VALVE	
	⚙ Substituted by: 1617 4685 00 - VALVE CHECK (quantity: 1)			
	••• 2200 5997 43	1	CHECK VALVE	
4070	•• 2204 1614 82	1	CAPILLARY PIPE	
4090	•• 0348 0101 13	10	CABLE TIE	
	•	1	ELECTRICAL COMPONENTS	
5010	•• 2203 0838 06	1	COMPRESSOR	
	••• 2202 7651 43	1	START RELAY	
	••• 2202 7652 55	1	OVERLOAD PROTECTOR	
	••• 2202 7650 32	1	START CAPACITOR	
5020	•• 0266 2108 00	4	HEXAGON NUT	
5030	•• 0300 0274 64	4	WASHER	
5040	•• 0333 3220 00	4	WASHER	
5050	•• 2202 7373 01	1	FAN MOTOR	
5060	•• 0301 2321 00	4	PLAIN WASHER	
5070	•• 0215 0003 91	4	SCREW	
5080	•• 1617 2385 00	1	ROTATION ARROW	
5090	•• 1088 1001 01	4	WARNING MARK	
5100	•• 1624 9049 80	1	DRAIN	
5120	•• 2205 0201 11	1	CUBICLE	
5140	•• 1089 9139 35	1	FAN SWITCH	

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGERANT FREON GAS R134A

Legend:

CAPPRE:IEC - Component approval electrical:IEC

CAPPRM:CEAD2000 - Component approval mechanical:CE (based FREQ:50HZ - Frequency:50 Hz on AD2000)

MODEL:GA11P_18 - Model:GA 11+

MOVOL:400V - Supply voltage:400 V

PRESS:13BAR - Working pressure:13 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210

(based FREQ:50HZ - Frequency:50 Hz

MODEL:GA15P_18 - Model:GA 15+

MOVOL:400VN - Supply voltage:400 V+N

PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:Y - Integrated dryer:Yes


MOVOL:230V - Supply voltage:230 V

PRESS:10BAR - Working pressure:10 bar

PRESS:8.5BAR - Working pressure:8.5 bar

15.4 - Components ID 40 ((GA 11+ - 7.5bar, 8.5bar, 10bar, 13bar), (GA 15+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (01/08/2017 - 09/06/2018)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)



15.4 - Components ID 40 ((GA 11+ - 7.5bar, 8.5bar, 10bar, 13bar), (GA 15+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (01/08/2017 - 09/06/2018)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity
5150	•• 0160 6039 00	2	SCREW	
5160	•• 0301 2315 00	2	PLAIN WASHER	
5170	•• 1627 1714 00	1	FAN SWITCH SUPPORT	
5180	•• 0129 3270 81	2	BLIND RIVET	

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGERANT FREON GAS R134A

Legend:

CAPPRE:IEC - Component approval electrical:IEC

CAPPRM:CEAD2000 - Component approval mechanical:CE (based FREQ:50HZ - Frequency:50 Hz

on AD2000)

MODEL:GA11P_18 - Model:GA 11+

MOVOL:400V - Supply voltage:400 V

PRESS:13BAR - Working pressure:13 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210

MODEL:GA15P_18 - Model:GA 15+

MOVOL:400VN - Supply voltage:400 V+N

PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:Y - Integrated dryer:Yes


MOVOL:230V - Supply voltage:230 V

PRESS:10BAR - Working pressure:10 bar

PRESS:8.5BAR - Working pressure:8.5 bar

15.5 - Components ID 40 ((GA 11+ - 7.5bar, 8.5bar, 10bar, 13bar), (GA 15+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (10/06/2018 - 28/02/2019)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)



15.5 - Components ID 40 ((GA 11+ - 7.5bar, 8.5bar, 10bar, 13bar), (GA 15+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (10/06/2018 - 28/02/2019)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (MODEL:GA11P_18 + (PRESS:10BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA15P_18 + PRESS:13BAR) + (MOVOL:230V, MOVOL:400V, MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity	R.
	4102 0040 52	1	AIR DRYER	(10/06/2018 - 20/08/2018) CAPPRM:CE + MOVOL:230V + ((MODEL:GA11P_18, MODEL:GA15P_18) + (PRESS:10BAR, PRESS:13BAR), MODEL:GA11P_18 + (PRESS:7.5BAR, PRESS:8.5BAR)) (21/08/2018 - 28/02/2019) CAPPRM:CE + MOVOL:230V	R134A
	4102 0019 68			(10/06/2018 - 20/08/2018) MOVOL:400V + ((MODEL:GA11P_18, MODEL:GA15P_18) + (PRESS:10BAR, PRESS:13BAR), MODEL:GA11P_18 + (PRESS:7.5BAR, PRESS:8.5BAR)) + (CAPPRM:AS1210, CAPPRM:CE, CAPPRM:CEAD2000) (21/08/2018 - 28/02/2019) MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CE, CAPPRM:CEAD2000)	R134A
	⚙ Substituted by:	8092 3073 16 - ID40 VSD+ TRAFO 50HZ-LD-S (quantity: 1)			
	4102 0019 67			(10/06/2018 - 20/08/2018) CAPPRM:CE + MOVOL:400VN + ((MODEL:GA11P_18, MODEL:GA15P_18) + (PRESS:10BAR, PRESS:13BAR), MODEL:GA11P_18 + (PRESS:7.5BAR, PRESS:8.5BAR)) (21/08/2018 - 28/02/2019) CAPPRM:CE + MOVOL:400VN	R134A
	⚙ Substituted by:	8092 3073 08 - ID40 VSD+ 230V 50HZ-LD-S (quantity: 1)			
	•	1	CANOPY	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18, MODEL:GA15P_18) + (PRESS:10BAR, PRESS:13BAR), MODEL:GA11P_18 + (PRESS:7.5BAR, PRESS:8.5BAR)) + (CAPPRM:CE + (MOVOL:230V, MOVOL:400V, MOVOL:400VN), MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CEAD2000)) (21/08/2018 - 28/02/2019) CAPPRM:CE + (MOVOL:230V, MOVOL:400VN), MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CE, CAPPRM:CEAD2000)	
1010	•• 2203 0870 81	1	FRAME		
	••• 1627 1828 00	1	DECAL WARNING		
	•	1	HEAT EXCHANGER CONNECTION	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18, MODEL:GA15P_18) + (PRESS:10BAR, PRESS:13BAR), MODEL:GA11P_18 + (PRESS:7.5BAR, PRESS:8.5BAR)) + (CAPPRM:CE + (MOVOL:230V, MOVOL:400V, MOVOL:400VN), MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CEAD2000)) (21/08/2018 - 28/02/2019) CAPPRM:CE + (MOVOL:230V, MOVOL:400VN), MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CE, CAPPRM:CEAD2000)	
2020	•• 0291 1128 18	3	LOCKNUT		
2030	•• 0301 2335 00	3	PLAIN WASHER		
2040	•• 2204 1643 01	1	BUSHING		
2050	•• 0583 8100 71	1	PIPE FITTING		
2060	•• 0583 8120 70	1	ELBOW		
3010	•• 1624 9111 80	1	HEAT EXCHANGER		
3050	••• 1624 9804 00	1	TEMPERATURE SENSOR		
	•	1	REFRIGERANT CONNECTION	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18, MODEL:GA15P_18) + (PRESS:10BAR, PRESS:13BAR), MODEL:GA11P_18 + (PRESS:7.5BAR, PRESS:8.5BAR)) + (CAPPRM:CE + (MOVOL:230V, MOVOL:400V, MOVOL:400VN), MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CEAD2000)) (21/08/2018 - 28/02/2019) CAPPRM:CE + (MOVOL:230V, MOVOL:400VN), MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CE, CAPPRM:CEAD2000)	
4020	•• 1617 2996 01	1	FILTER DRYER		
4030	•• 2202 7351 02	1	CONDENSOR		
4040	•• 0226 3256 00	3	SCREW		
4050	•• 0300 0274 70	3	WASHER		

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGERANT FREON GAS R134A

Legend:

CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:CEAD2000 - Component approval mechanical:CE (based FREQ:50HZ - Frequency:50 Hz on AD2000)


MODEL:GA11P_18 - Model:GA 11+
MOVOL:400V - Supply voltage:400 V
PRESS:13BAR - Working pressure:13 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
MODEL:GA15P_18 - Model:GA 15+
MOVOL:400VN - Supply voltage:400 V+N
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE
IDRY:Y - Integrated dryer:Yes
MOVOL:230V - Supply voltage:230 V
PRESS:10BAR - Working pressure:10 bar
PRESS:8.5BAR - Working pressure:8.5 bar

15.5 - Components ID 40 ((GA 11+ - 7.5bar, 8.5bar, 10bar, 13bar), (GA 15+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (10/06/2018 - 28/02/2019)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)



15.5 - Components ID 40 ((GA 11+ - 7.5bar, 8.5bar, 10bar, 13bar), (GA 15+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (10/06/2018 - 28/02/2019)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity	R.
4055	•• 1622 0000 20	1	DECAL SYMBOLS		
4060	•• 2204 1522 80	1	PIPE ASSY		
	••• 1624 2906 00	1	REGULATOR VALVE		
	••• 1619 5563 07	2	SCHRADER VALVE		
	⚙ Substituted by: 1617 4685 00 - VALVE CHECK (quantity: 1)				
	••• 2200 5997 43	1	CHECK VALVE		
4070	•• 2204 1614 82	1	CAPILLARY PIPE		
4090	•• 0348 0101 13	10	CABLE TIE		
	•	1	ELECTRICAL COMPONENTS	(10/06/2018 - 20/08/2018) CAPPRM:CE + MOVOL:230V + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) (21/08/2018 - 28/02/2019) CAPPRM:CE + MOVOL:230V	
	•			(10/06/2018 - 20/08/2018) MOVOL:400V + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000) (21/08/2018 - 28/02/2019) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	
	•			(10/06/2018 - 20/08/2018) CAPPRM:CE + MOVOL:400VN + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) (21/08/2018 - 28/02/2019) CAPPRM:CE + MOVOL:400VN	
5010	•• 2203 0838 06	1	COMPRESSOR	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) (21/08/2018 - 28/02/2019) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	
	••• 2202 7651 43	1	START RELAY		
	••• 2202 7652 55	1	OVERLOAD PROTECTOR		
	••• 2202 7650 32	1	START CAPACITOR		
5020	•• 0266 2108 00	4	HEXAGON NUT	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) (21/08/2018 - 28/02/2019) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	
5030	•• 0300 0274 64	4	WASHER	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) (21/08/2018 - 28/02/2019) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGERANT FREON GAS R134A

Legend:

CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:CEAD2000 - Component approval mechanical:CE (based FREQ:50HZ - Frequency:50 Hz
on AD2000)


MODEL:GA11P_18 - Model:GA 11+
MOVOL:400V - Supply voltage:400 V
PRESS:13BAR - Working pressure:13 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
MODEL:GA15P_18 - Model:GA 15+
MOVOL:400VN - Supply voltage:400 V+N
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE
IDRY:Y - Integrated dryer:Yes
MOVOL:230V - Supply voltage:230 V
PRESS:10BAR - Working pressure:10 bar
PRESS:8.5BAR - Working pressure:8.5 bar

15.5 - Components ID 40 ((GA 11+ - 7.5bar, 8.5bar, 10bar, 13bar), (GA 15+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (10/06/2018 - 28/02/2019)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)



15.5 - Components ID 40 ((GA 11+ - 7.5bar, 8.5bar, 10bar, 13bar), (GA 15+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (10/06/2018 - 28/02/2019)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity	R.
5040	•• 0333 3220 00	4	WASHER	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) (21/08/2018 - 28/02/2019) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	
5050	•• 2202 7373 01	1	FAN MOTOR	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) (21/08/2018 - 28/02/2019) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	
5060	•• 0301 2321 00	4	PLAIN WASHER	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) (21/08/2018 - 28/02/2019) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	
5070	•• 0215 0003 91	4	SCREW	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) (21/08/2018 - 28/02/2019) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	
5080	•• 1617 2385 00	1	ROTATION ARROW	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) (21/08/2018 - 28/02/2019) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	
5090	•• 1088 1001 01	4	WARNING MARK	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) (21/08/2018 - 28/02/2019) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	
5120	•• 2205 0210 53	1	CUBICLE	(10/06/2018 - 20/08/2018) CAPPRM:CE + MOVOL:230V + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) (21/08/2018 - 28/02/2019) CAPPRM:CE + MOVOL:230V	
5120	•• 2205 0210 52	1	CUBICLE	(10/06/2018 - 20/08/2018) MOVOL:400V + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000) (21/08/2018 - 28/02/2019) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGERANT FREON GAS R134A

Legend:

CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:CEAD2000 - Component approval mechanical:CE (based FREQ:50Hz - Frequency:50 Hz on AD2000)


MODEL:GA11P_18 - Model:GA 11+
MOVOL:400V - Supply voltage:400 V
PRESS:13BAR - Working pressure:13 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
MODEL:GA15P_18 - Model:GA 15+
MOVOL:400VN - Supply voltage:400 V+N
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE
IDRY:Y - Integrated dryer:Yes
MOVOL:230V - Supply voltage:230 V
PRESS:10BAR - Working pressure:10 bar
PRESS:8.5BAR - Working pressure:8.5 bar

15.5 - Components ID 40 ((GA 11+ - 7.5bar, 8.5bar, 10bar, 13bar), (GA 15+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (10/06/2018 - 28/02/2019)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)



15.5 - Components ID 40 ((GA 11+ - 7.5bar, 8.5bar, 10bar, 13bar), (GA 15+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (10/06/2018 - 28/02/2019)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity	R.
5120	•• 2205 0210 51	1	CUBICLE	(10/06/2018 - 20/08/2018) CAPPRM:CE + MOVOL:400VN + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) (21/08/2018 - 28/02/2019) CAPPRM:CE + MOVOL:400VN	
5140	•• 1089 9139 35	1	PRESSURE SWITCH	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) (21/08/2018 - 28/02/2019) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	
5150	•• 0160 6039 00	2	SCREW	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) (21/08/2018 - 28/02/2019) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	
5160	•• 0301 2315 00	2	PLAIN WASHER	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) (21/08/2018 - 28/02/2019) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	
5170	•• 1627 1714 00	1	FAN SWITCH SUPPORT	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) (21/08/2018 - 28/02/2019) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	
5180	•• 0129 3270 81	2	BLIND RIVET	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) (21/08/2018 - 28/02/2019) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGERANT FREON GAS R134A

Legend:

CAPPRE:IEC - Component approval electrical:IEC

CAPPRM:CEAD2000 - Component approval mechanical:CE (based FREQ:50HZ - Frequency:50 Hz on AD2000)

MODEL:GA11P_18 - Model:GA 11+

MOVOL:400V - Supply voltage:400 V

PRESS:13BAR - Working pressure:13 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210

MODEL:GA15P_18 - Model:GA 15+

MOVOL:400VN - Supply voltage:400 V+N

PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:Y - Integrated dryer:Yes


MOVOL:230V - Supply voltage:230 V

PRESS:10BAR - Working pressure:10 bar

PRESS:8.5BAR - Working pressure:8.5 bar

15.6 - Components ID 40 ((GA 11+ - 7.5bar, 8.5bar, 10bar, 13bar), (GA 15+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (01/03/2019 - ...)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)



15.6 - Components ID 40 ((GA 11+ - 7.5bar, 8.5bar, 10bar, 13bar), (GA 15+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (01/03/2019 - ...)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity
	4102 0040 58	1	AIR DRYER	(01/03/2019 - ...) CAPPRM:CE + MOVOL:230V
	1627 1470 82			(01/03/2019 - ...) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
	⚙ Substituted by:	8092 3503 73 - ID40 VSD+ TRAFO 50HZ-S (quantity: 1)		
	1627 1470 81			(01/03/2019 - ...) CAPPRM:CE + MOVOL:400VN
	⚙ Substituted by:	8092 3503 65 - ID40 VSD+ 230V 50HZ-S (quantity: 1)		
	•	1	CANOPY	(01/03/2019 - ...) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
1010	••	1	FRAME ASSEMBLY	
	••• 2203 0870 01	1	FRAME	
	••• 1627 1828 00	1	DECAL WARNING	
	•	1	HEAT EXCHANGER CONNECTION	(01/03/2019 - ...) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
2020	•• 0291 1128 18	3	LOCKNUT	
2030	•• 0301 2335 00	3	PLAIN WASHER	
3010	•• 1624 9111 80	1	HEAT EXCHANGER	
3050	••• 1624 9804 00	1	TEMPERATURE SENSOR	
	•	1	REFRIGERANT CONNECTION	(01/03/2019 - ...) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
4020	•• 1617 2996 01	1	FILTER DRYER	
4030	•• 2202 7351 02	1	CONDENSOR	
4040	•• 0226 3256 00	3	SCREW	
4050	•• 0300 0274 70	3	WASHER	
4055	•• 1622 0000 20	1	DECAL SYMBOLS	
4060	•• 2204 1522 80	1	PIPE ASSEMBLY	
	••• 1624 2906 00	1	REGULATOR VALVE	
	••• 1619 5563 07	2	SCHRADER VALVE	
	⚙ Substituted by:	1617 4685 00 - VALVE CHECK (quantity: 1)		
	••• 2200 5997 43	1	CHECK VALVE	
4070	•• 2204 1614 82	1	CAPILLARY PIPE	
4090	•• 0348 0101 13	10	CABLE TIE	
	•	1	ELECTRICAL COMPONENTS	(01/03/2019 - ...) CAPPRM:CE + MOVOL:230V
	•			(01/03/2019 - ...) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
	•			(01/03/2019 - ...) CAPPRM:CE + MOVOL:400VN
5010	•• 2203 0838 06	1	COMPRESSOR	(01/03/2019 - ...) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
	••• 2202 7651 43	1	START RELAY	
	••• 2202 7652 55	1	OVERLOAD PROTECTOR	
	••• 2202 7650 32	1	START CAPACITOR	
5020	•• 0266 2108 00	4	HEXAGON NUT	(01/03/2019 - ...) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
5030	•• 0300 0274 64	4	WASHER	(01/03/2019 - ...) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGERANT FREON GAS R134A


Legend:

CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:CEAD2000 - Component approval mechanical:CE (based FREQ:50Hz - Frequency:50 Hz on AD2000)

MODEL:GA11P_18 - Model:GA 11+
MOVOL:400V - Supply voltage:400 V
PRESS:13BAR - Working pressure:13 bar


CAPPRM:AS1210 - Component approval mechanical:AS1210
MODEL:GA15P_18 - Model:GA 15+
MOVOL:400VN - Supply voltage:400 V+N
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE
IDRY:Y - Integrated dryer:Yes
MOVOL:230V - Supply voltage:230 V
PRESS:10BAR - Working pressure:10 bar
PRESS:8.5BAR - Working pressure:8.5 bar



15.6 - Components ID 40 ((GA 11+ - 7.5bar, 8.5bar, 10bar, 13bar), (GA 15+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (01/03/2019 - ...)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)



15.6 - Components ID 40 ((GA 11+ - 7.5bar, 8.5bar, 10bar, 13bar), (GA 15+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (01/03/2019 - ...)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity
5040	•• 0333 3220 00	4	WASHER	(01/03/2019 - ...) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
5050	•• 2202 7373 01	1	FAN MOTOR	(01/03/2019 - ...) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
5060	•• 0301 2321 00	4	PLAIN WASHER	(01/03/2019 - ...) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
5070	•• 0215 0003 91	4	SCREW	(01/03/2019 - ...) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
5080	•• 1617 2385 00	1	ROTATION ARROW	(01/03/2019 - ...) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
5090	•• 1088 1001 01	4	WARNING MARK	(01/03/2019 - ...) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
5100	•• 2204 2134 10	1	LDI DRAIN	(01/03/2019 - ...) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
5120	•• 2205 0201 21	1	CUBICLE	(01/03/2019 - ...) CAPPRM:CE + MOVOL:230V
5120	•• 2205 0201 11	1	CUBICLE	(01/03/2019 - ...) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
5120	•• 2205 0201 01	1	CUBICLE	(01/03/2019 - ...) CAPPRM:CE + MOVOL:400VN
5140	•• 1089 9139 35	1	FAN SWITCH	(01/03/2019 - ...) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
5150	•• 0160 6039 00	2	SCREW	(01/03/2019 - ...) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
5160	•• 0301 2315 00	2	PLAIN WASHER	(01/03/2019 - ...) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
5170	•• 1627 1714 00	1	FAN SWITCH SUPPORT	(01/03/2019 - ...) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
5180	•• 0129 3270 81	2	BLIND RIVET	(01/03/2019 - ...) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGERANT FREON GAS R134A

Legend:

CAPPRE:IEC - Component approval electrical:IEC

CAPPRM:CEAD2000 - Component approval mechanical:CE (based FREQ:50HZ - Frequency:50 Hz

on AD2000)

MODEL:GA11P_18 - Model:GA 11+

MOVOL:400V - Supply voltage:400 V

PRESS:13BAR - Working pressure:13 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210

MODEL:GA15P_18 - Model:GA 15+

MOVOL:400VN - Supply voltage:400 V+N

PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:Y - Integrated dryer:Yes


MOVOL:230V - Supply voltage:230 V

PRESS:10BAR - Working pressure:10 bar

PRESS:8.5BAR - Working pressure:8.5 bar

15.7 - Components ID 40 - ((GA 11+ - 7.4bar, 9.1bar, 10.8bar, 12.5bar) , (GA 15+ - 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V-575V/60Hz UL-cUL (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)



15.7 - Components ID 40 - ((GA 11+ - 7.4bar, 9.1bar, 10.8bar, 12.5bar) , (GA 15+ - 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V-575V/60Hz UL-cUL (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)

Ref	Part Number	Qty	Name	Validity	R.
	4102 0019 66	1	AIR DRYER	(10/06/2018 - 20/08/2018) CAPPRM:ASME + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V) (21/08/2018 - 28/02/2019) CAPPRM:ASME + (CAPPRE:IEC + MOVOL:380V , MOVOL:460V + (CAPPRE:IEC , CAPPRE:ULCUL))	R134A
	⚙ Substituted by: 8092 3072 90 - ID40 VSD+ TRAFO 60HZ-LD-S (quantity: 1)				
	4102 0040 49			(10/06/2018 - 20/08/2018) CAPPRM:ASME + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V) (21/08/2018 - 28/02/2019) CAPPRM:ASME + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V)	R134A
	4102 0040 55			(10/06/2018 - 20/08/2018) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) (21/08/2018 - 28/02/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V	R134A
	•	1	CANOPY	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) (21/08/2018 - 28/02/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))	
1010	•• 2203 0870 81	1	FRAME		
	••• 1627 1828 00	1	DECAL WARNING		
	•	1	HEAT EXCHANGER CONNECTION	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) (21/08/2018 - 28/02/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))	
2020	•• 0291 1128 18	3	LOCKNUT		
2030	•• 0301 2335 00	3	PLAIN WASHER		
2040	•• 2204 1643 01	1	BUSHING		
2050	•• 0583 8100 71	1	PIPE FITTING		
2060	•• 0583 8120 70	1	ELBOW		
3010	•• 1624 9205 80	1	HEAT EXCHANGER		
3050	••• 1624 9804 00	1	TEMPERATURE SENSOR		

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT FREON GAS R134A

Legend:


CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
MODEL:GA11P_18 - Model:GA 11+
MOVOL:230V - Supply voltage:230 V
MOVOL:575V - Supply voltage:575 V
PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
FREQ:60HZ - Frequency:60 Hz
MODEL:GA15P_18 - Model:GA 15+
MOVOL:380V - Supply voltage:380 V
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
IDRY:Y - Integrated dryer:Yes
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:460V - Supply voltage:460 V
PRESS:12.5BAR - Working pressure:12.5 bar

15.7 - Components ID 40 - ((GA 11+ - 7.4bar, 9.1bar, 10.8bar, 12.5bar) , (GA 15+ - 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V-575V/60Hz UL-cUL (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)



15.7 - Components ID 40 - ((GA 11+ - 7.4bar, 9.1bar, 10.8bar, 12.5bar) , (GA 15+ - 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V-575V/60Hz UL-cUL (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)

Ref	Part Number	Qty	Name	Validity	R.
	•	1	REFRIGERANT CONNECTION	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) (21/08/2018 - 28/02/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))	
4020	•• 1617 2996 01	1	FILTER DRYER		
4030	•• 2202 7351 02	1	CONDENSOR		
4040	•• 0226 3256 00	3	SCREW		
4050	•• 0300 0274 70	3	WASHER		
4055	•• 1622 0000 20	1	DECAL SYMBOLS		
4060	•• 2204 1522 80	1	PIPE ASSEMBLY		
	••• 1624 2906 00	1	REGULATOR VALVE		
	••• 1619 5563 07	2	SCHRADER VALVE		
	⚙ Substituted by: 1617 4685 00 - VALVE CHECK (quantity: 1)				
	••• 2200 5997 43	1	CHECK VALVE		
4070	•• 2204 1614 83	1	CAPILLARY PIPE		
	•	1	ELECTRICAL COMPONENTS	(10/06/2018 - 20/08/2018) CAPPRM:ASME + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V) (21/08/2018 - 28/02/2019) CAPPRM:ASME + (CAPPRE:IEC + MOVOL:380V , MOVOL:460V + (CAPPRE:IEC , CAPPRE:ULCUL))	
	•			(10/06/2018 - 20/08/2018) CAPPRM:ASME + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V) (21/08/2018 - 28/02/2019) CAPPRM:ASME + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V)	
	•			(10/06/2018 - 20/08/2018) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) (21/08/2018 - 28/02/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V	
5010	•• 2203 0838 06	1	COMPRESSOR	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) (21/08/2018 - 28/02/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))	

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT FREON GAS R134A

Legend:


CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
MODEL:GA11P_18 - Model:GA 11+
MOVOL:230V - Supply voltage:230 V
MOVOL:575V - Supply voltage:575 V
PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
FREQ:60HZ - Frequency:60 Hz
MODEL:GA15P_18 - Model:GA 15+
MOVOL:380V - Supply voltage:380 V
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
IDRY:Y - Integrated dryer:Yes
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:460V - Supply voltage:460 V
PRESS:12.5BAR - Working pressure:12.5 bar

15.7 - Components ID 40 - ((GA 11+ - 7.4bar, 9.1bar, 10.8bar, 12.5bar) , (GA 15+ - 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V-575V/60Hz UL-cUL (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)



15.7 - Components ID 40 - ((GA 11+ - 7.4bar, 9.1bar, 10.8bar, 12.5bar) , (GA 15+ - 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V-575V/60Hz UL-cUL (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)

Ref	Part Number	Qty	Name	Validity	R.
	••• 2202 7651 43	1	START RELAY		
	••• 2202 7652 55	1	OVERLOAD PROTECTOR		
	••• 2202 7650 32	1	START CAPACITOR		
5020	•• 0266 2108 00	4	HEXAGON NUT	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) (21/08/2018 - 28/02/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)))	
5030	•• 0300 0274 64	4	WASHER	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) (21/08/2018 - 28/02/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)))	
5040	•• 0333 3220 00	4	WASHER	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) (21/08/2018 - 28/02/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)))	
5050	•• 2202 7373 03	1	FAN MOTOR	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) (21/08/2018 - 28/02/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)))	

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT FREON GAS R134A

Legend:


CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
MODEL:GA11P_18 - Model:GA 11+
MOVOL:230V - Supply voltage:230 V
MOVOL:575V - Supply voltage:575 V
PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
FREQ:60HZ - Frequency:60 Hz
MODEL:GA15P_18 - Model:GA 15+
MOVOL:380V - Supply voltage:380 V
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
IDRY:Y - Integrated dryer:Yes
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:460V - Supply voltage:460 V
PRESS:12.5BAR - Working pressure:12.5 bar

15.7 - Components ID 40 - ((GA 11+ - 7.4bar, 9.1bar, 10.8bar, 12.5bar) , (GA 15+ - 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V-575V/60Hz UL-cUL (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)



15.7 - Components ID 40 - ((GA 11+ - 7.4bar, 9.1bar, 10.8bar, 12.5bar) , (GA 15+ - 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V-575V/60Hz UL-cUL (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)

Ref	Part Number	Qty	Name	Validity	R.
5060	•• 0301 2321 00	4	PLAIN WASHER	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) (21/08/2018 - 28/02/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)))	
5070	•• 0215 0003 91	4	SCREW	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) (21/08/2018 - 28/02/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)))	
5090	•• 1088 1001 01	4	WARNING MARK	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) (21/08/2018 - 28/02/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)))	
5120	•• 2205 0410 51	1	CUBICLE	(10/06/2018 - 20/08/2018) CAPPRM:ASME + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V) (21/08/2018 - 28/02/2019) CAPPRM:ASME + (CAPPRE:IEC + MOVOL:380V , MOVOL:460V + (CAPPRE:IEC , CAPPRE:ULCUL))	
5120	•• 2205 0410 53	1	CUBICLE	(10/06/2018 - 20/08/2018) CAPPRM:ASME + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V) (21/08/2018 - 28/02/2019) CAPPRM:ASME + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V)	
5120	•• 2205 0410 52	1	CUBICLE	(10/06/2018 - 20/08/2018) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) (21/08/2018 - 28/02/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V	

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT FREON GAS R134A

Legend:


CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
MODEL:GA11P_18 - Model:GA 11+
MOVOL:230V - Supply voltage:230 V
MOVOL:575V - Supply voltage:575 V
PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
FREQ:60HZ - Frequency:60 Hz
MODEL:GA15P_18 - Model:GA 15+
MOVOL:380V - Supply voltage:380 V
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
IDRY:Y - Integrated dryer:Yes
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:460V - Supply voltage:460 V
PRESS:12.5BAR - Working pressure:12.5 bar

15.7 - Components ID 40 - ((GA 11+ - 7.4bar, 9.1bar, 10.8bar, 12.5bar) , (GA 15+ - 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V-575V/60Hz UL-cUL (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)



15.7 - Components ID 40 - ((GA 11+ - 7.4bar, 9.1bar, 10.8bar, 12.5bar) , (GA 15+ - 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V-575V/60Hz UL-cUL (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)

Ref	Part Number	Qty	Name	Validity	R.
5140	•• 1089 9139 35	1	PRESSURE SWITCH	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) (21/08/2018 - 28/02/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)))	
5150	•• 0160 6039 00	2	SCREW	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) (21/08/2018 - 28/02/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)))	
5160	•• 0301 2315 00	2	PLAIN WASHER	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) (21/08/2018 - 28/02/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)))	
5170	•• 1627 1714 00	1	FAN SWITCH SUPPORT	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) (21/08/2018 - 28/02/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)))	
5180	•• 0129 3270 81	2	BLIND RIVET	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) (21/08/2018 - 28/02/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)))	

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT FREON GAS R134A

Legend:


CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
MODEL:GA11P_18 - Model:GA 11+
MOVOL:230V - Supply voltage:230 V
MOVOL:575V - Supply voltage:575 V
PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
FREQ:60HZ - Frequency:60 Hz
MODEL:GA15P_18 - Model:GA 15+
MOVOL:380V - Supply voltage:380 V
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
IDRY:Y - Integrated dryer:Yes
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:460V - Supply voltage:460 V
PRESS:12.5BAR - Working pressure:12.5 bar

15.8 - Components ID 40 - ((GA 11+ - 7.4bar, 9.1bar, 10.8bar, 12.5bar) , (GA 15+ - 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V-575V/60Hz UL-cUL (01/03/2019 - ...)

FREQ:60HZ + IDRY:Y + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)



15.8 - Components ID 40 - ((GA 11+ - 7.4bar, 9.1bar, 10.8bar, 12.5bar) , (GA 15+ - 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V-575V/60Hz UL-cUL (01/03/2019 - ...)

FREQ:60HZ + IDRY:Y + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)

Ref	Part Number	Qty	Name	Validity
	4102 0040 57	1	AIR DRYER	(01/03/2019 - ...) CAPPRM:ASME + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V)
	1627 1470 83			(01/03/2019 - ...) CAPPRM:ASME + (CAPPRE:IEC + MOVOL:380V , MOVOL:460V + (CAPPRE:IEC , CAPPRE:ULCUL))
	⚡ Substituted by:	8092 3503 81	ID40 VSD+ TRAFO 60HZ-S (quantity: 1)	
	4102 0040 59			(01/03/2019 - 22/07/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V (23/07/2019 - ...) CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V)
	•	1	CANOPY	(01/03/2019 - 22/07/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) (23/07/2019 - ...) CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))
1010	••	1	FRAME	
	••• 2203 0870 01	1	FRAME	
	••• 1627 1828 00	1	DECAL WARNING	
	•	1	HEAT EXCHANGER CONNECTION	(01/03/2019 - 22/07/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) (23/07/2019 - ...) CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))
2020	•• 0291 1128 18	3	LOCKNUT	
2030	•• 0301 2335 00	3	PLAIN WASHER	
3010	•• 1624 9205 80	1	HEAT EXCHANGER	
3050	••• 1624 9804 00	1	TEMPERATURE SENSOR	
	•	1	REFRIGERANT CONNECTION	(01/03/2019 - 22/07/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) (23/07/2019 - ...) CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))
4020	•• 1617 2996 01	1	FILTER DRYER	
4030	•• 2202 7351 02	1	CONDENSOR	
4040	•• 0226 3256 00	3	SCREW	
4050	•• 0300 0274 70	3	WASHER	
4055	•• 1622 0000 20	1	DECAL SYMBOLS	
4060	•• 2204 1522 80	1	PIPE ASSEMBLY	
	••• 1624 2906 00	1	REGULATOR VALVE	
	••• 1619 5563 07	2	SCHRADER VALVE	
	⚡ Substituted by:	1617 4685 00	VALVE CHECK (quantity: 1)	
	••• 2200 5997 43	1	CHECK VALVE	
4070	•• 2204 1614 83	1	CAPILLARY PIPE	

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT FREON GAS R134A

Legend:

CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
MODEL:GA11P_18 - Model:GA 11+
MOVOL:230V - Supply voltage:230 V
MOVOL:575V - Supply voltage:575 V
PRESS:7.4BAR - Working pressure:7.4 bar


CAPPRE:ULCUL - Component approval electrical:UL/cUL
FREQ:60HZ - Frequency:60 Hz
MODEL:GA15P_18 - Model:GA 15+
MOVOL:380V - Supply voltage:380 V
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
IDRY:Y - Integrated dryer:Yes
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:460V - Supply voltage:460 V
PRESS:12.5BAR - Working pressure:12.5 bar



15.8 - Components ID 40 - ((GA 11+ - 7.4bar, 9.1bar, 10.8bar, 12.5bar) , (GA 15+ - 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V-575V/60Hz UL-cUL (01/03/2019 - ...)

FREQ:60HZ + IDRY:Y + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)



15.8 - Components ID 40 - ((GA 11+ - 7.4bar, 9.1bar, 10.8bar, 12.5bar) , (GA 15+ - 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V-575V/60Hz UL-cUL (01/03/2019 - ...)

FREQ:60HZ + IDRY:Y + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)

Ref	Part Number	Qty	Name	Validity
	•	1	ELECTRICAL COMPONENTS	(01/03/2019 - ...) CAPPRM:ASME + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V)
	•			(01/03/2019 - 22/07/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + MOVOL:380V , MOVOL:460V + (CAPPRE:IEC , CAPPRE:ULCUL)) (23/07/2019 - ...) CAPPRE:IEC + CAPPRM:ASME + (MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:460V , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V))
5010	•• 2203 0838 06	1	COMPRESSOR	(01/03/2019 - 22/07/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) (23/07/2019 - ...) CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))
	••• 2202 7651 43	1	START RELAY	
	••• 2202 7652 55	1	OVERLOAD PROTECTOR	
	••• 2202 7650 32	1	START CAPACITOR	
5020	•• 0266 2108 00	4	HEXAGON NUT	(01/03/2019 - 22/07/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) (23/07/2019 - ...) CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))
5030	•• 0300 0274 64	4	WASHER	(01/03/2019 - 22/07/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) (23/07/2019 - ...) CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))
5040	•• 0333 3220 00	4	WASHER	(01/03/2019 - 22/07/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) (23/07/2019 - ...) CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))
5050	•• 2202 7373 03	1	FAN MOTOR	(01/03/2019 - 22/07/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) (23/07/2019 - ...) CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))
5060	•• 0301 2321 00	4	PLAIN WASHER	(01/03/2019 - 22/07/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) (23/07/2019 - ...) CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT FREON GAS R134A

Legend:


CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
MODEL:GA11P_18 - Model:GA 11+
MOVOL:230V - Supply voltage:230 V
MOVOL:575V - Supply voltage:575 V
PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
FREQ:60HZ - Frequency:60 Hz
MODEL:GA15P_18 - Model:GA 15+
MOVOL:380V - Supply voltage:380 V
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
IDRY:Y - Integrated dryer:Yes
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:460V - Supply voltage:460 V
PRESS:12.5BAR - Working pressure:12.5 bar

15.8 - Components ID 40 - ((GA 11+ - 7.4bar, 9.1bar, 10.8bar, 12.5bar) , (GA 15+ - 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V-575V/60Hz UL-cUL (01/03/2019 - ...)

FREQ:60HZ + IDRY:Y + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)



15.8 - Components ID 40 - ((GA 11+ - 7.4bar, 9.1bar, 10.8bar, 12.5bar) , (GA 15+ - 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V-575V/60Hz UL-cUL (01/03/2019 - ...)

FREQ:60HZ + IDRY:Y + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)

Ref	Part Number	Qty	Name	Validity
5070	•• 0215 0003 91	4	SCREW	(01/03/2019 - 22/07/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) (23/07/2019 - ...) CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))
5090	•• 1088 1001 01	4	WARNING MARK	(01/03/2019 - 22/07/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) (23/07/2019 - ...) CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))
5100	•• 2204 2134 10	1	LDI DRAIN	(01/03/2019 - 22/07/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) (23/07/2019 - ...) CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))
5120	•• 2205 0404 12	1	CUBICLE	(01/03/2019 - ...) CAPPRM:ASME + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V)
5120	•• 2205 0404 01	1	CUBICLE	(01/03/2019 - 22/07/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + MOVOL:380V , MOVOL:460V + (CAPPRE:IEC , CAPPRE:ULCUL)) (23/07/2019 - ...) CAPPRE:IEC + CAPPRM:ASME + (MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:460V , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V))
5140	•• 1089 9139 35	1	PRESSURE SWITCH	(01/03/2019 - 22/07/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) (23/07/2019 - ...) CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))
5150	•• 0160 6039 00	2	SCREW	(01/03/2019 - 22/07/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) (23/07/2019 - ...) CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))
5160	•• 0301 2315 00	2	PLAIN WASHER	(01/03/2019 - 22/07/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) (23/07/2019 - ...) CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT FREON GAS R134A

Legend:


CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
MODEL:GA11P_18 - Model:GA 11+
MOVOL:230V - Supply voltage:230 V
MOVOL:575V - Supply voltage:575 V
PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
FREQ:60HZ - Frequency:60 Hz
MODEL:GA15P_18 - Model:GA 15+
MOVOL:380V - Supply voltage:380 V
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
IDRY:Y - Integrated dryer:Yes
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:460V - Supply voltage:460 V
PRESS:12.5BAR - Working pressure:12.5 bar

15.8 - Components ID 40 - ((GA 11+ - 7.4bar, 9.1bar, 10.8bar, 12.5bar) , (GA 15+ - 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V-575V/60Hz UL-cUL (01/03/2019 - ...)

FREQ:60HZ + IDRY:Y + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)



15.8 - Components ID 40 - ((GA 11+ - 7.4bar, 9.1bar, 10.8bar, 12.5bar) , (GA 15+ - 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V-575V/60Hz UL-cUL (01/03/2019 - ...)

FREQ:60HZ + IDRY:Y + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)

Ref	Part Number	Qty	Name	Validity
5170	•• 1627 1714 00	1	FAN SWITCH SUPPORT	(01/03/2019 - 22/07/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) (23/07/2019 - ...) CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))
5180	•• 0129 3270 81	2	BLIND RIVET	(01/03/2019 - 22/07/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) (23/07/2019 - ...) CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT FREON GAS R134A

Legend:


CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
MODEL:GA11P_18 - Model:GA 11+
MOVOL:230V - Supply voltage:230 V
MOVOL:575V - Supply voltage:575 V
PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
FREQ:60HZ - Frequency:60 Hz
MODEL:GA15P_18 - Model:GA 15+
MOVOL:380V - Supply voltage:380 V
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
IDRY:Y - Integrated dryer:Yes
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:460V - Supply voltage:460 V
PRESS:12.5BAR - Working pressure:12.5 bar

15.9 - Components ID 73 - (GA 15+ - 7.5bar, 8.5bar, 10bar), ((GA 18+, GA 22+) - 7.5bar, 8.5bar, 10bar, 13bar), (GA 26+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (01/08/2017 - 09/06/2018)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA15P_18, MODEL:GA18P_18, MODEL:GA22P_18) + (PRESS:10BAR, PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA26P_18 + PRESS:10BAR, PRESS:13BAR + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18)) + (MOVOL:230V, MOVOL:400V, MOVOL:400VN)



15.9 - Components ID 73 - (GA 15+ - 7.5bar, 8.5bar, 10bar), ((GA 18+, GA 22+) - 7.5bar, 8.5bar, 10bar, 13bar), (GA 26+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (01/08/2017 - 09/06/2018)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity
	1627 1586 82	1	AIR DRYER	(01/08/2017 - 13/03/2018) CAPPRM:CE + MOVOL:400V + PRESS:10BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) (14/03/2018 - 28/03/2018) MOVOL:400V + (CAPPRM:CE + (MODEL:GA22P_18 + PRESS:7.5BAR , PRESS:10BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) , CAPPRM:CEAD2000 + MODEL:GA26P_18 + PRESS:10BAR) (29/03/2018 - 09/06/2018) MOVOL:400V + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
	•	1	CANOPY	
1010	••	1	FRAME	
	••• 2204 1660 00	1	FRAME	
	••• 1627 1828 00	1	DECAL WARNING	
1020	•• 1622 0000 20	1	DECAL SYMBOLS	
1060	•• 0216 1100 72	2	SCREW	
	•	1	HEAT EXCHANGER CONNECTION	
2001	•• 1627 1454 80	1	HEAT EXCHANGER	
2020	•• 0147 1247 03	4	HEXAGON BOLT	
2030	•• 0300 0274 64	4	WASHER	
2041	•• 0333 3220 00	4	WASHER	
2050	•• 2202 8870 02	1	TEMPERATURE SENSOR	
	•	1	REFRIGIRANT CONNECTION	
3030	•• 1617 0092 03	1	RING	
3050	•• 0348 0101 13	10	CABLE TIE	
3060	•• 1624 2293 00	1	FILTER DRYER	
3070	•• 2202 7352 01	1	CONDENSOR	
	↻ Substituted by:	2204 2163 01	- CONDENSOR AE7-8+H3-5+C8-10 (quantity: 1)	
3080	•• 0300 0274 70	4	WASHER	
3090	•• 0226 3256 00	3	SCREW	
3100	•• 1617 2385 00	1	ROTATION ARROW	
3150	•• 1627 1679 00	1	BRACKET	
3160	•• 0300 0274 70	1	WASHER	
3170	•• 0226 3256 00	1	SCREW	
3180	•• 1627 1843 00	1	INSULATION THERMAL	
3190	•• 1627 1844 00	1	INSULATION THERMAL	

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGERANT FREON GAS R410A

Legend:

CAPPRE:IEC - Component approval electrical:IEC

CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)

MODEL:GA15P_18 - Model:GA 15+

MODEL:GA26P_18 - Model:GA 26+

MOVOL:400V - Supply voltage:400 V

PRESS:13BAR - Working pressure:13 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210

FREQ:50HZ - Frequency:50 Hz

MODEL:GA18P_18 - Model:GA 18+

MODEL:GA30_18 - Model:GA 30

MOVOL:400VN - Supply voltage:400 V+N

PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:Y - Integrated dryer:Yes

MODEL:GA22P_18 - Model:GA 22+


MOVOL:230V - Supply voltage:230 V

PRESS:10BAR - Working pressure:10 bar

PRESS:8.5BAR - Working pressure:8.5 bar

15.9 - Components ID 73 - (GA 15+ - 7.5bar, 8.5bar, 10bar), ((GA 18+, GA 22+) - 7.5bar, 8.5bar, 10bar, 13bar), (GA 26+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (01/08/2017 - 09/06/2018)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA15P_18, MODEL:GA18P_18, MODEL:GA22P_18) + (PRESS:10BAR, PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA26P_18 + PRESS:10BAR, PRESS:13BAR + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18)) + (MOVOL:230V, MOVOL:400V, MOVOL:400VN)



15.9 - Components ID 73 - (GA 15+ - 7.5bar, 8.5bar, 10bar), ((GA 18+, GA 22+) - 7.5bar, 8.5bar, 10bar, 13bar), (GA 26+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (01/08/2017 - 09/06/2018)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity
4020	•• 1603 6310 49	1	PIPE SET	(01/08/2017 - 13/03/2018) CAPPRM:CE + MOVOL:400V + PRESS:10BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) (14/03/2018 - 28/03/2018) MOVOL:400V + (CAPPRM:CE + (MODEL:GA22P_18 + PRESS:7.5BAR , PRESS:10BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) , CAPPRM:CEAD2000 + MODEL:GA26P_18 + PRESS:10BAR) (29/03/2018 - 22/05/2018) MOVOL:400V + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
4010	••• 1627 1558 00	1	PIPE ASSEMBLY	
	•••• 1624 2486 03	1	HGB VALVE	
	•••• 1624 9352 00	2	SCHRAEDER VALVE	
	•••• 1624 2535 00	1	SEPARATOR	
4020	••• 1627 1521 00	1	PIPE	
	•••• 1619 5563 02	1	SCHRÄDER VALVE	
4030	••• 1627 1539 01	1	CAPILLARY ASSEMBLY	
	•••• 1617 1331 64	1	CAPILLARY	
	•••• 1624 2733 00	1	VALVE	
4050	••• 1627 1635 00	2	INSULATION THERMAL	
4060	••• 1627 1636 00	1	INSULATION THERMAL	
	•	1	ELECTRICAL COMPONETS	
5010	•• 1624 2616 13	1	COMPRESSOR	
	••• 1624 2725 10	1	CAPACITOR	
5020	•• 0147 1106 72	3	SCREW	
5030	•• 0300 8019 00	3	PLAIN WASHER	
5040	•• 0333 3127 00	3	WASHER	
5050	•• 1627 1692 81	1	AXIAL FAN	
5060	•• 0147 1247 03	4	HEXAGON BOLT	
5070	•• 0300 0274 64	4	WASHER	
5080	•• 0333 3220 00	4	WASHER	
5090	•• 1089 9139 25	1	FAN SWITCH	
5091	•• 0301 2315 00	2	PLAIN WASHER	
5092	•• 0160 6039 00	2	SCREW	
5093	•• 1627 1714 00	1	FAN SWITCH SUPPORT	
5094	•• 0129 3270 81	2	BLIND RIVET	
5100	•• 1624 9049 80	1	DRAIN	
5110	•• 1089 9139 16	1	HP SWITCH	
5120	•• 1088 1001 01	3	WARNING MARK	
5130	•• 1088 1001 01	3	WARNING MARK	
5140	•• 0226 3256 00	4	SCREW	
5150	•• 0301 2318 00	4	WASHER	

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGERANT FREON GAS R410A

Legend:

CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:CEAD2000 - Component approval mechanical:CE (based FREQ:50HZ - Frequency:50 Hz on AD2000)

MODEL:GA15P_18 - Model:GA 15+

MODEL:GA26P_18 - Model:GA 26+

MOVOL:400V - Supply voltage:400 V

PRESS:13BAR - Working pressure:13 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210

(based FREQ:50HZ - Frequency:50 Hz

MODEL:GA18P_18 - Model:GA 18+

MODEL:GA30_18 - Model:GA 30

MOVOL:400VN - Supply voltage:400 V+N

PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:Y - Integrated dryer:Yes

MODEL:GA22P_18 - Model:GA 22+


MOVOL:230V - Supply voltage:230 V

PRESS:10BAR - Working pressure:10 bar

PRESS:8.5BAR - Working pressure:8.5 bar

15.9 - Components ID 73 - (GA 15+ - 7.5bar, 8.5bar, 10bar), ((GA 18+, GA 22+) - 7.5bar, 8.5bar, 10bar, 13bar), (GA 26+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (01/08/2017 - 09/06/2018)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA15P_18, MODEL:GA18P_18, MODEL:GA22P_18) + (PRESS:10BAR, PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA26P_18 + PRESS:10BAR, PRESS:13BAR + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18)) + (MOVOL:230V, MOVOL:400V, MOVOL:400VN)



15.9 - Components ID 73 - (GA 15+ - 7.5bar, 8.5bar, 10bar), ((GA 18+, GA 22+) - 7.5bar, 8.5bar, 10bar, 13bar), (GA 26+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (01/08/2017 - 09/06/2018)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity
5160	•• 0333 3214 00	4	WASHER	
	•	1	WIRING	
6010	•• 1900 5101 95	1	CUBICLE	
6020	•• 1627 1869 00	1	TRANSFORMER	
6030	•• 1627 1538 00	1	PLATE	
	••• 1088 0801 22	1	GROMMET	
	••• 1088 1001 01	1	WARNING MARK	
6040	•• 0226 3256 00	3	SCREW	

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGERANT FREON GAS R410A

Legend:

CAPPRE:IEC - Component approval electrical:IEC

CAPPRM:AS1210 - Component approval mechanical:AS1210

CAPPRM:CE - Component approval mechanical:CE

CAPPRM:CEAD2000 - Component approval mechanical:CE (based FREQ:50HZ - Frequency:50 Hz on AD2000)

IDRY:Y - Integrated dryer:Yes

MODEL:GA15P_18 - Model:GA 15+

MODEL:GA18P_18 - Model:GA 18+

MODEL:GA22P_18 - Model:GA 22+

MODEL:GA26P_18 - Model:GA 26+

MODEL:GA30_18 - Model:GA 30

MOVOL:230V - Supply voltage:230 V

MOVOL:400V - Supply voltage:400 V

MOVOL:400VN - Supply voltage:400 V+N

PRESS:10BAR - Working pressure:10 bar


PRESS:13BAR - Working pressure:13 bar

PRESS:7.5BAR - Working pressure:7.5 bar

PRESS:8.5BAR - Working pressure:8.5 bar

15.10 - Components ID 73 - (GA 15+ - 7.5bar, 8.5bar, 10bar), ((GA 18+, GA 22+) - 7.5bar, 8.5bar, 10bar, 13bar), (GA 26+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (10/06/2018 - 28/02/2019)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA15P_18, MODEL:GA18P_18, MODEL:GA22P_18) + (PRESS:10BAR, PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA26P_18 + PRESS:10BAR, PRESS:13BAR + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18)) + (MOVOL:230V, MOVOL:400V, MOVOL:400VN)



15.10 - Components ID 73 - (GA 15+ - 7.5bar, 8.5bar, 10bar), ((GA 18+, GA 22+) - 7.5bar, 8.5bar, 10bar, 13bar), (GA 26+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (10/06/2018 - 28/02/2019)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity	R.
	4102 0040 53	1	AIR DRYER	(10/06/2018 - 20/08/2018) CAPPRM:CE + MOVOL:230V + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) (21/08/2018 - 28/02/2019) CAPPRM:CE + MOVOL:230V	R410A
	4102-0019-70			(10/06/2018 - 20/08/2018) MOVOL:400V + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000) (21/08/2018 - 28/02/2019) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	R410A
	⚡ Substituted by:	8092 3071 42 - ID75 VSD+ TRAFO 50HZ-LD-S (quantity: 1)			
	4102-0019-69			(10/06/2018 - 20/08/2018) CAPPRM:CE + MOVOL:400VN + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) (21/08/2018 - 28/02/2019) CAPPRM:CE + MOVOL:400VN	R410A
	⚡ Substituted by:	8092 3071 34 - ID75 VSD+ 230V 50HZ-LD-S (quantity: 1)			
	•	1	CANOPY	(10/06/2018 - 20/08/2018) ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) (21/08/2018 - 28/02/2019) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	
1010	•• 2204 1660 80	1	FRAME		
	••• 1627 1828 00	1	DECAL WARNING		
1020	•• 1622 0000 20	1	DECAL SYMBOLS		
	•	1	HEAT EXCHANGER CONNECTION	(10/06/2018 - 20/08/2018) ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) (21/08/2018 - 28/02/2019) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	
2010	•• 1627 1454 80	1	HEAT EXCHANGER		
2020	•• 0147 1247 03	4	HEXAGON BOLT		
2030	•• 0300 0274 64	4	WASHER		
2040	•• 0333 3220 00	4	WASHER		
2050	•• 2202 8870 02	1	TEMPERATURE SENSOR		
	•• 1617 0128 00	AR	HEAT CONDUCTING PASTE		
2080	•• 0070 7250 04	AR	HOSE		

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGERANT FREON GAS R410A

Legend:

CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:CEAD2000 - Component approval mechanical:CE (based FREQ:50HZ - Frequency:50 Hz on AD2000)

MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
MOVOL:400V - Supply voltage:400 V
PRESS:13BAR - Working pressure:13 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210


MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
MOVOL:400VN - Supply voltage:400 V+N
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:Y - Integrated dryer:Yes
MODEL:GA22P_18 - Model:GA 22+
MOVOL:230V - Supply voltage:230 V
PRESS:10BAR - Working pressure:10 bar
PRESS:8.5BAR - Working pressure:8.5 bar

15.10 - Components ID 73 - (GA 15+ - 7.5bar, 8.5bar, 10bar), ((GA 18+, GA 22+) - 7.5bar, 8.5bar, 10bar, 13bar), (GA 26+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (10/06/2018 - 28/02/2019)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)



15.10 - Components ID 73 - (GA 15+ - 7.5bar, 8.5bar, 10bar), ((GA 18+, GA 22+) - 7.5bar, 8.5bar, 10bar, 13bar), (GA 26+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (10/06/2018 - 28/02/2019)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity	R.
2090	•• 2204 1643 01	1	BUSHING		
2100	•• 0583 8100 71	1	PIPE FITTING		
2110	•• 0583 8120 70	1	ELBOW		
2120	•• 2202 7719 01	1	WASHER		
	•	1	REFRIGERANT CONNECTION	(10/06/2018 - 20/08/2018) ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) (21/08/2018 - 28/02/2019) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	
3030	•• 1617 0092 03	1	RING		
3050	•• 0348 0101 13	10	CABLE TIE		
3060	•• 1624 2293 00	1	FILTER DRYER		
3070	•• 2202 7352 01	1	CONDENSOR	(10/06/2018 - 20/08/2018) ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) (21/08/2018 - 20/09/2018) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	
	⚙ Substituted by:	2204 2163 01 - CONDENSOR AE7-8+H3-5+C8-10 (quantity: 1)			
3070	•• 2204 2163 01	1	CONDENSOR	(21/09/2018 - 28/02/2019) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	
3080	•• 0300 0274 70	4	WASHER		
3090	•• 0226 3256 00	3	SCREW		
3100	•• 1617 2385 00	1	ROTATION ARROW		
3150	•• 1627 1679 00	1	BRACKET		
3160	•• 0300 0274 70	1	WASHER		
3170	•• 0226 3256 00	1	SCREW		
3180	•• 1627 1843 00	1	INSULATION THERMAL		
3190	•• 1627 1844 00	1	INSULATION THERMAL		
	•• 2204 1636 29	1	PIPE SET		
	•	1	ELECTRICAL COMPONENTS	(10/06/2018 - 20/08/2018) ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) (21/08/2018 - 28/02/2019) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	
5010	•• 1624 2616 13	1	COMPRESSOR		

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGERANT FREON GAS R410A

Legend:

CAPPRE:IEC - Component approval electrical:IEC

CAPPRM:CEAD2000 - Component approval mechanical:CE on AD2000)

MODEL:GA15P_18 - Model:GA 15+

MODEL:GA26P_18 - Model:GA 26+

MOVOL:400V - Supply voltage:400 V

PRESS:13BAR - Working pressure:13 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210

based FREQ:50HZ - Frequency:50 Hz

MODEL:GA18P_18 - Model:GA 18+

MODEL:GA30_18 - Model:GA 30

MOVOL:400VN - Supply voltage:400 V+N

PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:Y - Integrated dryer:Yes

MODEL:GA22P_18 - Model:GA 22+


MOVOL:230V - Supply voltage:230 V

PRESS:10BAR - Working pressure:10 bar

PRESS:8.5BAR - Working pressure:8.5 bar

15.10 - Components ID 73 - (GA 15+ - 7.5bar, 8.5bar, 10bar), ((GA 18+, GA 22+) - 7.5bar, 8.5bar, 10bar, 13bar), (GA 26+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (10/06/2018 - 28/02/2019)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)



15.10 - Components ID 73 - (GA 15+ - 7.5bar, 8.5bar, 10bar), ((GA 18+, GA 22+) - 7.5bar, 8.5bar, 10bar, 13bar), (GA 26+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (10/06/2018 - 28/02/2019)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity	R.
	••• 1624 2725 10	1	CAPACITOR		
5020	•• 0147 1106 72	3	SCREW		
5030	•• 0300 8019 00	3	PLAIN WASHER		
5040	•• 0333 3127 00	3	WASHER		
5050	•• 1627 1692 81	1	AXIAL FAN		
5060	•• 0147 1247 03	4	HEXAGON BOLT		
5070	•• 0300 0274 64	4	WASHER		
5080	•• 0333 3220 00	4	WASHER		
5090	•• 1089 9139 25	1	PRESSURE SWITCH		
5091	•• 0301 2315 00	2	PLAIN WASHER		
5092	•• 0160 6039 00	2	SCREW		
5093	•• 1627 1714 00	1	FAN SWITCH SUPPORT		
5094	•• 0129 3270 81	2	BLIND RIVET		
5110	•• 1089 9139 16	1	HP SWITCH		
5120	•• 1088 1001 01	3	WARNING MARK		
5130	•• 1088 1001 01	3	WARNING MARK		
5140	•• 0226 3256 00	4	SCREW		
5150	•• 0301 2318 00	4	WASHER		
5160	•• 0333 3214 00	4	WASHER		
	•	1	WIRING	(10/06/2018 - 20/08/2018) CAPPRM:CE + MOVOL:230V + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) (21/08/2018 - 28/02/2019) CAPPRM:CE + MOVOL:230V	
	•			(10/06/2018 - 20/08/2018) MOVOL:400V + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000) (21/08/2018 - 28/02/2019) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	
	•			(10/06/2018 - 20/08/2018) CAPPRM:CE + MOVOL:400VN + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) (21/08/2018 - 28/02/2019) CAPPRM:CE + MOVOL:400VN	
6010	•• 2205 0210 03	1	CUBICLE	(10/06/2018 - 20/08/2018) CAPPRM:CE + MOVOL:230V + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) (21/08/2018 - 28/02/2019) CAPPRM:CE + MOVOL:230V	

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGERANT FREON GAS R410A

Legend:

CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:CEAD2000 - Component approval mechanical:CE (based FREQ:50Hz - Frequency:50 Hz on AD2000)


MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
MOVOL:400V - Supply voltage:400 V
PRESS:13BAR - Working pressure:13 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
MOVOL:400VN - Supply voltage:400 V+N
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE
IDRY:Y - Integrated dryer:Yes
MODEL:GA22P_18 - Model:GA 22+
MOVOL:230V - Supply voltage:230 V
PRESS:10BAR - Working pressure:10 bar
PRESS:8.5BAR - Working pressure:8.5 bar

15.10 - Components ID 73 - (GA 15+ - 7.5bar, 8.5bar, 10bar), ((GA 18+, GA 22+) - 7.5bar, 8.5bar, 10bar, 13bar), (GA 26+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (10/06/2018 - 28/02/2019)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)



15.10 - Components ID 73 - (GA 15+ - 7.5bar, 8.5bar, 10bar), ((GA 18+, GA 22+) - 7.5bar, 8.5bar, 10bar, 13bar), (GA 26+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (10/06/2018 - 28/02/2019)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity	R.
6010	•• 2205 0210 02	1	CUBICLE	(10/06/2018 - 20/08/2018) MOVOL:400V + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000) (21/08/2018 - 28/02/2019) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	
6010	•• 2205 0210 01	1	CUBICLE	(10/06/2018 - 20/08/2018) CAPPRM:CE + MOVOL:400VN + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) (21/08/2018 - 28/02/2019) CAPPRM:CE + MOVOL:400VN	
6020	•• 1627 1869 00	1	TRANSFORMER	(10/06/2018 - 20/08/2018) MOVOL:400V + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000) (21/08/2018 - 28/02/2019) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	
6030	•• 1627 1538 00	1	PLATE	(10/06/2018 - 20/08/2018) MOVOL:400V + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000) (21/08/2018 - 28/02/2019) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	
	••• 1088 0801 22	1	GROMMET		
	••• 1088 1001 01	1	WARNING MARK		
6040	•• 0226 3256 00	3	SCREW	(10/06/2018 - 20/08/2018) MOVOL:400V + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000) (21/08/2018 - 28/02/2019) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGERANT FREON GAS R410A

Legend:

CAPPRE:IEC - Component approval electrical:IEC

CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)

MODEL:GA15P_18 - Model:GA 15+

MODEL:GA26P_18 - Model:GA 26+

MOVOL:400V - Supply voltage:400 V

PRESS:13BAR - Working pressure:13 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210

FREQ:50HZ - Frequency:50 Hz

MODEL:GA18P_18 - Model:GA 18+

MODEL:GA30_18 - Model:GA 30

MOVOL:400VN - Supply voltage:400 V+N

PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:Y - Integrated dryer:Yes

MODEL:GA22P_18 - Model:GA 22+


MOVOL:230V - Supply voltage:230 V

PRESS:10BAR - Working pressure:10 bar

PRESS:8.5BAR - Working pressure:8.5 bar

15.11 - Components ID 73 - (GA 15+ - 7.5bar, 8.5bar, 10bar), ((GA 18+, GA 22+) - 7.5bar, 8.5bar, 10bar, 13bar), (GA 26+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (01/03/2019 - ...)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA15P_18, MODEL:GA18P_18, MODEL:GA22P_18) + (PRESS:10BAR, PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA26P_18 + PRESS:10BAR, PRESS:13BAR + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18)) + (MOVOL:230V, MOVOL:400V, MOVOL:400VN)



15.11 - Components ID 73 - (GA 15+ - 7.5bar, 8.5bar, 10bar), ((GA 18+, GA 22+) - 7.5bar, 8.5bar, 10bar, 13bar), (GA 26+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (01/03/2019 - ...)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity
	1627 1586 82	1	AIR DRYER	(01/03/2019 - ...) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
	4102 0040 61			(01/03/2019 - ...) CAPPRM:CE + MOVOL:230V
	1627 1586 81			(01/03/2019 - ...) CAPPRM:CE + MOVOL:400VN
	•	1	CANOPY	(01/03/2019 - ...) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
1010	••	1	FRAME	
	••• 2204 1660 00	1	FRAME	
	••• 1627 1828 00	1	DECAL WARNING	
1020	•• 1622 0000 20	1	DECAL SYMBOLS	
1060	•• 0216 1100 72	2	SCREW HEXAGON	
	•	1	HEAT EXCHANGER CONNECTION	(01/03/2019 - ...) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
2001	•• 1627 1454 80	1	HEAT EXCHANGER	
2020	•• 0147 1247 03	4	HEXAGON BOLT	
2030	•• 0300 0274 64	4	WASHER	
2041	•• 0333 3220 00	4	WASHER	
2050	•• 2202 8870 02	1	TEMPERATURE SENSOR	
	•• 1617 0128 00	AR	HEAT CONDUCTING PASTA	
	•	1	REFRIGIRANT CONNECTION	(01/03/2019 - ...) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
3030	•• 1617 0092 03	1	RING	
3050	•• 0348 0101 13	10	CABLE TIE	
3060	•• 1624 2293 00	1	FILTER DRYER	
3070	•• 2204 2163 01	1	CONDENSOR	
3080	•• 0300 0274 70	4	WASHER	
3090	•• 0226 3256 00	3	SCREW	
3100	•• 1617 2385 00	1	ROTATION ARROW	
3150	•• 1627 1679 00	1	BRACKET	
3160	•• 0300 0274 70	1	WASHER	
3170	•• 0226 3256 00	1	SCREW	
3180	•• 1627 1843 00	1	INSULATION THERMAL	
3190	•• 1627 1844 00	1	INSULATION THERMAL	
	•• 2204 1636 29	1	PIPE SET	
4010	••• 2204 1636 20	1	PIPE	(31/12/2040 - ...) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
4020	••• 1627 1521 00	1	PIPE	(31/12/2040 - ...) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
4030	••• 1627 1539 01	1	CAPILLARY ASSEMBLY	(31/12/2040 - ...) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
	•	1	ELECTRICAL COMPONETS	(01/03/2019 - ...) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGERANT FREON GAS R410A

Legend:

CAPPRE:IEC - Component approval electrical:IEC

CAPPRM:CEAD2000 - Component approval mechanical:CE (based FREQ:50HZ - Frequency:50 Hz

on AD2000)

MODEL:GA15P_18 - Model:GA 15+

MODEL:GA26P_18 - Model:GA 26+

MOVOL:400VN - Supply voltage:400 V+N

PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210

MODEL:GA18P_18 - Model:GA 18+

MOVOL:230V - Supply voltage:230 V

PRESS:10BAR - Working pressure:10 bar

PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:Y - Integrated dryer:Yes


MODEL:GA22P_18 - Model:GA 22+

MOVOL:400V - Supply voltage:400 V

PRESS:13BAR - Working pressure:13 bar

15.11 - Components ID 73 - (GA 15+ - 7.5bar, 8.5bar, 10bar), ((GA 18+, GA 22+) - 7.5bar, 8.5bar, 10bar, 13bar), (GA 26+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (01/03/2019 - ...)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA15P_18, MODEL:GA18P_18, MODEL:GA22P_18) + (PRESS:10BAR, PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA26P_18 + PRESS:10BAR, PRESS:13BAR + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18)) + (MOVOL:230V, MOVOL:400V, MOVOL:400VN)



15.11 - Components ID 73 - (GA 15+ - 7.5bar, 8.5bar, 10bar), ((GA 18+, GA 22+) - 7.5bar, 8.5bar, 10bar, 13bar), (GA 26+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (01/03/2019 - ...)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity
5010	•• 1624 2616 13	1	COMPRESSOR	
5020	•• 0147 1106 72	3	SCREW	
5030	•• 0300 8019 00	3	PLAIN WASHER	
5040	•• 0333 3127 00	3	WASHER	
5050	•• 1627 1692 81	1	AXIAL FAN	
5060	•• 0147 1247 03	4	HEXAGON BOLT	
5070	•• 0300 0274 64	4	WASHER	
5080	•• 0333 3220 00	4	WASHER	
5090	•• 1089 9139 25	1	FAN SWITCH	
5091	•• 0301 2315 00	2	PLAIN WASHER	
5092	•• 0160 6039 00	2	SCREW	
5093	•• 1627 1714 00	1	FAN SWITCH SUPPORT	
5094	•• 0129 3270 81	2	BLIND RIVET	
5100	•• 2204 2134 10	1	LDI DRAIN	
5110	•• 1089 9139 16	1	HP SWITCH	
5120	•• 1088 1001 01	3	WARNING MARK	
5130	•• 1088 1001 01	3	WARNING MARK	
5140	•• 0226 3256 00	4	SCREW	
5150	•• 0301 2318 00	4	WASHER	
5160	•• 0333 3214 00	4	WASHER	
	•	1	WIRING	(01/03/2019 - ...) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
	•			(01/03/2019 - ...) CAPPRM:CE + MOVOL:230V
	•			(01/03/2019 - ...) CAPPRM:CE + MOVOL:400VN
6010	•• 1900 5101 95	1	CUBICLE	(01/03/2019 - ...) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
6010	•• 2205 0210 11	1	CUBICLE	(01/03/2019 - ...) CAPPRM:CE + MOVOL:230V
6010	•• 1900 5101 94	1	CUBICLE	(01/03/2019 - ...) CAPPRM:CE + MOVOL:400VN
6020	•• 1627 1869 00	1	TRANSFORMER	(01/03/2019 - ...) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
6030	•• 1627 1538 00	1	PLATE	(01/03/2019 - ...) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
	••• 1088 0801 22	1	GROMMET	
	••• 1088 1001 01	1	WARNING MARK	
6040	•• 0226 3256 00	3	SCREW	(01/03/2019 - ...) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGERANT FREON GAS R410A

Legend:

CAPPRE:IEC - Component approval electrical:IEC

CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)

MODEL:GA15P_18 - Model:GA 15+

MODEL:GA26P_18 - Model:GA 26+

MOVOL:400VN - Supply voltage:400 V+N

PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210

FREQ:50HZ - Frequency:50 Hz

MODEL:GA18P_18 - Model:GA 18+

MOVOL:230V - Supply voltage:230 V

PRESS:10BAR - Working pressure:10 bar

PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:Y - Integrated dryer:Yes


MODEL:GA22P_18 - Model:GA 22+

MOVOL:400V - Supply voltage:400 V

PRESS:13BAR - Working pressure:13 bar

15.12 - Components ID 73 - ((GA 15+ - 7.4bar, 9.1bar, 10.8bar), ((GA 18+, GA 22+) - 7.4bar, 9.1bar, 10.8bar, 12.5bar), (GA 26+ - 10.8bar, 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + ((MODEL:GA15P_18, MODEL:GA18P_18, MODEL:GA22P_18) + (PRESS:10.8BAR, PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA26P_18 + PRESS:10.8BAR, PRESS:12.5BAR + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18)) + (CAPPRE:IEC + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + (MOVOL:200230460V, MOVOL:460V))



15.12 - Components ID 73 - ((GA 15+ - 7.4bar, 9.1bar, 10.8bar), ((GA 18+, GA 22+) - 7.4bar, 9.1bar, 10.8bar, 12.5bar), (GA 26+ - 10.8bar, 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))

Ref	Part Number	Qty	Name	Validity	R.
	4102 0040 50	1	AIR DRYER	(10/06/2018 - 20/08/2018) CAPPRM:ASME + (((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + (PRESS:10.8BAR , PRESS:12.5BAR)) + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V) , MODEL:GA30_18 + PRESS:12.5BAR + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V))) (21/08/2018 - 28/02/2019) CAPPRM:ASME + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V)	R410A
	4102 0019 72			(10/06/2018 - 20/08/2018) CAPPRM:ASME + MOVOL:460V + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) (21/08/2018 - 28/02/2019) CAPPRM:ASME + MOVOL:460V	R410A
⚙	Substituted by:	8092 3071 67 - ID73 VSD+ TRAFO 60HZ 460-LD-S (quantity: 1)			
	4102 0019 71			(10/06/2018 - 20/08/2018) CAPPRE:IEC + CAPPRM:ASME + MOVOL:380V + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) (21/08/2018 - 28/02/2019) CAPPRE:IEC + CAPPRM:ASME + MOVOL:380V	R410A
⚙	Substituted by:	8092 3071 59 - ID73 VSD+ TRAFO 60HZ 380-LD-S (quantity: 1)			
●	1	CANOPY	(10/06/2018 - 20/08/2018) CAPPRM:ASME + (((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + (PRESS:10.8BAR , PRESS:12.5BAR)) + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) , MODEL:GA30_18 + PRESS:12.5BAR + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V))) (21/08/2018 - 28/02/2019) CAPPRM:ASME		
1010 ●●	2204 1660 80	1	FRAME		
●●●	1627 1828 00	1	DECAL WARNING		
1020 ●●	1622 0000 20	1	DECAL SYMBOLS		
●	1	HEAT EXCHANGER CONNECTION	(10/06/2018 - 20/08/2018) CAPPRM:ASME + (((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + (PRESS:10.8BAR , PRESS:12.5BAR)) + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) , MODEL:GA30_18 + PRESS:12.5BAR + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V))) (21/08/2018 - 28/02/2019) CAPPRM:ASME		
2010 ●●	1627 1454 80	1	HEAT EXCHANGER		
2020 ●●	0147 1247 03	4	HEXAGON BOLT		
2030 ●●	0300 0274 64	4	WASHER		

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT R410A

Legend:


CAPPRE:IEC - Component approval electrical:IEC
FREQ:60HZ - Frequency:60 Hz
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
MOVOL:230_460_V - Supply voltage:230-460 V
MOVOL:460V - Supply voltage:460 V
PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
IDRY:Y - Integrated dryer:Yes
MODEL:GA22P_18 - Model:GA 22+
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:230V - Supply voltage:230 V
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
MOVOL:200V - Supply voltage:200 V
MOVOL:380V - Supply voltage:380 V
PRESS:12.5BAR - Working pressure:12.5 bar

15.12 - Components ID 73 - ((GA 15+ - 7.4bar, 9.1bar, 10.8bar), ((GA 18+, GA 22+) - 7.4bar, 9.1bar, 10.8bar, 12.5bar), (GA 26+ - 10.8bar, 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + ((MODEL:GA15P_18, MODEL:GA18P_18, MODEL:GA22P_18) + (PRESS:10.8BAR, PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA26P_18 + PRESS:10.8BAR, PRESS:12.5BAR + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18)) + (CAPPRE:IEC + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + (MOVOL:200230460V, MOVOL:460V))



15.12 - Components ID 73 - ((GA 15+ - 7.4bar, 9.1bar, 10.8bar), ((GA 18+, GA 22+) - 7.4bar, 9.1bar, 10.8bar, 12.5bar), (GA 26+ - 10.8bar, 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + ((MODEL:GA15P_18, MODEL:GA18P_18, MODEL:GA22P_18) + (PRESS:10.8BAR, PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA26P_18 + PRESS:10.8BAR, PRESS:12.5BAR + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18)) + (CAPPRE:IEC + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + (MOVOL:200230460V, MOVOL:460V))

Ref	Part Number	Qty	Name	Validity	R.
2040	•• 0333 3220 00	4	WASHER		
2050	•• 2202 8870 02	1	TEMPERATURE SENSOR		
	•• 1617 0128 00	AR	HEAT CONDUCTING PASTE		
2080	•• 0070 7250 04	AR	HOSE		
2090	•• 2204 1643 01	1	BUSHING		
2100	•• 0583 8100 71	1	PIPE FITTING		
2110	•• 0583 8120 70	1	ELBOW		
2120	•• 2202 7719 01	1	WASHER		
	•	1	REFRIGERANT CONNECTION	(10/06/2018 - 20/08/2018) CAPPRM:ASME + (((MODEL:GA18P_18, MODEL:GA22P_18) + (PRESS:10.8BAR, PRESS:12.5BAR, PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA26P_18 + (PRESS:10.8BAR, PRESS:12.5BAR)) + (CAPPRE:IEC + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + (MOVOL:200230460V, MOVOL:460V)), MODEL:GA30_18 + PRESS:12.5BAR + (CAPPRE:IEC + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + (MOVOL:200V, MOVOL:230_460_V, MOVOL:460V))) (21/08/2018 - 28/02/2019) CAPPRM:ASME	
3030	•• 1617 0092 03	1	RING		
3050	•• 0348 0101 13	10	CABLE TIE		
3060	•• 1624 2293 00	1	FILTER DRYER		
3070	•• 2202 7352 01	1	CONDENSOR	(10/06/2018 - 20/08/2018) CAPPRM:ASME + (((MODEL:GA18P_18, MODEL:GA22P_18) + (PRESS:10.8BAR, PRESS:12.5BAR, PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA26P_18 + (PRESS:10.8BAR, PRESS:12.5BAR)) + (CAPPRE:IEC + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + (MOVOL:200230460V, MOVOL:460V)), MODEL:GA30_18 + PRESS:12.5BAR + (CAPPRE:IEC + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + (MOVOL:200V, MOVOL:230_460_V, MOVOL:460V))) (21/08/2018 - 20/09/2018) CAPPRM:ASME	
	⚙ Substituted by:	2204 2163 01 - CONDENSOR AE7-8+H3-5+C8-10 (quantity: 1)			
3080	•• 0300 0274 70	4	WASHER		
3090	•• 0226 3256 00	3	SCREW		
3100	•• 1617 2385 00	1	ROTATION ARROW		
3120	•• 1624 9710 00	1	INSULATION THERMAL		
3130	•• 1624 9614 00	1	INSULATION THERMAL		
3150	•• 1627 1679 00	1	BRACKET		
3160	•• 0300 0274 70	1	WASHER		
3170	•• 0226 3256 00	1	SCREW		
	••	1	PIPESET		
4010	••• 1627 1681 00	1	PIPE ASSEMBLY		
	•••• 1624 2486 03	1	HGB VALVE		
	•••• 1624 9352 00	1	SCHRÄDER VALVE		
	•••• 1624 2535 00	1	SEPARATOR		

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT R410A

Legend:


CAPPRE:IEC - Component approval electrical:IEC
FREQ:60HZ - Frequency:60 Hz
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
MOVOL:230_460_V - Supply voltage:230-460 V
MOVOL:460V - Supply voltage:460 V
PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
IDRY:Y - Integrated dryer:Yes
MODEL:GA22P_18 - Model:GA 22+
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:230V - Supply voltage:230 V
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
MOVOL:200V - Supply voltage:200 V
MOVOL:380V - Supply voltage:380 V
PRESS:12.5BAR - Working pressure:12.5 bar

15.12 - Components ID 73 - ((GA 15+ - 7.4bar, 9.1bar, 10.8bar), ((GA 18+, GA 22+) - 7.4bar, 9.1bar, 10.8bar, 12.5bar), (GA 26+ - 10.8bar, 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + ((MODEL:GA15P_18, MODEL:GA18P_18, MODEL:GA22P_18) + (PRESS:10.8BAR, PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA26P_18 + PRESS:10.8BAR, PRESS:12.5BAR + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18)) + (CAPPRE:IEC + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + (MOVOL:200230460V, MOVOL:460V))



15.12 - Components ID 73 - ((GA 15+ - 7.4bar, 9.1bar, 10.8bar), ((GA 18+, GA 22+) - 7.4bar, 9.1bar, 10.8bar, 12.5bar), (GA 26+ - 10.8bar, 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))

Ref	Part Number	Qty	Name	Validity	R.
4020	••• 1627 1521 00	1	PIPE		
	•••• 1619 5563 02	1	SCHRÄDER VALVE		
4030	••• 1627 1539 01	1	CAPILLARY ASSEMBLY		
	•••• 1617 1331 64	1	CAPILLARY		
	•••• 1624 2733 00	1	VALVE		
4050	••• 1627 1635 00	2	INSULATION THERMAL	(10/06/2018 - 30/07/2018) CAPPRM:ASME + (((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + (PRESS:10.8BAR , PRESS:12.5BAR)) + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) , MODEL:GA30_18 + PRESS:12.5BAR + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V)))	
4060	••• 1627 1636 00	1	INSULATION THERMAL		
	•	1	ELECTRICAL COMPONENTS	(10/06/2018 - 20/08/2018) CAPPRM:ASME + (((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + (PRESS:10.8BAR , PRESS:12.5BAR)) + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) , MODEL:GA30_18 + PRESS:12.5BAR + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V))) (21/08/2018 - 28/02/2019) CAPPRM:ASME	
5010	•• 1624 2616 11	1	COMPRESSOR		
	••• 1624 2725 01	1	CAPACITOR		
5020	•• 0147 1106 72	3	SCREW		
5030	•• 0300 8019 00	3	PLAIN WASHER		
5040	•• 0333 3127 00	3	WASHER		
5050	•• 1627 1692 82	1	FAN AXIAL		
5060	•• 0147 1247 03	4	HEXAGON BOLT		
5070	•• 0300 0274 64	4	WASHER		
5080	•• 0333 3220 00	4	WASHER		
5085	•• 1624 9350 02	1	CAPACITOR		
5090	•• 1089 9139 25	1	PRESSURE SWITCH		
5091	•• 0301 2315 00	2	PLAIN WASHER		
5092	•• 0160 6039 00	2	SCREW		
5093	•• 1627 1714 00	1	FAN SWITCH SUPPORT		
5094	•• 0129 3270 81	2	BLIND RIVET		
5110	•• 1089 9139 16	1	HP SWITCH		
5120	•• 1088 1001 01	3	WARNING MARK		
5130	•• 1088 1001 01	3	WARNING MARK		
5140	•• 0226 3256 00	4	SCREW		

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT R410A

Legend:


CAPPRE:IEC - Component approval electrical:IEC
FREQ:60HZ - Frequency:60 Hz
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
MOVOL:230_460_V - Supply voltage:230-460 V
MOVOL:460V - Supply voltage:460 V
PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
IDRY:Y - Integrated dryer:Yes
MODEL:GA22P_18 - Model:GA 22+
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:230V - Supply voltage:230 V
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
MOVOL:200V - Supply voltage:200 V
MOVOL:380V - Supply voltage:380 V
PRESS:12.5BAR - Working pressure:12.5 bar

15.12 - Components ID 73 - ((GA 15+ - 7.4bar, 9.1bar, 10.8bar), ((GA 18+, GA 22+) - 7.4bar, 9.1bar, 10.8bar, 12.5bar), (GA 26+ - 10.8bar, 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + ((MODEL:GA15P_18, MODEL:GA18P_18, MODEL:GA22P_18) + (PRESS:10.8BAR, PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA26P_18 + PRESS:10.8BAR, PRESS:12.5BAR + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18)) + (CAPPRE:IEC + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + (MOVOL:200230460V, MOVOL:460V))



15.12 - Components ID 73 - ((GA 15+ - 7.4bar, 9.1bar, 10.8bar), ((GA 18+, GA 22+) - 7.4bar, 9.1bar, 10.8bar, 12.5bar), (GA 26+ - 10.8bar, 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))

Ref	Part Number	Qty	Name	Validity	R.
5150	•• 0301 2318 00	4	WASHER		
5160	•• 0333 3214 00	4	WASHER		
	•	1	WIRING	(10/06/2018 - 20/08/2018) CAPPRM:ASME + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + (PRESS:10.8BAR , PRESS:12.5BAR)) + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V) , MODEL:GA30_18 + PRESS:12.5BAR + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V))) (21/08/2018 - 28/02/2019) CAPPRM:ASME + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V)	
	•			(10/06/2018 - 20/08/2018) CAPPRM:ASME + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V) (21/08/2018 - 28/02/2019) CAPPRM:ASME + (CAPPRE:IEC + MOVOL:380V , MOVOL:460V + (CAPPRE:IEC , CAPPRE:ULCUL))	
6010	•• 2205 0410 03	1	CUBICLE	(10/06/2018 - 20/08/2018) CAPPRM:ASME + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + (PRESS:10.8BAR , PRESS:12.5BAR)) + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V) , MODEL:GA30_18 + PRESS:12.5BAR + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V))) (21/08/2018 - 28/02/2019) CAPPRM:ASME + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V)	
6010	•• 2205 0410 01	1	CUBICLE	(10/06/2018 - 20/08/2018) CAPPRM:ASME + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V) (21/08/2018 - 28/02/2019) CAPPRM:ASME + (CAPPRE:IEC + MOVOL:380V , MOVOL:460V + (CAPPRE:IEC , CAPPRE:ULCUL))	
6020	•• 1627 1869 00	1	TRANSFORMER	(10/06/2018 - 20/08/2018) CAPPRM:ASME + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V) (21/08/2018 - 28/02/2019) CAPPRM:ASME + (CAPPRE:IEC + MOVOL:380V , MOVOL:460V + (CAPPRE:IEC , CAPPRE:ULCUL))	

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT R410A

Legend:


CAPPRE:IEC - Component approval electrical:IEC
FREQ:60HZ - Frequency:60 Hz
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
MOVOL:230_460_V - Supply voltage:230-460 V
MOVOL:460V - Supply voltage:460 V
PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
IDRY:Y - Integrated dryer:Yes
MODEL:GA22P_18 - Model:GA 22+
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:230V - Supply voltage:230 V
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
MOVOL:200V - Supply voltage:200 V
MOVOL:380V - Supply voltage:380 V
PRESS:12.5BAR - Working pressure:12.5 bar

15.12 - Components ID 73 - ((GA 15+ - 7.4bar, 9.1bar, 10.8bar), ((GA 18+, GA 22+) - 7.4bar, 9.1bar, 10.8bar, 12.5bar), (GA 26+ - 10.8bar, 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + ((MODEL:GA15P_18, MODEL:GA18P_18, MODEL:GA22P_18) + (PRESS:10.8BAR, PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA26P_18 + PRESS:10.8BAR, PRESS:12.5BAR + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18)) + (CAPPRE:IEC + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + (MOVOL:200230460V, MOVOL:460V))



15.12 - Components ID 73 - ((GA 15+ - 7.4bar, 9.1bar, 10.8bar), ((GA 18+, GA 22+) - 7.4bar, 9.1bar, 10.8bar, 12.5bar), (GA 26+ - 10.8bar, 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))

Ref	Part Number	Qty	Name	Validity	R.
6030	•• 1627 1538 00	1	PLATE	(10/06/2018 - 20/08/2018) CAPPRM:ASME + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V) (21/08/2018 - 28/02/2019) CAPPRM:ASME + (CAPPRE:IEC + MOVOL:380V , MOVOL:460V + (CAPPRE:IEC , CAPPRE:ULCUL))	
	••• 1088 0801 22	1	GROMMET		
	••• 1088 1001 01	1	WARNING MARK		
6040	•• 0226 3256 00	3	SCREW	(10/06/2018 - 20/08/2018) CAPPRM:ASME + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V) (21/08/2018 - 28/02/2019) CAPPRM:ASME + (CAPPRE:IEC + MOVOL:380V , MOVOL:460V + (CAPPRE:IEC , CAPPRE:ULCUL))	

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT R410A


Legend:

CAPPRE:IEC - Component approval electrical:IEC
FREQ:60HZ - Frequency:60 Hz
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
MOVOL:230_460_V - Supply voltage:230-460 V
MOVOL:460V - Supply voltage:460 V
PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
IDRY:Y - Integrated dryer:Yes
MODEL:GA22P_18 - Model:GA 22+
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:230V - Supply voltage:230 V
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
MOVOL:200V - Supply voltage:200 V
MOVOL:380V - Supply voltage:380 V
PRESS:12.5BAR - Working pressure:12.5 bar

15.13 - Components ID 73 - ((GA 15+ - 7.4bar, 9.1bar, 10.8bar), ((GA 18+, GA 22+) - 7.4bar, 9.1bar, 10.8bar, 12.5bar), (GA 26+ - 10.8bar, 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL (01/03/2019 - ...)
 FREQ:60HZ + IDRY:Y + ((MODEL:GA15P_18, MODEL:GA18P_18, MODEL:GA22P_18) + (PRESS:10.8BAR, PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA26P_18 + PRESS:10.8BAR, PRESS:12.5BAR + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18)) + (CAPPRE:IEC + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + (MOVOL:200230460V, MOVOL:460V))



15.13 - Components ID 73 - ((GA 15+ - 7.4bar, 9.1bar, 10.8bar), ((GA 18+, GA 22+) - 7.4bar, 9.1bar, 10.8bar, 12.5bar), (GA 26+ - 10.8bar, 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL (01/03/2019 - ...)
 FREQ:60HZ + IDRY:Y + ((MODEL:GA15P_18, MODEL:GA18P_18, MODEL:GA22P_18) + (PRESS:10.8BAR, PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA26P_18 + PRESS:10.8BAR, PRESS:12.5BAR + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18)) + (CAPPRE:IEC + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + (MOVOL:200230460V, MOVOL:460V))

Ref	Part Number	Qty	Name	Validity
	1627 1586 83	1	AIR DRYER	(01/03/2019 - ...) CAPPRM:ASME + MOVOL:460V
	4102 0040 60			(01/03/2019 - ...) CAPPRM:ASME + (CAPPRE:IEC + MOVOL:230V, CAPPRE:ULCUL + MOVOL:200230460V)
	1627 1586 84			(01/03/2019 - ...) CAPPRE:IEC + CAPPRM:ASME + MOVOL:380V
	•	1	CANOPY	(01/03/2019 - ...) CAPPRM:ASME
1010	•• 2204 1660 80	1	FRAME	
	••• 1627 1828 00	1	DECAL WARNING	
1020	•• 1622 0000 20	1	DECAL SYMBOLS	
1060	•• 0216 1100 72	2	SCREW HEXAGON	
	•	1	HEAT EXCHANGER CONNECTION	(01/03/2019 - ...) CAPPRM:ASME
2001	•• 1627 1454 80	1	HEAT EXCHANGER	
2020	•• 0147 1247 03	4	HEXAGON BOLT	
2030	•• 0300 0274 64	4	WASHER	
2041	•• 0333 3220 00	4	WASHER	
2050	•• 2202 8870 02	1	TEMPERATURE SENSOR	
	•• 1617 0128 00	AR	HEAT CONDUCTING PASTA	
	•	1	REFRIGANT CONNECTION	(01/03/2019 - ...) CAPPRM:ASME
3030	•• 1617 0092 03	1	RING	
3050	•• 0348 0101 13	10	CABLE TIE	
3060	•• 1624 2293 00	1	FILTER DRYER	
3070	•• 2204 2163 01	1	CONDENSOR	
3080	•• 0300 0274 70	4	WASHER	
3090	•• 0226 3256 00	3	SCREW	
3100	•• 1617 2385 00	1	ROTATION ARROW	
3120	•• 1624 9710 00	1	INSULATION THERMAL	
3130	•• 1624 9614 00	1	INSULATION THERMAL	(01/03/2019 - 30/12/2040) CAPPRM:ASME
3150	•• 1627 1679 00	1	BRACKET	
3160	•• 0300 0274 70	1	WASHER	
3170	•• 0226 3256 00	1	SCREW	
	•• 1603 6310 92	1	PIPESET	(01/03/2019 - 02/10/2019) CAPPRM:ASME
	•• 2204 1636 39			(03/10/2019 - ...) CAPPRM:ASME
4010	••• 1627 1681 00	1	PIPE	(01/03/2019 - 02/10/2019) CAPPRM:ASME
	•••• 1624 2486 03	1	HGB VALVE	
	•••• 1624 9352 00	1	SCHRAEDER VALVE	
	•••• 1624 2535 00	1	SEPARATOR	
4010	••• 2204 1636 30	1	PIPE	(31/12/2040 - ...) CAPPRM:ASME
4020	••• 1627 1521 00	1	PIPE	(01/03/2019 - 02/10/2019) CAPPRM:ASME (31/12/2040 - ...) CAPPRM:ASME
	•••• 1619 5563 02	1	SCHRÄDER VALVE	(01/03/2019 - 02/10/2019) CAPPRM:ASME
4030	••• 1627 1539 01	1	CAPILLARY ASSY	(01/03/2019 - 02/10/2019) CAPPRM:ASME (31/12/2040 - ...) CAPPRM:ASME
	•••• 1617 1331 64	1	CAPILLARY	(01/03/2019 - 02/10/2019) CAPPRM:ASME
	•••• 1624 2733 00	1	VALVE	(01/03/2019 - 02/10/2019) CAPPRM:ASME

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT R410A


Legend:

CAPPRE:IEC - Component approval electrical:IEC
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA18P_18 - Model:GA 18+
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:460V - Supply voltage:460 V
 PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 IDRY:Y - Integrated dryer:Yes
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:230V - Supply voltage:230 V
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:380V - Supply voltage:380 V
 PRESS:12.5BAR - Working pressure:12.5 bar

15.13 - Components ID 73 - ((GA 15+ - 7.4bar, 9.1bar, 10.8bar), ((GA 18+, GA 22+) - 7.4bar, 9.1bar, 10.8bar, 12.5bar), (GA 26+ - 10.8bar, 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL (01/03/2019 - ...)
 FREQ:60HZ + IDRY:Y + ((MODEL:GA15P_18, MODEL:GA18P_18, MODEL:GA22P_18) + (PRESS:10.8BAR, PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA26P_18 + PRESS:10.8BAR, PRESS:12.5BAR + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18)) + (CAPPRE:IEC + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + (MOVOL:200230460V, MOVOL:460V))



15.13 - Components ID 73 - ((GA 15+ - 7.4bar, 9.1bar, 10.8bar), ((GA 18+, GA 22+) - 7.4bar, 9.1bar, 10.8bar, 12.5bar), (GA 26+ - 10.8bar, 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL (01/03/2019 - ...)

FREQ:60HZ + IDRY:Y + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))

Ref	Part Number	Qty	Name	Validity
4050	••• 1627 1635 00	0	INSULATION THERMAL	(01/03/2019 - 02/10/2019) CAPPRM:ASME
4060	••• 1627 1636 00	1	INSULATION THERMAL	(01/03/2019 - 02/10/2019) CAPPRM:ASME
	• 1627 1636 00	1	ELECTRICAL COMPONENTS	(01/03/2019 - ...) CAPPRM:ASME
5010	•• 1624 2616 11	1	COMPRESSOR	
	••• 1624 2725 01	1	CAPACITOR	
5020	•• 0147 1106 72	3	SCREW	
5030	•• 0300 8019 00	3	PLAIN WASHER	
5040	•• 0333 3127 00	3	WASHER	
5050	•• 1627 1692 82	1	AXIAL FAN	
5060	•• 0147 1247 03	4	HEXAGON BOLT	
5070	•• 0300 0274 64	4	WASHER	
5080	•• 0333 3220 00	4	WASHER	
5085	•• 1624 9350 02	1	CAPACITOR	
5090	•• 1089 9139 25	1	FAN SWITCH	
5091	•• 0301 2315 00	2	PLAIN WASHER	
5092	•• 0160 6039 00	2	SCREW	
5093	•• 1627 1714 00	1	FAN SWITCH SUPPORT	
5094	•• 0129 3270 81	2	BLIND RIVET	
5100	•• 2204 2134 10	1	LDI DRAIN	
5110	•• 1089 9139 16	1	HP SWITCH	
5120	•• 1088 1001 01	3	WARNING MARK	
5130	•• 1088 1001 01	3	WARNING MARK	
5140	•• 0226 3256 00	4	SCREW	
5150	•• 0301 2318 00	4	WASHER	
5160	•• 0333 3214 00	4	WASHER	
	• 1627 1635 00	1	WIRING	(01/03/2019 - ...) CAPPRM:ASME + (CAPPRE:IEC + MOVOL:380V , MOVOL:460V + (CAPPRE:IEC , CAPPRE:ULCUL))
	• 1627 1636 00	1	WIRING	(01/03/2019 - ...) CAPPRM:ASME + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V)
6010	•• 1900 5101 96	1	CUBICLE	(01/03/2019 - ...) CAPPRM:ASME + (CAPPRE:IEC + MOVOL:380V , MOVOL:460V + (CAPPRE:IEC , CAPPRE:ULCUL))
6010	•• 2205 0410 11	1	CUBICLE	(01/03/2019 - ...) CAPPRM:ASME + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V)
6020	•• 1627 1869 00	1	TRANSFORMER	(01/03/2019 - ...) CAPPRM:ASME + (CAPPRE:IEC + MOVOL:380V , MOVOL:460V + (CAPPRE:IEC , CAPPRE:ULCUL))
6030	•• 1627 1538 00	1	PLATE	(01/03/2019 - ...) CAPPRM:ASME + (CAPPRE:IEC + MOVOL:380V , MOVOL:460V + (CAPPRE:IEC , CAPPRE:ULCUL))
	••• 1088 0801 22	1	GROMMET	
	••• 1088 1001 01	1	WARNING MARK	
6040	•• 0226 3256 00	3	SCREW	(01/03/2019 - ...) CAPPRM:ASME + (CAPPRE:IEC + MOVOL:380V , MOVOL:460V + (CAPPRE:IEC , CAPPRE:ULCUL))

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT R410A

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA18P_18 - Model:GA 18+
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:460V - Supply voltage:460 V
 PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 IDRY:Y - Integrated dryer:Yes
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:230V - Supply voltage:230 V
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:380V - Supply voltage:380 V
 PRESS:12.5BAR - Working pressure:12.5 bar

15.14 - Components ID 73, ID 96 - ((GA 15+ - 7.4bar, 9.1bar, 10.8bar), (GA 18+, GA 22+, GA 26+, GA 30 - 7.4bar, 9.1bar, 10.8bar, 12.5bar)) - 575V/60Hz UL-cUL (10/06/2018 - 28/02/2019)

CAPPRE:ULCUL + FREQ:60HZ + IDRY:Y + MOVOL:575V + ((MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:12.5BAR, PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:10.8BAR, PRESS:7.4BAR, PRESS:9.1BAR))



15.14 - Components ID 73, ID 96 - ((GA 15+ - 7.4bar, 9.1bar, 10.8bar), (GA 18+, GA 22+, GA 26+, GA 30 - 7.4bar, 9.1bar, 10.8bar, 12.5bar)) – 575V/60Hz UL-cUL (10/06/2018 - 28/02/2019)

CAPPRE:ULCUL + FREQ:60HZ + IDRY:Y + MOVOL:575V + ((MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:12.5BAR, PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:10.8BAR, PRESS:7.4BAR, PRESS:9.1BAR))

Ref	Part Number	Qty	Name	Validity	R.
	4102 0040 56	1	AIR DRYER	(10/06/2018 - 20/08/2018) CAPPRM:CRNASME + ((MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:12.5BAR, PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:7.4BAR, PRESS:9.1BAR)) (21/08/2018 - 28/02/2019) CAPPRM:CRNASME	R134A
	•	1	CANOPY		
1010	•• 2204 1660 80	1	FRAME		
	••• 1627 1828 00	1	DECAL WARNING		
1020	•• 1622 0000 20	1	DECAL SYMBOLS		
1060	•• 0216 1100 72	2	SCREW HEXAGON		
	•	1	HEAT EXCHANGER CONNECTION		
2010	•• 1627 1455 80	1	HEAT EXCHANGER		
2020	•• 0147 1247 03	4	HEXAGON BOLT		
2030	•• 0300 0274 64	4	WASHER		
2050	•• 0301 2321 00	4	PLAIN WASHER		
2060	•• 2202 8870 02	1	TEMPERATURE SENSOR		
	•• 1617 0128 00	AR	HEAT CONDUCTING PASTE		
2080	•• 0070 7250 04	AR	HOSE		
2090	•• 2204 1643 01	1	BUSHING		
2100	•• 0583 8100 71	1	PIPE FITTING		
2110	•• 0583 8120 70	1	ELBOW		
2120	•• 2202 7719 01	1	WASHER		
	•	1	REFRIGERANT CONNECTION		
3020	•• 2204 1567 80	1	PIPE ASSEMBLY		
	••• 2202 8516 00	1	NON RETURN VALVE		
	••• 1624 9352 00	2	SCHRAEDER VALVE		
	••• 2202 7324 05	2	HGBP VALVE		
	••• 1624 2488 05	1	REGULATION VALVE		
3030	•• 1617 0092 03	1	RING		
3040	•• 2200 6336 10	1	RING		
3050	•• 0348 0101 13	10	CABLE TIE		
3060	•• 1624 2293 00	1	FILTER DRYER		
3070	•• 1627 1459 00	1	CONDENSER		
3080	•• 0300 0274 70	5	WASHER		
3090	•• 0226 3256 00	4	SCREW		
3100	•• 1617 2385 00	1	ROTATION ARROW		
3120	•• 0226 0047 01	2	TAPPING SCREW		
	•	1	ELECTRICAL COMPONENTS		
4010	•• 1627 1865 01	1	COMPRESSOR		
4020	•• 0300 0274 64	4	WASHER		
4021	•• 0333 3220 00	4	WASHER		
4030	•• 0147 1252 03	4	HEXAGON BOLT		
4050	•• 1627 1692 82	1	AXIAL FAN		

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT FREON GAS R134A

Legend:


CAPPRE:ULCUL - Component approval electrical:UL/cUL
IDRY:Y - Integrated dryer:Yes
MODEL:GA22P_18 - Model:GA 22+
MOVOL:575V - Supply voltage:575 V
PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

FREQ:60HZ - Frequency:60 Hz
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
PRESS:12.5BAR - Working pressure:12.5 bar

15.14 - Components ID 73, ID 96 - ((GA 15+ - 7.4bar, 9.1bar, 10.8bar), (GA 18+, GA 22+, GA 26+, GA 30 - 7.4bar, 9.1bar, 10.8bar, 12.5bar)) - 575V/60Hz UL-cUL (10/06/2018 - 28/02/2019)

CAPPRE:ULCUL + FREQ:60HZ + IDRY:Y + MOVOL:575V + ((MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:12.5BAR, PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:10.8BAR, PRESS:7.4BAR, PRESS:9.1BAR))



15.14 - Components ID 73, ID 96 - ((GA 15+ - 7.4bar, 9.1bar, 10.8bar), (GA 18+, GA 22+, GA 26+, GA 30 – 7.4bar, 9.1bar, 10.8bar, 12.5bar)) – 575V/60Hz UL-cUL (10/06/2018 - 28/02/2019)

CAPPRE:ULCUL + FREQ:60HZ + IDRY:Y + MOVOL:575V + ((MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR))

Ref	Part Number	Qty	Name	Validity	R.
4060	•• 0215 0003 91	4	SCREW		
4070	•• 0300 0274 64	4	WASHER		
4080	•• 0333 3220 00	4	WASHER		
4085	•• 1624 9350 02	1	CAPACITOR		
4090	•• 1089 9139 35	1	PRESSURE SWITCH		
4091	•• 0301 2315 00	2	PLAIN WASHER		
4092	•• 0160 6039 00	2	SCREW		
4093	•• 1627 1714 00	1	FAN SWITCH SUPPORT		
4094	•• 0129 3270 81	2	BLIND RIVET		
4100	•• 1627 1852 00	1	HIGH PRESSURE SWITCH		
4120	•• 1088 1001 01	4	WARNING MARK		
4130	•• 0226 3256 00	2	SCREW		
4140	•• 0301 2318 00	2	WASHER		
4150	•• 0333 3214 00	2	WASHER		
	•	1	WIRING		
5010	•• 2205 0410 04	1	CUBICLE		

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT FREON GAS R134A

Legend:


CAPPRE:ULCUL - Component approval electrical:UL/cUL
IDRY:Y - Integrated dryer:Yes
MODEL:GA22P_18 - Model:GA 22+
MOVOL:575V - Supply voltage:575 V
PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRM:CRNASME - Component approval mechanical:CRN
(based on ASME)
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

FREQ:60HZ - Frequency:60 Hz
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
PRESS:12.5BAR - Working pressure:12.5 bar

15.15 - Components ID 73, ID 96 - ((GA 15+ - 7.4bar, 9.1bar, 10.8bar), (GA 18+, GA 22+, GA 26+, GA 30 – 7.4bar, 9.1bar, 10.8bar, 12.5bar)) – 575V/60Hz UL-cUL (01/03/2019 - ...)

CAPPRE:ULCUL + FREQ:60HZ + IDRY:Y + MOVOL:575V + ((MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:12.5BAR, PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:10.8BAR, PRESS:7.4BAR, PRESS:9.1BAR))



15.15 - Components ID 73, ID 96 - ((GA 15+ - 7.4bar, 9.1bar, 10.8bar), (GA 18+, GA 22+, GA 26+, GA 30 – 7.4bar, 9.1bar, 10.8bar, 12.5bar)) – 575V/60Hz UL-cUL (01/03/2019 - ...)

CAPPRE:ULCUL + FREQ:60HZ + IDRY:Y + MOVOL:575V + ((MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR))

Ref	Part Number	Qty	Name	Validity
	4102 0040 64	1	AIR DRYER	(01/03/2019 - 22/07/2019) CAPPRM:CRNASME (23/07/2019 - ...) CAPPRM:CRNASME + (((MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) + (MOVOL:200230460V , MOVOL:575V) , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V , MOVOL:575V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (MOVOL:200230460V , MOVOL:575V) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR))
	•	1	CANOPY	
1010	•• 2204 1660 80	1	FRAME	
	••• 1627 1828 00	1	DECAL WARNING	
1020	•• 1622 0000 20	1	DECAL SYMBOLS	
1060	•• 0216 1100 72	2	SCREW HEXAGON	
	•	1	HEAT EXCHANGER CONNECTION	
2010	•• 1627 1455 80	1	HEAT EXCHANGER	
2020	•• 0147 1247 03	4	HEXAGON BOLT	
2030	•• 0300 0274 64	4	WASHER	
2050	•• 0301 2321 00	4	PLAIN WASHER	
2060	•• 2202 8870 02	1	TEMPERATURE SENSOR	
	•• 1617 0128 00	AR	HEAT CONDUCTING PASTA	
	•	1	REFRIGIRANT CONNECTION	
3020	•• 2204 1567 80	1	PIPE ASSEMBLY	
	••• 2202 8516 00	1	NON RETURN VALVE	
	••• 1624 9352 00	2	SCHRAEDER VALVE	
	••• 2202 7324 05	2	HGBP VALVE	
	••• 1624 2488 05	1	REGULATION VALVE	
3030	•• 1617 0092 03	1	RING	
3040	•• 2200 6336 10	1	RING	
3050	•• 0348 0101 13	10	CABLE TIE	
3060	•• 1624 2293 00	1	FILTER DRYER	
3070	•• 1627 1459 00	1	CONDENSER	
3080	•• 0300 0274 70	5	WASHER	
3090	•• 0226 3256 00	4	SCREW	
3100	•• 1617 2385 00	1	ROTATION ARROW	
3120	•• 0226 0047 01	2	TAPPING SCREW	
	•	1	ELECTRICAL COMPONENTS	
4010	•• 1627 1865 01	1	COMPRESSOR	
4020	•• 0300 0274 64	4	WASHER	
4021	•• 0333 3220 00	4	WASHER	
4030	•• 0147 1252 03	4	HEXAGON	
4050	•• 1627 1692 82	1	AXIAL FAN	
4060	•• 0215 0003 91	4	SCREW	
4070	•• 0300 0274 64	4	WASHER	
4080	•• 0333 3220 00	4	WASHER	

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT FREON GAS R134A

Legend:

CAPPRE:ULCUL - Component approval electrical:UL/cUL
IDRY:Y - Integrated dryer:Yes
MODEL:GA22P_18 - Model:GA 22+
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:575V - Supply voltage:575 V
PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRM:CRNASME - Component approval mechanical:CRN
(based on ASME)
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
MOVOL:200V - Supply voltage:200 V
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

FREQ:60HZ - Frequency:60 Hz
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
MOVOL:230_460_V - Supply voltage:230-460 V
PRESS:12.5BAR - Working pressure:12.5 bar

15.15 - Components ID 73, ID 96 - ((GA 15+ - 7.4bar, 9.1bar, 10.8bar), (GA 18+, GA 22+, GA 26+, GA 30 – 7.4bar, 9.1bar, 10.8bar, 12.5bar)) – 575V/60Hz UL-cUL (01/03/2019 - ...)

CAPPRE:ULCUL + FREQ:60HZ + IDRY:Y + MOVOL:575V + ((MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR))

Ref	Part Number	Qty	Name	Validity
4085	•• 1624 9350 02	1	CAPACITOR	
4090	•• 1089 9139 35	1	FAN SWITCH	
4091	•• 0301 2315 00	2	PLAIN WASHER	
4092	•• 0160 6039 00	2	SCREW	
4093	•• 1627 1714 00	1	FAN SWITCH SUPPORT	
4094	•• 0129 3270 81	2	BLIND RIVET	
4100	•• 1627 1852 00	1	HIGH PRESSURE SWITCH	
4110	•• 2204 2134 10	1	LDI DRAIN	
4120	•• 1088 1001 01	4	WARNING MARK	
4130	•• 0226 3256 00	2	SCREW	
4140	•• 0301 2318 00	2	WASHER	
4150	•• 0333 3214 00	2	WASHER	
	•	1	WIRING	
5010	•• 2205 0410 12	1	CUBICLE	

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT FREON GAS R134A

Legend:

CAPPRE:ULCUL - Component approval electrical:UL/cUL

IDRY:Y - Integrated dryer:Yes

MODEL:GA22P_18 - Model:GA 22+

MOVOL:200230460V - Supply voltage:200-230-460 V

MOVOL:575V - Supply voltage:575 V

PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)

MODEL:GA15P_18 - Model:GA 15+

MODEL:GA26P_18 - Model:GA 26+

MOVOL:200V - Supply voltage:200 V

PRESS:10.8BAR - Working pressure:10.8 bar

PRESS:9.1BAR - Working pressure:9.1 bar

FREQ:60HZ - Frequency:60 Hz

MODEL:GA18P_18 - Model:GA 18+


MODEL:GA30_18 - Model:GA 30

MOVOL:230_460_V - Supply voltage:230-460 V

PRESS:12.5BAR - Working pressure:12.5 bar

15.16 - Components ID 96 - ((GA 26+ - 7.5bar, 8bar), (GA 30 - 7.5bar, 8.5bar, 10bar, 13bar)) - 230V-400V-400V+N/50Hz IEC (01/08/2017 - 09/06/2018)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (MODEL:GA26P_18 + (PRESS:7.5BAR , PRESS:8BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)



15.16 - Components ID 96 - ((GA 26+ - 7.5bar, 8bar), (GA 30 - 7.5bar, 8.5bar, 10bar, 13bar)) - 230V-400V-400V+N/50Hz IEC (01/08/2017 - 09/06/2018)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (MODEL:GA26P_18 + (PRESS:7.5BAR, PRESS:8BAR), MODEL:GA30_18 + (PRESS:10BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8.5BAR)) + (MOVOL:230V, MOVOL:400V, MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity
	1627 1587 82	1	AIR DRYER	(01/08/2017 - 28/03/2018) CAPPRM:CE + MODEL:GA30_18 + MOVOL:400V + PRESS:10BAR (29/03/2018 - 09/06/2018) MOVOL:400V + ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + PRESS:10BAR) + (CAPPRM:AS1210, CAPPRM:CE, CAPPRM:CEAD2000)
	1627 1587 81			(01/08/2017 - 28/03/2018) CAPPRM:CE + MODEL:GA30_18 + MOVOL:400VN + PRESS:7.5BAR (29/03/2018 - 09/06/2018) CAPPRM:CE + MOVOL:400VN + ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + PRESS:10BAR)
	•	1	CANOPY	(01/08/2017 - 28/03/2018) CAPPRM:CE + MODEL:GA30_18 + (MOVOL:400V + PRESS:10BAR, MOVOL:400VN + PRESS:7.5BAR) (29/03/2018 - 09/06/2018) ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + PRESS:10BAR) + (CAPPRM:CE + MOVOL:400VN, MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CE, CAPPRM:CEAD2000))
1010	•• 2204 1660 80	1	FRAME	
	••• 1627 1828 00	1	DECAL WARNING	
1020	•• 1622 0000 20	1	DECAL SYMBOLS	
1060	•• 0216 1100 72	2	SCREW HEXAGON	
	•	1	HEAT EXCHANGER CONNECTIONS	(01/08/2017 - 28/03/2018) CAPPRM:CE + MODEL:GA30_18 + (MOVOL:400V + PRESS:10BAR, MOVOL:400VN + PRESS:7.5BAR) (29/03/2018 - 09/06/2018) ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + PRESS:10BAR) + (CAPPRM:CE + MOVOL:400VN, MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CE, CAPPRM:CEAD2000))
2010	•• 1627 1455 80	1	HEAT EXCHANGER	
2020	•• 0147 1247 03	4	HEXAGON BOLT	
2030	•• 0300 0274 64	4	WASHER	
2050	•• 0301 2321 00	4	PLAIN WASHER	
2060	•• 2202 8870 02	1	TEMPERATURE SENSOR	
	•• 1617 0128 00	AR	HEAT CONDUCTING PASTA	
	•	1	REFRIGIRANT CONNECTIONS	(01/08/2017 - 28/03/2018) CAPPRM:CE + MODEL:GA30_18 + (MOVOL:400V + PRESS:10BAR, MOVOL:400VN + PRESS:7.5BAR) (29/03/2018 - 09/06/2018) ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + PRESS:10BAR) + (CAPPRM:CE + MOVOL:400VN, MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CE, CAPPRM:CEAD2000))
3030	•• 1617 0092 03	1	RING	
3050	•• 0348 0101 13	10	CABLE TIE	
3060	•• 1624 2293 00	1	FILTER DRYER	
3070	•• 1627 1459 00	1	CONDENSER	
3080	•• 0300 0274 70	4	WASHER	
3090	•• 0226 3256 00	3	SCREW	
3100	•• 1617 2385 00	1	ROTATION ARROW	
3130	•• 1624 9614 00	1	INSULATION THERMAL	
3180	•• 1627 1843 00	1	INSULATION THERMAL	
	•• 1603 6310 45	1	PIPE SET	
4010	••• 2204 1636 00	1	PIPE ASSEMBLY	
	•••• 1624 9352 00	2	SCHRAEDER VALVE	
4020	••• 1627 1521 00	1	PIPE	

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGIRANT R410A

Legend:

CAPPRE:IEC - Component approval electrical:IEC

CAPPRM:CEAD2000 - Component approval mechanical:CE (based FREQ:50Hz - Frequency:50 Hz


on AD2000)
MODEL:GA26P_18 - Model:GA 26+
MOVOL:400V - Supply voltage:400 V
PRESS:13BAR - Working pressure:13 bar
PRESS:8BAR - Working pressure:8 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210

MODEL:GA30_18 - Model:GA 30
MOVOL:400VN - Supply voltage:400 V+N
PRESS:7.5BAR - Working pressure:7.5 bar


CAPPRM:CE - Component approval mechanical:CE

IDRY:Y - Integrated dryer:Yes
MOVOL:230V - Supply voltage:230 V
PRESS:10BAR - Working pressure:10 bar
PRESS:8.5BAR - Working pressure:8.5 bar



15.16 - Components ID 96 - ((GA 26+ - 7.5bar, 8bar), (GA 30 - 7.5bar, 8.5bar, 10bar, 13bar)) - 230V-400V-400V+N/50Hz IEC (01/08/2017 - 09/06/2018)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (MODEL:GA26P_18 + (PRESS:7.5BAR , PRESS:8BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)



15.16 - Components ID 96 - ((GA 26+ - 7.5bar, 8bar), (GA 30 - 7.5bar, 8.5bar, 10bar, 13bar)) - 230V-400V+N/50Hz IEC (01/08/2017 - 09/06/2018)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (MODEL:GA26P_18 + (PRESS:7.5BAR, PRESS:8BAR), MODEL:GA30_18 + (PRESS:10BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8.5BAR)) + (MOVOL:230V, MOVOL:400V, MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity
	•••• 1619 5563 02 1		SCHRÄDER VALVE	
4030	••• 1627 1522 00 1		PIPE	
	Substituted by: 1627 1522 01 - CAPILLARY ASSY (quantity: 1)			
4050	••• 1627 1635 00 2		INSULATION THERMAL	
4060	••• 1627 1634 00 1		INSULATION THERMAL	
	•	1	ELECTRICAL COMPONENTS	(01/08/2017 - 28/03/2018) CAPPRM:CE + MODEL:GA30_18 + (MOVOL:400V + PRESS:10BAR, MOVOL:400VN + PRESS:7.5BAR) (29/03/2018 - 09/06/2018) ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + PRESS:10BAR) + (CAPPRM:CE + MOVOL:400VN, MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CE, CAPPRM:CEAD2000))
5010	•• 1624 2616 10 1		COMPRESSOR	
5020	•• 0147 1106 72 3		SCREW	
5030	•• 0300 8019 00 3		PLAIN WASHER	
5040	•• 0333 3127 00 3		WASHER	
5050	•• 1627 1692 81 1		AXIAL FAN	
5060	•• 0147 1247 03 4		HEXAGON BOLT	
5070	•• 0300 0274 64 4		WASHER	
5080	•• 0333 3220 00 4		WASHER	
5090	•• 1089 9139 25 1		FAN SWITCH	
5091	•• 0301 2315 00 2		PLAIN WASHER	
5092	•• 0160 6039 00 2		SCREW	
5093	•• 1627 1714 00 1		FAN SWITCH SUPPORT	
5094	•• 0129 3270 81 2		BLIND RIVET	
5100	•• 1624 9049 80 1		DRAIN	
5110	•• 1089 9139 16 1		HP SWITCH	
5120	•• 1088 1001 01 1		WARNING MARK	
5130	•• 0348 0101 13 3		CABLE TIE	
5140	•• 0226 3256 00 4		SCREW	
5150	•• 0301 2318 00 4		WASHER	
5160	•• 0333 3214 00 4		WASHER	
	•	1	WIRING	(01/08/2017 - 28/03/2018) CAPPRM:CE + MODEL:GA30_18 + MOVOL:400V + PRESS:10BAR (29/03/2018 - 09/06/2018) MOVOL:400V + ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + PRESS:10BAR) + (CAPPRM:AS1210, CAPPRM:CE, CAPPRM:CEAD2000)
	•			(01/08/2017 - 28/03/2018) CAPPRM:CE + MODEL:GA30_18 + MOVOL:400VN + PRESS:7.5BAR (29/03/2018 - 09/06/2018) CAPPRM:CE + MOVOL:400VN + ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + PRESS:10BAR)
6010	•• 1900 5101 95 1		CUBICLE	(01/08/2017 - 28/03/2018) CAPPRM:CE + MODEL:GA30_18 + MOVOL:400V + PRESS:10BAR (29/03/2018 - 09/06/2018) MOVOL:400V + ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + PRESS:10BAR) + (CAPPRM:AS1210, CAPPRM:CE, CAPPRM:CEAD2000)

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGIRANT R410A

Legend:

CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:CEAD2000 - Component approval mechanical:CE (based FREQ:50Hz - Frequency:50 Hz on AD2000)


MODEL:GA26P_18 - Model:GA 26+
MOVOL:400V - Supply voltage:400 V
PRESS:13BAR - Working pressure:13 bar
PRESS:8BAR - Working pressure:8 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
MODEL:GA30_18 - Model:GA 30
MOVOL:400VN - Supply voltage:400 V+N
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE
IDRY:Y - Integrated dryer:Yes
MOVOL:230V - Supply voltage:230 V
PRESS:10BAR - Working pressure:10 bar
PRESS:8.5BAR - Working pressure:8.5 bar

15.16 - Components ID 96 - ((GA 26+ - 7.5bar, 8bar), (GA 30 - 7.5bar, 8.5bar, 10bar, 13bar)) - 230V-400V-400V+N/50Hz IEC (01/08/2017 - 09/06/2018)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (MODEL:GA26P_18 + (PRESS:7.5BAR , PRESS:8BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)



15.16 - Components ID 96 - ((GA 26+ - 7.5bar, 8bar), (GA 30 - 7.5bar, 8.5bar, 10bar, 13bar)) - 230V-400V-400V+N/50Hz IEC (01/08/2017 - 09/06/2018)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (MODEL:GA26P_18 + (PRESS:7.5BAR, PRESS:8BAR), MODEL:GA30_18 + (PRESS:10BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8.5BAR)) + (MOVOL:230V, MOVOL:400V, MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity
6010	•• 1900 5101 94	1	CUBICLE	(01/08/2017 - 28/03/2018) CAPPRM:CE + MODEL:GA30_18 + MOVOL:400VN + PRESS:7.5BAR (29/03/2018 - 09/06/2018) CAPPRM:CE + MOVOL:400VN + ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + PRESS:10BAR)
6020	•• 1627 1869 00	1	TRANSFORMER	(01/08/2017 - 28/03/2018) CAPPRM:CE + MODEL:GA30_18 + MOVOL:400V + PRESS:10BAR (29/03/2018 - 09/06/2018) MOVOL:400V + ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + PRESS:10BAR) + (CAPPRM:AS1210, CAPPRM:CE, CAPPRM:CEAD2000)
6030	•• 1627 1538 00	1	PLATE	(01/08/2017 - 28/03/2018) CAPPRM:CE + MODEL:GA30_18 + MOVOL:400V + PRESS:10BAR (29/03/2018 - 09/06/2018) MOVOL:400V + ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + PRESS:10BAR) + (CAPPRM:AS1210, CAPPRM:CE, CAPPRM:CEAD2000)
	••• 1088 0801 22	1	GROMMET	
	••• 1088 1001 01	1	WARNING MARK	
6040	•• 0226 3256 00	3	SCREW	(01/08/2017 - 28/03/2018) CAPPRM:CE + MODEL:GA30_18 + MOVOL:400V + PRESS:10BAR (29/03/2018 - 09/06/2018) MOVOL:400V + ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + PRESS:10BAR) + (CAPPRM:AS1210, CAPPRM:CE, CAPPRM:CEAD2000)

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGIRANT R410A

Legend:

CAPPRE:IEC - Component approval electrical:IEC

CAPPRM:CEAD2000 - Component approval mechanical:CE (based FREQ:50HZ - Frequency:50 Hz on AD2000)

MODEL:GA26P_18 - Model:GA 26+

MOVOL:400V - Supply voltage:400 V

PRESS:13BAR - Working pressure:13 bar

PRESS:8BAR - Working pressure:8 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210

MODEL:GA30_18 - Model:GA 30

MOVOL:400VN - Supply voltage:400 V+N

PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:Y - Integrated dryer:Yes


MOVOL:230V - Supply voltage:230 V

PRESS:10BAR - Working pressure:10 bar

PRESS:8.5BAR - Working pressure:8.5 bar

15.17 - Components ID 96 - ((GA 26+ - 7.5bar, 8bar), (GA 30 - 7.5bar, 8.5bar, 10bar, 13bar)) - 230V-400V-400V+N/50Hz IEC (10/06/2018 - 28/02/2019)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (MODEL:GA26P_18 + (PRESS:7.5BAR , PRESS:8BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)



15.17 - Components ID 96 - ((GA 26+ - 7.5bar, 8bar), (GA 30 – 7.5bar, 8.5bar, 10bar, 13bar)) – 230V-400V-400V+N/50Hz IEC (10/06/2018 - 28/02/2019)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (MODEL:GA26P_18 + (PRESS:7.5BAR, PRESS:8BAR), MODEL:GA30_18 + (PRESS:10BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8.5BAR)) + (MOVOL:230V, MOVOL:400V, MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity	R.
	4102-0019-74	1	AIR DRYER	(10/06/2018 - 20/08/2018) MOVOL:400V + ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + PRESS:10BAR) + (CAPPRM:AS1210, CAPPRM:CE, CAPPRM:CEAD2000) (21/08/2018 - 28/02/2019) MOVOL:400V + ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + (PRESS:10BAR, PRESS:13BAR)) + (CAPPRM:AS1210, CAPPRM:CE, CAPPRM:CEAD2000)	R410A
⚙	Substituted by:	8092 3071 83 - ID115 VSD+ TRAFO 50HZ-LD-S (quantity: 1)			
	4102-0019-73			(10/06/2018 - 20/08/2018) CAPPRM:CE + MOVOL:400VN + ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + PRESS:10BAR) (21/08/2018 - 28/02/2019) CAPPRM:CE + MOVOL:400VN + ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + (PRESS:10BAR, PRESS:13BAR))	R410A
⚙	Substituted by:	8092 3071 75 - ID115 VSD+ 230V 50HZ-LD-S (quantity: 1)			
	4102 0040 54			(10/06/2018 - 20/08/2018) CAPPRM:CE + MOVOL:230V + ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + PRESS:10BAR) (21/08/2018 - 28/02/2019) CAPPRM:CE + MOVOL:230V + ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + (PRESS:10BAR, PRESS:13BAR))	R410A
•		1	CANOPY	(10/06/2018 - 20/08/2018) ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + PRESS:10BAR) + (CAPPRM:CE + (MOVOL:230V, MOVOL:400V, MOVOL:400VN), MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CEAD2000)) (21/08/2018 - 28/02/2019) ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + (PRESS:10BAR, PRESS:13BAR)) + (CAPPRM:CE + (MOVOL:230V, MOVOL:400V, MOVOL:400VN), MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CEAD2000))	
1010 ••	2204 1660 80	1	FRAME		
•••	1627 1828 00	1	DECAL WARNING		
1020 ••	1622 0000 20	1	DECAL SYMBOLS		
•		1	HEAT EXCHANGER CONNECTION	(10/06/2018 - 20/08/2018) ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + PRESS:10BAR) + (CAPPRM:CE + (MOVOL:230V, MOVOL:400V, MOVOL:400VN), MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CEAD2000)) (21/08/2018 - 28/02/2019) ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + (PRESS:10BAR, PRESS:13BAR)) + (CAPPRM:CE + (MOVOL:230V, MOVOL:400V, MOVOL:400VN), MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CEAD2000))	
2010 ••	1627 1455 80	1	HEAT EXCHANGER		
2020 ••	0147 1247 03	4	HEXAGON BOLT		
2030 ••	0300 0274 64	4	WASHER		
2050 ••	0301 2321 00	4	PLAIN WASHER		
2060 ••	2202 8870 02	1	TEMPERATURE SENSOR		
••	1617 0128 00	AR	HEAT CONDUCTING PASTA		

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGIRANT R410A

Legend:

CAPPRE:IEC - Component approval electrical:IEC

CAPPRM:CEAD2000 - Component approval mechanical:CE (based FREQ:50HZ - Frequency:50 Hz on AD2000)

MODEL:GA26P_18 - Model:GA 26+

MOVOL:400V - Supply voltage:400 V

PRESS:13BAR - Working pressure:13 bar

PRESS:8BAR - Working pressure:8 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210

MODEL:GA30_18 - Model:GA 30

MOVOL:400VN - Supply voltage:400 V+N

PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:Y - Integrated dryer:Yes

MOVOL:230V - Supply voltage:230 V


PRESS:10BAR - Working pressure:10 bar

PRESS:8.5BAR - Working pressure:8.5 bar



15.17 - Components ID 96 - ((GA 26+ - 7.5bar, 8bar), (GA 30 - 7.5bar, 8.5bar, 10bar, 13bar)) - 230V-400V-400V+N/50Hz IEC (10/06/2018 - 28/02/2019)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (MODEL:GA26P_18 + (PRESS:7.5BAR , PRESS:8BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)



15.17 - Components ID 96 - ((GA 26+ - 7.5bar, 8bar), (GA 30 – 7.5bar, 8.5bar, 10bar, 13bar)) – 230V-400V-400V+N/50Hz IEC (10/06/2018 - 28/02/2019)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (MODEL:GA26P_18 + (PRESS:7.5BAR , PRESS:8BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity	R.
2080	•• 0070 7250 04	AR	HOSE		
2090	•• 2204 1643 01	1	BUSHING		
2100	•• 0583 8100 71	1	PIPE FITTING		
2110	•• 0583 8120 70	1	ELBOW		
2120	•• 2202 7719 01	1	WASHER		
	•	1	REFRIGERANT CONNECTION	(10/06/2018 - 20/08/2018) ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + PRESS:10BAR) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) (21/08/2018 - 28/02/2019) ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000))	
3030	•• 1617 0092 03	1	RING		
3050	•• 0348 0101 13	10	CABLE TIE		
3060	•• 1624 2293 00	1	FILTER DRYER		
3070	•• 1627 1459 00	1	CONDENSER		
3080	•• 0300 0274 70	4	WASHER		
3090	•• 0226 3256 00	3	SCREW		
3100	•• 1617 2385 00	1	ROTATION ARROW		
3130	•• 1624 9614 00	1	INSULATION THERMAL	(10/06/2018 - 20/08/2018) ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + PRESS:10BAR) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) (21/08/2018 - 24/02/2019) ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000))	
3180	•• 1627 1843 00	1	INSULATION THERMAL		
	••	1	PIPE SET		
4010	••• 2204 1636 00	1	PIPE ASSEMBLY		
	•••• 1624 2486 02	1	HGB VALVE		
	•••• 1624 9352 00	2	SCHRÄDER VALVE		
4020	••• 1627 1521 00	1	PIPE		
	•••• 1619 5563 02	1	SCHRÄDER VALVE		
4030	••• 1627 1522 00	1	PIPE		
	⚡ Substituted by:	1627 1522 01	CAPILLARY ASSY (quantity: 1)		
4050	••• 1627 1635 00	2	INSULATION THERMAL	(10/06/2018 - 30/07/2018) ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + PRESS:10BAR) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000))	

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGIRANT R410A

Legend:

CAPPRE:IEC - Component approval electrical:IEC

CAPPRM:CEAD2000 - Component approval mechanical:CE (based FREQ:50HZ - Frequency:50 Hz on AD2000)

MODEL:GA26P_18 - Model:GA 26+

MOVOL:400V - Supply voltage:400 V

PRESS:13BAR - Working pressure:13 bar

PRESS:8BAR - Working pressure:8 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210

MODEL:GA30_18 - Model:GA 30

MOVOL:400VN - Supply voltage:400 V+N

PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:Y - Integrated dryer:Yes


MOVOL:230V - Supply voltage:230 V

PRESS:10BAR - Working pressure:10 bar

PRESS:8.5BAR - Working pressure:8.5 bar

15.17 - Components ID 96 - ((GA 26+ - 7.5bar, 8bar), (GA 30 - 7.5bar, 8.5bar, 10bar, 13bar)) - 230V-400V-400V+N/50Hz IEC (10/06/2018 - 28/02/2019)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (MODEL:GA26P_18 + (PRESS:7.5BAR , PRESS:8BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)



15.17 - Components ID 96 - ((GA 26+ - 7.5bar, 8bar), (GA 30 - 7.5bar, 8.5bar, 10bar, 13bar)) - 230V-400V-400V+N/50Hz IEC (10/06/2018 - 28/02/2019)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (MODEL:GA26P_18 + (PRESS:7.5BAR, PRESS:8BAR), MODEL:GA30_18 + (PRESS:10BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8.5BAR)) + (MOVOL:230V, MOVOL:400V, MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity	R.
4050	••• 1627 1635 00	0	INSULATION THERMAL	(31/07/2018 - 20/08/2018) ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + PRESS:10BAR) + (CAPPRM:CE + (MOVOL:230V, MOVOL:400V, MOVOL:400VN), MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CEAD2000)) (21/08/2018 - 24/02/2019) ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + (PRESS:10BAR, PRESS:13BAR)) + (CAPPRM:CE + (MOVOL:230V, MOVOL:400V, MOVOL:400VN), MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CEAD2000))	
4060	••• 1627 1634 00	1	INSULATION THERMAL	(10/06/2018 - 20/08/2018) ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + PRESS:10BAR) + (CAPPRM:CE + (MOVOL:230V, MOVOL:400V, MOVOL:400VN), MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CEAD2000)) (21/08/2018 - 24/02/2019) ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + (PRESS:10BAR, PRESS:13BAR)) + (CAPPRM:CE + (MOVOL:230V, MOVOL:400V, MOVOL:400VN), MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CEAD2000))	
	•	1	ELECTRICAL COMPONENTS	(10/06/2018 - 20/08/2018) ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + PRESS:10BAR) + (CAPPRM:CE + (MOVOL:230V, MOVOL:400V, MOVOL:400VN), MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CEAD2000)) (21/08/2018 - 28/02/2019) ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + (PRESS:10BAR, PRESS:13BAR)) + (CAPPRM:CE + (MOVOL:230V, MOVOL:400V, MOVOL:400VN), MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CEAD2000))	
5010	•• 1624 2616 10	1	COMPRESSOR		
	••• 1624 2725 01	1	CAPACITOR		
5020	•• 0147 1106 72	3	SCREW		
5030	•• 0300 8019 00	3	PLAIN WASHER		
5040	•• 0333 3127 00	3	WASHER		
5050	•• 1627 1692 81	1	FAN AXIAL		
5060	•• 0147 1247 03	4	HEXAGON BOLT		
5070	•• 0300 0274 64	4	WASHER		
5080	•• 0333 3220 00	4	WASHER		
5090	•• 1089 9139 25	1	PRESSURE SWITCH		
5091	•• 0301 2315 00	2	PLAIN WASHER		
5092	•• 0160 6039 00	2	SCREW		
5093	•• 1627 1714 00	1	FAN SWITCH SUPPORT		
5094	•• 0129 3270 81	2	BLIND RIVET		
5110	•• 1089 9139 16	1	HP SWITCH		
5120	•• 1088 1001 01	1	WARNING MARK		
5130	•• 0348 0101 13	3	CABLE TIE		
5140	•• 0226 3256 00	4	SCREW		
5150	•• 0301 2318 00	4	WASHER		
5160	•• 0333 3214 00	4	WASHER		

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGIRANT R410A

Legend:

CAPPRE:IEC - Component approval electrical:IEC

CAPPRM:CEAD2000 - Component approval mechanical:CE (based FREQ:50Hz - Frequency:50 Hz on AD2000)

MODEL:GA26P_18 - Model:GA 26+

MOVOL:400V - Supply voltage:400 V

PRESS:13BAR - Working pressure:13 bar

PRESS:8BAR - Working pressure:8 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210

MODEL:GA30_18 - Model:GA 30

MOVOL:400VN - Supply voltage:400 V+N

PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:Y - Integrated dryer:Yes


MOVOL:230V - Supply voltage:230 V

PRESS:10BAR - Working pressure:10 bar

PRESS:8.5BAR - Working pressure:8.5 bar

15.17 - Components ID 96 - ((GA 26+ - 7.5bar, 8bar), (GA 30 - 7.5bar, 8.5bar, 10bar, 13bar)) - 230V-400V-400V+N/50Hz IEC (10/06/2018 - 28/02/2019)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (MODEL:GA26P_18 + (PRESS:7.5BAR , PRESS:8BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)



15.17 - Components ID 96 - ((GA 26+ - 7.5bar, 8bar), (GA 30 – 7.5bar, 8.5bar, 10bar, 13bar)) – 230V-400V-400V+N/50Hz IEC (10/06/2018 - 28/02/2019)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (MODEL:GA26P_18 + (PRESS:7.5BAR, PRESS:8BAR), MODEL:GA30_18 + (PRESS:10BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8.5BAR)) + (MOVOL:230V, MOVOL:400V, MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity	R.
•		1	WIRING	(10/06/2018 - 20/08/2018) MOVOL:400V + ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + PRESS:10BAR) + (CAPPRM:AS1210, CAPPRM:CE, CAPPRM:CEAD2000) (21/08/2018 - 28/02/2019) MOVOL:400V + ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + (PRESS:10BAR, PRESS:13BAR)) + (CAPPRM:AS1210, CAPPRM:CE, CAPPRM:CEAD2000)	
•				(10/06/2018 - 20/08/2018) CAPPRM:CE + MOVOL:400VN + ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + PRESS:10BAR) (21/08/2018 - 28/02/2019) CAPPRM:CE + MOVOL:400VN + ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + (PRESS:10BAR, PRESS:13BAR))	
•				(10/06/2018 - 20/08/2018) CAPPRM:CE + MOVOL:230V + ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + PRESS:10BAR) (21/08/2018 - 28/02/2019) CAPPRM:CE + MOVOL:230V + ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + (PRESS:10BAR, PRESS:13BAR))	
6010	•• 2205 0210 02	1	CUBICLE	(10/06/2018 - 20/08/2018) MOVOL:400V + ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + PRESS:10BAR) + (CAPPRM:AS1210, CAPPRM:CE, CAPPRM:CEAD2000) (21/08/2018 - 28/02/2019) MOVOL:400V + ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + (PRESS:10BAR, PRESS:13BAR)) + (CAPPRM:AS1210, CAPPRM:CE, CAPPRM:CEAD2000)	
6010	•• 2205 0210 03	1	CUBICLE	(10/06/2018 - 20/08/2018) CAPPRM:CE + MOVOL:230V + ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + PRESS:10BAR) (21/08/2018 - 28/02/2019) CAPPRM:CE + MOVOL:230V + ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + (PRESS:10BAR, PRESS:13BAR))	
6010	•• 2205 0210 01	1	CUBICLE	(10/06/2018 - 20/08/2018) CAPPRM:CE + MOVOL:400VN + ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + PRESS:10BAR) (21/08/2018 - 28/02/2019) CAPPRM:CE + MOVOL:400VN + ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + (PRESS:10BAR, PRESS:13BAR))	
6020	•• 1627 1869 00	1	TRANSFORMER	(10/06/2018 - 20/08/2018) MOVOL:400V + ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + PRESS:10BAR) + (CAPPRM:AS1210, CAPPRM:CE, CAPPRM:CEAD2000) (21/08/2018 - 28/02/2019) MOVOL:400V + ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + (PRESS:10BAR, PRESS:13BAR)) + (CAPPRM:AS1210, CAPPRM:CE, CAPPRM:CEAD2000)	

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGIRANT R410A

Legend:

CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:CEAD2000 - Component approval mechanical:CE (based FREQ:50Hz - Frequency:50 Hz on AD2000)

MODEL:GA26P_18 - Model:GA 26+
MOVOL:400V - Supply voltage:400 V
PRESS:13BAR - Working pressure:13 bar
PRESS:8BAR - Working pressure:8 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210

MODEL:GA30_18 - Model:GA 30
MOVOL:400VN - Supply voltage:400 V+N
PRESS:7.5BAR - Working pressure:7.5 bar


CAPPRM:CE - Component approval mechanical:CE

IDRY:Y - Integrated dryer:Yes
MOVOL:230V - Supply voltage:230 V
PRESS:10BAR - Working pressure:10 bar
PRESS:8.5BAR - Working pressure:8.5 bar



15.17 - Components ID 96 - ((GA 26+ - 7.5bar, 8bar), (GA 30 - 7.5bar, 8.5bar, 10bar, 13bar)) - 230V-400V-400V+N/50Hz IEC (10/06/2018 - 28/02/2019)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (MODEL:GA26P_18 + (PRESS:7.5BAR , PRESS:8BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)



15.17 - Components ID 96 - ((GA 26+ - 7.5bar, 8bar), (GA 30 – 7.5bar, 8.5bar, 10bar, 13bar)) – 230V-400V-400V+N/50Hz IEC (10/06/2018 - 28/02/2019)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (MODEL:GA26P_18 + (PRESS:7.5BAR, PRESS:8BAR), MODEL:GA30_18 + (PRESS:10BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8.5BAR)) + (MOVOL:230V, MOVOL:400V, MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity	R.
6030	•• 1627 1538 00	1	PLATE	(10/06/2018 - 20/08/2018) MOVOL:400V + ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + PRESS:10BAR) + (CAPPRM:AS1210, CAPPRM:CE, CAPPRM:CEAD2000) (21/08/2018 - 28/02/2019) MOVOL:400V + ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + (PRESS:10BAR, PRESS:13BAR)) + (CAPPRM:AS1210, CAPPRM:CE, CAPPRM:CEAD2000)	
	••• 1088 0801 22	1	GROMMET		
	••• 1088 1001 01	1	WARNING MARK		
6040	•• 0226 3256 00	3	SCREW	(10/06/2018 - 20/08/2018) MOVOL:400V + ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + PRESS:10BAR) + (CAPPRM:AS1210, CAPPRM:CE, CAPPRM:CEAD2000) (21/08/2018 - 28/02/2019) MOVOL:400V + ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + (PRESS:10BAR, PRESS:13BAR)) + (CAPPRM:AS1210, CAPPRM:CE, CAPPRM:CEAD2000)	

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGIRANT R410A

Legend:

CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:CEAD2000 - Component approval mechanical:CE (based FREQ:50HZ - Frequency:50 Hz on AD2000)


MODEL:GA26P_18 - Model:GA 26+
MOVOL:400V - Supply voltage:400 V
PRESS:13BAR - Working pressure:13 bar
PRESS:8BAR - Working pressure:8 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
MODEL:GA30_18 - Model:GA 30
MOVOL:400VN - Supply voltage:400 V+N
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE
IDRY:Y - Integrated dryer:Yes
MOVOL:230V - Supply voltage:230 V
PRESS:10BAR - Working pressure:10 bar
PRESS:8.5BAR - Working pressure:8.5 bar

15.18 - Components ID 96 - ((GA 26+ - 7.5bar, 8bar), (GA 30 - 7.5bar, 8.5bar, 10bar, 13bar)) - 230V-400V-400V+N/50Hz IEC (01/03/2019 - ...)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (MODEL:GA26P_18 + (PRESS:7.5BAR , PRESS:8BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)



15.18 - Components ID 96 - ((GA 26+ - 7.5bar, 8bar), (GA 30 – 7.5bar, 8.5bar, 10bar, 13bar)) – 230V-400V-400V+N/50Hz IEC (01/03/2019 - ...)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (MODEL:GA26P_18 + (PRESS:7.5BAR, PRESS:8BAR), MODEL:GA30_18 + (PRESS:10BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8.5BAR)) + (MOVOL:230V, MOVOL:400V, MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity
	1627 1587 82	1	AIR DRYER	(01/03/2019 - ...) MOVOL:400V + ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + (PRESS:10BAR, PRESS:13BAR)) + (CAPPRM:AS1210, CAPPRM:CE, CAPPRM:CEAD2000)
	1627 1587 81			(01/03/2019 - ...) CAPPRM:CE + MOVOL:400VN + ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + (PRESS:10BAR, PRESS:13BAR))
	4102 0040 63			(01/03/2019 - ...) CAPPRM:CE + MOVOL:230V + ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + (PRESS:10BAR, PRESS:13BAR))
	•	1	CANOPY	(01/03/2019 - ...) ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + (PRESS:10BAR, PRESS:13BAR)) + (CAPPRM:CE + (MOVOL:230V, MOVOL:400V, MOVOL:400VN), MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CEAD2000))
1010	•• 2204 1660 80	1	FRAME	
	••• 1627 1828 00	1	DECAL WARNING	
1020	•• 1622 0000 20	1	DECAL SYMBOLS	
1060	•• 0216 1100 72	2	SCREW HEXAGON	
	•	1	HEAT EXCHANGER CONNECTION	(01/03/2019 - ...) ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + (PRESS:10BAR, PRESS:13BAR)) + (CAPPRM:CE + (MOVOL:230V, MOVOL:400V, MOVOL:400VN), MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CEAD2000))
2010	•• 1627 1455 80	1	HEAT EXCHANGER	
2020	•• 0147 1247 03	4	HEXAGON BOLT	
2030	•• 0300 0274 64	4	WASHER	
2050	•• 0301 2321 00	4	PLAIN WASHER	
2060	•• 2202 8870 02	1	TEMPERATURE SENSOR	
	•• 1617 0128 00	AR	HEAT CONDUCTING PASTA	
	•	1	REFRIGIRANT CONNECTION	(01/03/2019 - ...) ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + (PRESS:10BAR, PRESS:13BAR)) + (CAPPRM:CE + (MOVOL:230V, MOVOL:400V, MOVOL:400VN), MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CEAD2000))
3030	•• 1617 0092 03	1	RING	
3050	•• 0348 0101 13	10	CABLE TIE	
3060	•• 1624 2293 00	1	FILTER DRYER	
3070	•• 1627 1459 00	1	CONDENSER	
3080	•• 0300 0274 70	4	WASHER	
3090	•• 0226 3256 00	3	SCREW	
3100	•• 1617 2385 00	1	ROTATION ARROW	
3130	•• 1624 9614 00	1	INSULATION THERMAL	(01/03/2019 - ...) ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + (PRESS:10BAR, PRESS:13BAR)) + (CAPPRM:CE + MOVOL:400VN, MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CE, CAPPRM:CEAD2000))
3180	•• 1627 1843 00	1	INSULATION THERMAL	
	•• 1603 6310 45	1	PIPE SET	
4010	••• 2204 1636 00	1	PIPE ASSEMBLY	
	•••• 1624 2486 02	1	HGB VALVE	

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGIRANT R410A

Legend:

CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:CEAD2000 - Component approval mechanical:CE (based FREQ:50HZ - Frequency:50 Hz on AD2000)


MODEL:GA26P_18 - Model:GA 26+
MOVOL:400V - Supply voltage:400 V
PRESS:13BAR - Working pressure:13 bar
PRESS:8BAR - Working pressure:8 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
MODEL:GA30_18 - Model:GA 30
MOVOL:400VN - Supply voltage:400 V+N
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE
IDRY:Y - Integrated dryer:Yes
MOVOL:230V - Supply voltage:230 V
PRESS:10BAR - Working pressure:10 bar
PRESS:8.5BAR - Working pressure:8.5 bar

15.18 - Components ID 96 - ((GA 26+ - 7.5bar, 8bar), (GA 30 - 7.5bar, 8.5bar, 10bar, 13bar)) - 230V-400V-400V+N/50Hz IEC (01/03/2019 - ...)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (MODEL:GA26P_18 + (PRESS:7.5BAR , PRESS:8BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)



15.18 - Components ID 96 - ((GA 26+ - 7.5bar, 8bar), (GA 30 – 7.5bar, 8.5bar, 10bar, 13bar)) – 230V-400V-400V+N/50Hz IEC (01/03/2019 - ...)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (MODEL:GA26P_18 + (PRESS:7.5BAR , PRESS:8BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity
	•••• 1624 9352 00 2		SCHRAEDER VALVE	
4020	••• 1627 1521 00 1		PIPE	
	•••• 1619 5563 02 1		SCHRÄDER VALVE	
4030	••• 1627 1522 00 1		PIPE	
	⚙ Substituted by:	1627 1522 01	- CAPILLARY ASSY (quantity: 1)	
	•	1	ELECTRICAL COMPONENTS	(01/03/2019 - ...) ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000))
5010	•• 1624 2616 10 1		COMPRESSOR	
5020	•• 0147 1106 72 3		SCREW	
5030	•• 0300 8019 00 3		PLAIN WASHER	
5040	•• 0333 3127 00 3		WASHER	
5050	•• 1627 1692 81 1		AXIAL FAN	
5060	•• 0147 1247 03 4		HEXAGON BOLT	
5070	•• 0300 0274 64 4		WASHER	
5080	•• 0333 3220 00 4		WASHER	
5090	•• 1089 9139 25 1		FAN SWITCH	
5091	•• 0301 2315 00 2		PLAIN WASHER	
5092	•• 0160 6039 00 2		SCREW	
5093	•• 1627 1714 00 1		FAN SWITCH SUPPORT	
5094	•• 0129 3270 81 2		BLIND RIVET	
5100	•• 2204 2134 10 1		LDI DRAIN	
5110	•• 1089 9139 16 1		HP SWITCH	
5120	•• 1088 1001 01 1		WARNING MARK	
5130	•• 0348 0101 13 3		CABLE TIE	
5140	•• 0226 3256 00 4		SCREW	
5150	•• 0301 2318 00 4		WASHER	
5160	•• 0333 3214 00 4		WASHER	
	•	1	WIRING	(01/03/2019 - ...) MOVOL:400V + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR)) + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
	•			(01/03/2019 - ...) CAPPRM:CE + MOVOL:400VN + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR))
	•			(01/03/2019 - ...) CAPPRM:CE + MOVOL:230V + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR))
6010	•• 1900 5101 95 1		CUBICLE	(01/03/2019 - ...) MOVOL:400V + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR)) + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
6010	•• 1900 5101 94 1		CUBICLE	(01/03/2019 - ...) CAPPRM:CE + MOVOL:400VN + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR))

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGIRANT R410A

Legend:

CAPPRE:IEC - Component approval electrical:IEC

CAPPRM:CEAD2000 - Component approval mechanical:CE (based FREQ:50HZ - Frequency:50 Hz on AD2000)

MODEL:GA26P_18 - Model:GA 26+

MOVOL:400V - Supply voltage:400 V

PRESS:13BAR - Working pressure:13 bar

PRESS:8BAR - Working pressure:8 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210

MODEL:GA30_18 - Model:GA 30

MOVOL:400VN - Supply voltage:400 V+N

PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:Y - Integrated dryer:Yes


MOVOL:230V - Supply voltage:230 V

PRESS:10BAR - Working pressure:10 bar

PRESS:8.5BAR - Working pressure:8.5 bar

15.18 - Components ID 96 - ((GA 26+ - 7.5bar, 8bar), (GA 30 - 7.5bar, 8.5bar, 10bar, 13bar)) - 230V-400V-400V+N/50Hz IEC (01/03/2019 - ...)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (MODEL:GA26P_18 + (PRESS:7.5BAR , PRESS:8BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)



15.18 - Components ID 96 - ((GA 26+ - 7.5bar, 8bar), (GA 30 – 7.5bar, 8.5bar, 10bar, 13bar)) – 230V-400V-400V+N/50Hz IEC (01/03/2019 - ...)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (MODEL:GA26P_18 + (PRESS:7.5BAR, PRESS:8BAR), MODEL:GA30_18 + (PRESS:10BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8.5BAR)) + (MOVOL:230V, MOVOL:400V, MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity
6010	•• 2205 0210 11	1	CUBICLE	(01/03/2019 - ...) CAPPRM:CE + MOVOL:230V + ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + (PRESS:10BAR, PRESS:13BAR))
6020	•• 1627 1869 00	1	TRANSFORMER	(01/03/2019 - ...) MOVOL:400V + ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + (PRESS:10BAR, PRESS:13BAR)) + (CAPPRM:AS1210, CAPPRM:CE, CAPPRM:CEAD2000)
6030	•• 1627 1538 00	1	PLATE	(01/03/2019 - ...) MOVOL:400V + ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + (PRESS:10BAR, PRESS:13BAR)) + (CAPPRM:AS1210, CAPPRM:CE, CAPPRM:CEAD2000)
	••• 1088 0801 22	1	GROMMET	
	••• 1088 1001 01	1	WARNING MARK	
6040	•• 0226 3256 00	3	SCREW	(01/03/2019 - ...) MOVOL:400V + ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + (PRESS:10BAR, PRESS:13BAR)) + (CAPPRM:AS1210, CAPPRM:CE, CAPPRM:CEAD2000)

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGIRANT R410A

Legend:

CAPPRE:IEC - Component approval electrical:IEC

CAPPRM:CEAD2000 - Component approval mechanical:CE (based FREQ:50HZ - Frequency:50 Hz on AD2000)

MODEL:GA26P_18 - Model:GA 26+

MOVOL:400V - Supply voltage:400 V

PRESS:13BAR - Working pressure:13 bar

PRESS:8BAR - Working pressure:8 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210

MODEL:GA30_18 - Model:GA 30

MOVOL:400VN - Supply voltage:400 V+N

PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:Y - Integrated dryer:Yes


MOVOL:230V - Supply voltage:230 V

PRESS:10BAR - Working pressure:10 bar

PRESS:8.5BAR - Working pressure:8.5 bar

15.19 - Components ID 96 - (GA 26+ - 7.4bar, 9.1bar – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL), (GA 30 – 7.4bar, 9.1bar, 10.8bar, 12.5bar – 230V-380V-460V/60Hz IEC, 200V-230-460V-460V/60Hz UL-cUL) (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))



15.19 - Components ID 96 - (GA 26+ - 7.4bar, 9.1bar – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL), (GA 30 – 7.4bar, 9.1bar, 10.8bar, 12.5bar – 230V-380V-460V/60Hz IEC, 200V-230-460V-460V/60Hz UL-cUL) (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))

Ref	Part Number	Qty	Name	Validity	R.
	4102-0019-75	1	AIR DRYER	(10/06/2018 - 20/08/2018) CAPPRE:IEC + CAPPRM:ASME + MOVOL:380V + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + PRESS:10.8BAR) (21/08/2018 - 28/02/2019) CAPPRE:IEC + CAPPRM:ASME + MOVOL:380V + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (PRESS:10.8BAR , PRESS:12.5BAR))	R410A
	Substituted by:	8092 3071 91 - ID96 VSD+ TRAFO 60HZ 380-LD-S (quantity: 1)			
	4102 0040 51			(10/06/2018 - 20/08/2018) CAPPRM:ASME + (MODEL:GA26P_18 + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V)) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR)) (21/08/2018 - 28/02/2019) CAPPRM:ASME + (MODEL:GA26P_18 + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))	R410A
	4102-0019-76			(10/06/2018 - 20/08/2018) CAPPRM:ASME + MOVOL:460V + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + PRESS:10.8BAR) (21/08/2018 - 28/02/2019) CAPPRM:ASME + MOVOL:460V + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (PRESS:10.8BAR , PRESS:12.5BAR))	R410A
	Substituted by:	8092 3072 09 - ID96 VSD+ TRAFO 60HZ 460-LD-S (quantity: 1)			
	• 1 CANOPY			(10/06/2018 - 20/08/2018) CAPPRM:ASME + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V)) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR)) (21/08/2018 - 28/02/2019) CAPPRM:ASME	
1010	•• 2204 1660 80	1	FRAME		
	••• 1627 1828 00	1	DECAL WARNING		
1020	•• 1622 0000 20	1	DECAL SYMBOLS		
	• 1 HEAT EXCHANGER CONNECTION			(10/06/2018 - 20/08/2018) CAPPRM:ASME + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V)) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR)) (21/08/2018 - 28/02/2019) CAPPRM:ASME	
2010	•• 1627 1455 80	1	HEAT EXCHANGER		
2020	•• 0147 1247 03	4	HEXAGON BOLT		
2030	•• 0300 0274 64	4	WASHER		

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT R410A

Legend:


CAPPRE:IEC - Component approval electrical:IEC
FREQ:60HZ - Frequency:60 Hz
MODEL:GA30_18 - Model:GA 30
MOVOL:230_460_V - Supply voltage:230-460 V
MOVOL:460V - Supply voltage:460 V
PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
IDRY:Y - Integrated dryer:Yes
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:230V - Supply voltage:230 V
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
MODEL:GA26P_18 - Model:GA 26+
MOVOL:200V - Supply voltage:200 V
MOVOL:380V - Supply voltage:380 V
PRESS:12.5BAR - Working pressure:12.5 bar

15.19 - Components ID 96 - (GA 26+ - 7.4bar, 9.1bar – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL), (GA 30 – 7.4bar, 9.1bar, 10.8bar, 12.5bar – 230V-380V-460V/60Hz IEC, 200V-230-460V-460V/60Hz UL-cUL) (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))



15.19 - Components ID 96 - (GA 26+ - 7.4bar, 9.1bar – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL), (GA 30 – 7.4bar, 9.1bar, 10.8bar, 12.5bar – 230V-380V-460V/60Hz IEC, 200V-230-460V-460V/60Hz UL-cUL) (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))

Ref	Part Number	Qty	Name	Validity	R.
2050	•• 0301 2321 00	4	PLAIN WASHER		
2060	•• 2202 8870 02	1	TEMPERATURE SENSOR		
	•• 1617 0128 00	AR	HEAT CONDUCTING PASTE		
2080	•• 0070 7250 04	AR	HOSE		
2090	•• 2204 1643 01	1	BUSHING		
2100	•• 0583 8100 71	1	PIPE FITTING		
2110	•• 0583 8120 70	1	ELBOW		
2120	•• 2202 7719 01	1	WASHER		
	•	1	REFRIGERANT CONNECTION	(10/06/2018 - 20/08/2018) CAPPRM:ASME + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V)) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR)) (21/08/2018 - 28/02/2019) CAPPRM:ASME	
3030	•• 1617 0092 03	1	RING		
3050	•• 0348 0101 13	10	CABLE TIE		
3060	•• 1624 2293 00	1	FILTER DRYER		
3070	•• 1627 1459 00	1	CONDENSER		
3080	•• 0300 0274 70	4	WASHER		
3090	•• 0226 3256 00	3	SCREW		
3100	•• 1617 2385 00	1	ROTATION ARROW		
3120	•• 1624 9710 00	1	INSULATION THERMAL		
3130	•• 1624 9614 00	1	INSULATION THERMAL		
	••	1	PIPESET		
4010	••• 2204 1636 80	1	PIPE ASSEMBLY		
	•••• 1624 2486 02	1	HGB VALVE		
	•••• 1624 9352 00	1	SCHRÄDER VALVE		
4020	••• 1627 1521 00	1	PIPE		
	•••• 1619 5563 02	1	SCHRÄDER VALVE		
4030	••• 1627 1522 00	1	PIPE		
	⌚ Substituted by:	1627 1522 01	- CAPILLARY ASSY (quantity: 1)		
4050	••• 1627 1635 00	2	INSULATION THERMAL	(10/06/2018 - 30/07/2018) CAPPRM:ASME + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V)) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR))	

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT R410A

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA30_18 - Model:GA 30
 MOVOL:230_460_V - Supply voltage:230-460 V
 MOVOL:460V - Supply voltage:460 V
 PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 IDRY:Y - Integrated dryer:Yes
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:230V - Supply voltage:230 V
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:200V - Supply voltage:200 V
 MOVOL:380V - Supply voltage:380 V
 PRESS:12.5BAR - Working pressure:12.5 bar

15.19 - Components ID 96 - (GA 26+ - 7.4bar, 9.1bar – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL), (GA 30 – 7.4bar, 9.1bar, 10.8bar, 12.5bar – 230V-380V-460V/60Hz IEC, 200V-230-460V-460V/60Hz UL-cUL) (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))



15.19 - Components ID 96 - (GA 26+ - 7.4bar, 9.1bar – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL), (GA 30 – 7.4bar, 9.1bar, 10.8bar, 12.5bar – 230V-380V-460V/60Hz IEC, 200V-230-460V-460V/60Hz UL-cUL) (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))

Ref	Part Number	Qty	Name	Validity	R.
4060	••• 1627 1634 00	1	INSULATION THERMAL	(10/06/2018 - 20/08/2018) CAPPRM:ASME + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V)) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR))	
	•	1	ELECTRICAL COMPONENTS	(21/08/2018 - 24/02/2019) CAPPRM:ASME (10/06/2018 - 20/08/2018) CAPPRM:ASME + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V)) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR))	
5010	•• 1624 2616 11	1	COMPRESSOR		
	••• 1624 2725 01	1	CAPACITOR		
5020	•• 0147 1106 72	3	SCREW		
5030	•• 0300 8019 00	3	PLAIN WASHER		
5040	•• 0333 3127 00	3	WASHER		
5050	•• 1627 1692 82	1	FAN AXIAL		
5060	•• 0147 1247 03	4	HEXAGON BOLT		
5070	•• 0300 0274 64	4	WASHER		
5080	•• 0333 3220 00	4	WASHER		
5085	•• 1624 9350 02	1	CAPACITOR		
5090	•• 1089 9139 25	1	FAN SWITCH		
5091	•• 0301 2315 00	2	PLAIN WASHER		
5092	•• 0160 6039 00	2	SCREW		
5093	•• 1627 1714 00	1	FAN SWITCH SUPPORT		
5094	•• 0129 3270 81	2	BLIND RIVET		
5100	•• 1089 9139 16	1	HP SWITCH		
5120	•• 1088 1001 01	1	WARNING MARK		
5130	•• 0348 0101 13	3	CABLE TIE		
5140	•• 0226 3256 00	4	SCREW		
5150	•• 0301 2318 00	4	WASHER		
5160	•• 0333 3214 00	4	WASHER		

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT R410A

Legend:


CAPPRE:IEC - Component approval electrical:IEC
FREQ:60HZ - Frequency:60 Hz
MODEL:GA30_18 - Model:GA 30
MOVOL:230_460_V - Supply voltage:230-460 V
MOVOL:460V - Supply voltage:460 V
PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
IDRY:Y - Integrated dryer:Yes
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:230V - Supply voltage:230 V
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
MODEL:GA26P_18 - Model:GA 26+
MOVOL:200V - Supply voltage:200 V
MOVOL:380V - Supply voltage:380 V
PRESS:12.5BAR - Working pressure:12.5 bar

15.19 - Components ID 96 - (GA 26+ - 7.4bar, 9.1bar – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL), (GA 30 – 7.4bar, 9.1bar, 10.8bar, 12.5bar – 230V-380V-460V/60Hz IEC, 200V-230-460V-460V/60Hz UL-cUL) (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))



15.19 - Components ID 96 - (GA 26+ - 7.4bar, 9.1bar – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL), (GA 30 – 7.4bar, 9.1bar, 10.8bar, 12.5bar – 230V-380V-460V/60Hz IEC, 200V-230-460V-460V/60Hz UL-cUL) (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))

Ref	Part Number	Qty	Name	Validity	R.
•		1	WIRING	(10/06/2018 - 20/08/2018) CAPPRM:ASME + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + PRESS:10.8BAR) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V) (21/08/2018 - 28/02/2019) CAPPRM:ASME + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (PRESS:10.8BAR , PRESS:12.5BAR)) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)	
•				(10/06/2018 - 20/08/2018) CAPPRM:ASME + (MODEL:GA26P_18 + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V)) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR)) (21/08/2018 - 28/02/2019) CAPPRM:ASME + (MODEL:GA26P_18 + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))	
6010 ••	2205 0410 03	1	CUBICLE	(10/06/2018 - 20/08/2018) CAPPRM:ASME + (MODEL:GA26P_18 + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V)) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR)) (21/08/2018 - 28/02/2019) CAPPRM:ASME + (MODEL:GA26P_18 + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))	
6010 ••	2205 0410 01	1	CUBICLE	(10/06/2018 - 20/08/2018) CAPPRM:ASME + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + PRESS:10.8BAR) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V) (21/08/2018 - 28/02/2019) CAPPRM:ASME + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (PRESS:10.8BAR , PRESS:12.5BAR)) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)	
6020 ••	1627 1869 00	1	TRANSFORMER	(10/06/2018 - 20/08/2018) CAPPRM:ASME + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + PRESS:10.8BAR) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V) (21/08/2018 - 28/02/2019) CAPPRM:ASME + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (PRESS:10.8BAR , PRESS:12.5BAR)) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)	

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT R410A

Legend:


CAPPRE:IEC - Component approval electrical:IEC
FREQ:60HZ - Frequency:60 Hz
MODEL:GA30_18 - Model:GA 30
MOVOL:230_460_V - Supply voltage:230-460 V
MOVOL:460V - Supply voltage:460 V
PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
IDRY:Y - Integrated dryer:Yes
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:230V - Supply voltage:230 V
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
MODEL:GA26P_18 - Model:GA 26+
MOVOL:200V - Supply voltage:200 V
MOVOL:380V - Supply voltage:380 V
PRESS:12.5BAR - Working pressure:12.5 bar

15.19 - Components ID 96 - (GA 26+ - 7.4bar, 9.1bar – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL), (GA 30 – 7.4bar, 9.1bar, 10.8bar, 12.5bar – 230V-380V-460V/60Hz IEC, 200V-230-460V-460V/60Hz UL-cUL) (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + (MOVOL:200230460V, MOVOL:460V)) + (PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + (MOVOL:200V, MOVOL:230_460_V, MOVOL:460V)) + (PRESS:10.8BAR, PRESS:12.5BAR, PRESS:7.4BAR, PRESS:9.1BAR))



15.19 - Components ID 96 - (GA 26+ - 7.4bar, 9.1bar – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL), (GA 30 – 7.4bar, 9.1bar, 10.8bar, 12.5bar – 230V-380V-460V/60Hz IEC, 200V-230-460V-460V/60Hz UL-cUL) (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))

Ref	Part Number	Qty	Name	Validity	R.
6030	•• 1627 1538 00	1	PLATE	(10/06/2018 - 20/08/2018) CAPPRM:ASME + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + PRESS:10.8BAR) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V) (21/08/2018 - 28/02/2019) CAPPRM:ASME + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (PRESS:10.8BAR , PRESS:12.5BAR)) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)	
	••• 1088 0801 22	1	GROMMET		
	••• 1088 1001 01	1	WARNING MARK		
6040	•• 0226 3256 00	3	SCREW	(10/06/2018 - 20/08/2018) CAPPRM:ASME + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + PRESS:10.8BAR) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V) (21/08/2018 - 28/02/2019) CAPPRM:ASME + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (PRESS:10.8BAR , PRESS:12.5BAR)) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)	

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT R410A

Legend:


CAPPRE:IEC - Component approval electrical:IEC
FREQ:60HZ - Frequency:60 Hz
MODEL:GA30_18 - Model:GA 30
MOVOL:230_460_V - Supply voltage:230-460 V
MOVOL:460V - Supply voltage:460 V
PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
IDRY:Y - Integrated dryer:Yes
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:230V - Supply voltage:230 V
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
MODEL:GA26P_18 - Model:GA 26+
MOVOL:200V - Supply voltage:200 V
MOVOL:380V - Supply voltage:380 V
PRESS:12.5BAR - Working pressure:12.5 bar

15.20 - Components ID 96 - (GA 26+ - 7.4bar, 9.1bar – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL), (GA 30 – 7.4bar, 9.1bar, 10.8bar, 12.5bar – 230V-380V-460V/60Hz IEC, 200V-230-460V-460V/60Hz UL-cUL) (01/03/2019 - ...)

FREQ:60HZ + IDRY:Y + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + (MOVOL:200230460V, MOVOL:460V)) + (PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + (MOVOL:200V, MOVOL:230_460_V, MOVOL:460V)) + (PRESS:10.8BAR, PRESS:12.5BAR, PRESS:7.4BAR, PRESS:9.1BAR))



15.20 - Components ID 96 - (GA 26+ - 7.4bar, 9.1bar – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL), (GA 30 – 7.4bar, 9.1bar, 10.8bar, 12.5bar – 230V-380V-460V/60Hz IEC, 200V-230-460V-460V/60Hz UL-cUL) (01/03/2019 - ...)

FREQ:60HZ + IDRY:Y + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))

Ref	Part Number	Qty	Name	Validity
	4102 0040 62	1	AIR DRYER	(01/03/2019 - ...) CAPPRM:ASME + (MODEL:GA26P_18 + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))
	1627 1587 83			(01/03/2019 - ...) CAPPRM:ASME + MOVOL:460V + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (PRESS:10.8BAR , PRESS:12.5BAR))
	1627 1587 85			(01/03/2019 - ...) CAPPRE:IEC + CAPPRM:ASME + MOVOL:380V + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (PRESS:10.8BAR , PRESS:12.5BAR))
	•	1	CANOPY	(01/03/2019 - ...) CAPPRM:ASME
1010	•• 2204 1660 80	1	FRAME	
	••• 1627 1828 00	1	DECAL WARNING	
1020	•• 1622 0000 20	1	DECAL SYMBOLS	
1060	•• 0216 1100 72	2	SCREW HEXAGON	
	•	1	HEAT EXCHANGER CONNECTIONS	(01/03/2019 - ...) CAPPRM:ASME
2010	•• 1627 1455 80	1	HEAT EXCHANGER	
2020	•• 0147 1247 03	4	HEXAGON BOLT	
2030	•• 0300 0274 64	4	WASHER	
2050	•• 0301 2321 00	4	PLAIN WASHER	
2060	•• 2202 8870 02	1	TEMPERATURE SENSOR	
	•• 1617 0128 00	AR	HEAT CONDUCTING PASTA	
	•	1	REFRIGERANT CONNECTIONS	(01/03/2019 - ...) CAPPRM:ASME
3030	•• 1617 0092 03	1	RING	
3050	•• 0348 0101 13	10	CABLE TIE	
3060	•• 1624 2293 00	1	FILTER DRYER	
3070	•• 1627 1459 00	1	CONDENSER	
3080	•• 0300 0274 70	4	WASHER	
3090	•• 0226 3256 00	3	SCREW	
3100	•• 1617 2385 00	1	ROTATION ARROW	
3120	•• 1624 9710 00	1	INSULATION THERMAL	
3130	•• 1624 9614 00	1	INSULATION THERMAL	
4020	•• 1603 6310 93	1	PIPESET	
4010	••• 2204 1636 80	1	PIPE ASSEMBLY	
	•••• 1624 2486 02	1	HGB VALVE	
	•••• 1617 0082 00	1	SLEEVE	
	•••• 1617 0058 00	1	NUT	
	•••• 1624 9352 00	1	SCHRAEDER VALVE	
4020	••• 1627 1521 00	1	PIPE	
	•••• 1619 5563 02	1	SCHRÄDER VALVE	
4030	••• 1627 1522 00	1	PIPE	

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT R410A

Legend:


CAPPRE:IEC - Component approval electrical:IEC
FREQ:60HZ - Frequency:60 Hz
MODEL:GA30_18 - Model:GA 30
MOVOL:230_460_V - Supply voltage:230-460 V
MOVOL:460V - Supply voltage:460 V
PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
IDRY:Y - Integrated dryer:Yes
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:230V - Supply voltage:230 V
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
MODEL:GA26P_18 - Model:GA 26+
MOVOL:200V - Supply voltage:200 V
MOVOL:380V - Supply voltage:380 V
PRESS:12.5BAR - Working pressure:12.5 bar

15.20 - Components ID 96 - (GA 26+ - 7.4bar, 9.1bar – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL), (GA 30 – 7.4bar, 9.1bar, 10.8bar, 12.5bar – 230V-380V-460V/60Hz IEC, 200V-230-460V-460V/60Hz UL-cUL) (01/03/2019 - ...)

FREQ:60HZ + IDRY:Y + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + (MOVOL:200230460V, MOVOL:460V)) + (PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + (MOVOL:200V, MOVOL:230_460_V, MOVOL:460V)) + (PRESS:10.8BAR, PRESS:12.5BAR, PRESS:7.4BAR, PRESS:9.1BAR))



15.20 - Components ID 96 - (GA 26+ - 7.4bar, 9.1bar – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL), (GA 30 – 7.4bar, 9.1bar, 10.8bar, 12.5bar – 230V-380V-460V/60Hz IEC, 200V-230-460V-460V/60Hz UL-cUL) (01/03/2019 - ...)

FREQ:60HZ + IDRY:Y + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))

Ref	Part Number	Qty	Name	Validity
	⚙ Substituted by:	1627 1522 01	- CAPILLARY ASSY (quantity: 1)	
	•	1	ELECTRICAL COMPONENT	(01/03/2019 - ...) CAPPRM:ASME
5010	•• 1624 2616 11	1	COMPRESSOR	
5020	•• 0147 1106 72	3	SCREW	
5030	•• 0300 8019 00	3	PLAIN WASHER	
5040	•• 0333 3127 00	3	WASHER	
5050	•• 1627 1692 82	1	AXIAL FAN	
5060	•• 0147 1247 03	4	HEXAGON BOLT	
5070	•• 0300 0274 64	4	WASHER	
5080	•• 0333 3220 00	4	WASHER	
5085	•• 1624 9350 02	1	CAPACITOR	
5090	•• 1089 9139 25	1	FAN SWITCH	
5091	•• 0301 2315 00	2	PLAIN WASHER	
5092	•• 0160 6039 00	2	SCREW	
5093	•• 1627 1714 00	1	FAN SWITCH SUPPORT	
5094	•• 0129 3270 81	2	BLIND RIVET	
5100	•• 2204 2134 10	1	LDI DRAIN	
5110	•• 1089 9139 16	1	HP SWITCH	
5120	•• 1088 1001 01	1	WARNING MARK	
5130	•• 0348 0101 13	3	CABLE TIE	
5140	•• 0226 3256 00	4	SCREW	
5150	•• 0301 2318 00	4	WASHER	
5160	•• 0333 3214 00	4	WASHER	
	•	1	WIRING	(01/03/2019 - ...) CAPPRM:ASME + (MODEL:GA26P_18 + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))
	•			(01/03/2019 - ...) CAPPRM:ASME + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (PRESS:10.8BAR , PRESS:12.5BAR)) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)
6010	•• 2205 0410 11	1	CUBICLE	(01/03/2019 - ...) CAPPRM:ASME + (MODEL:GA26P_18 + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))
6010	•• 1900 5101 96	1	CUBICLE	(01/03/2019 - ...) CAPPRM:ASME + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (PRESS:10.8BAR , PRESS:12.5BAR)) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)
6020	•• 1627 1869 00	1	TRANSFORMER	(01/03/2019 - ...) CAPPRM:ASME + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (PRESS:10.8BAR , PRESS:12.5BAR)) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT R410A

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA30_18 - Model:GA 30
 MOVOL:230_460_V - Supply voltage:230-460 V
 MOVOL:460V - Supply voltage:460 V
 PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 IDRY:Y - Integrated dryer:Yes
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:230V - Supply voltage:230 V
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:200V - Supply voltage:200 V
 MOVOL:380V - Supply voltage:380 V
 PRESS:12.5BAR - Working pressure:12.5 bar

15.20 - Components ID 96 - (GA 26+ - 7.4bar, 9.1bar – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL), (GA 30 – 7.4bar, 9.1bar, 10.8bar, 12.5bar – 230V-380V-460V/60Hz IEC, 200V-230-460V-460V/60Hz UL-cUL) (01/03/2019 - ...)

FREQ:60HZ + IDRY:Y + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + (MOVOL:200230460V, MOVOL:460V)) + (PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + (MOVOL:200V, MOVOL:230_460_V, MOVOL:460V)) + (PRESS:10.8BAR, PRESS:12.5BAR, PRESS:7.4BAR, PRESS:9.1BAR))



15.20 - Components ID 96 - (GA 26+ - 7.4bar, 9.1bar – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL), (GA 30 – 7.4bar, 9.1bar, 10.8bar, 12.5bar – 230V-380V-460V/60Hz IEC, 200V-230-460V-460V/60Hz UL-cUL) (01/03/2019 - ...)

FREQ:60HZ + IDRY:Y + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))

Ref	Part Number	Qty	Name	Validity
6030	•• 1627 1538 00	1	PLATE	(01/03/2019 - ...) CAPPRM:ASME + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (PRESS:10.8BAR , PRESS:12.5BAR)) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)
	••• 1088 0801 22	1	GROMMET	
	••• 1088 1001 01	1	WARNING MARK	
6040	•• 0226 3256 00	3	SCREW	(01/03/2019 - ...) CAPPRM:ASME + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (PRESS:10.8BAR , PRESS:12.5BAR)) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT R410A

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA30_18 - Model:GA 30
 MOVOL:230_460_V - Supply voltage:230-460 V
 MOVOL:460V - Supply voltage:460 V
 PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 IDRY:Y - Integrated dryer:Yes
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:230V - Supply voltage:230 V
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:200V - Supply voltage:200 V
 MOVOL:380V - Supply voltage:380 V
 PRESS:12.5BAR - Working pressure:12.5 bar

16.1 - Electrical components

OEM:N + (CAPPRE:IEC + FREQ:50HZ + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:460V , MOVOL:575V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18))))



16.1 - Electrical components

OEM:N + (CAPPRE:IEC + FREQ:50HZ + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:460V , MOVOL:575V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18))))

Ref	Part Number	Qty	Name	Validity
1010	-	1	CUBICLE	(01/08/2017 - ...)
1050	0147 1963 08	1	HEXAGON BOLT	
1050	0147 1963 08	4	HEXAGON BOLT	(26/07/2019 - ...) CAPPRE:IEC + FREQ:50HZ + MODEL:GA11P_18 + (MOVOL:400V , MOVOL:400VN)
1060	1089 0574 70	1	TEMPERATURE SENSOR	(03/09/2018 - ...)
1065	1089 0708 11	1	TEMPERATURE SWITCH	(03/09/2018 - ...)
1070	1089 0580 22	1	SOLENOID VALVE	(16/04/2018 - ...)
1080	2001 0104 10	1	FUSE LABEL	(15/04/2018 - 15/04/2018) CAPPRE:IEC + (FREQ:50HZ + MODEL:GA11P_18 + MOVOL:230V + OEM:N , FREQ:60HZ + (MODEL:GA18P_18 + MOVOL:380V + OEM:AMMANN , OEM:N + (MODEL:GA11P_18 + MOVOL:230V , MODEL:GA18P_18 + MOVOL:380V , MOVOL:460V + (MODEL:GA22P_18 , MODEL:GA26P_18))))
1080	2001 0104 12	1	FUSE LABEL	(16/04/2018 - ...) CAPPRE:IEC + (FREQ:50HZ + (MODEL:GA11P_18 + MOVOL:230V , MODEL:GA18P_18 + (MOVOL:400V , MOVOL:400VN)) , FREQ:60HZ + (MODEL:GA11P_18 + MOVOL:230V , MOVOL:380V + (MODEL:GA18P_18 , MODEL:GA22P_18) , MOVOL:460V + (MODEL:GA22P_18 , MODEL:GA26P_18)))
1080	2001 0104 14	1	FUSE LABEL	(15/04/2018 - 15/04/2018) CAPPRE:IEC + (FREQ:50HZ + MODEL:GA15P_18 + MOVOL:230V + OEM:N , FREQ:60HZ + MODEL:GA26P_18 + MOVOL:380V) , FREQ:60HZ + MODEL:GA30_18 + MOVOL:460V + OEM:N
1080	2001 0104 16	1	FUSE LABEL	(16/04/2018 - ...) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA15P_18 + MOVOL:230V , MODEL:GA22P_18 + (MOVOL:400V , MOVOL:400VN)) , FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:IEC + MOVOL:380V , CAPPRE:ULCUL + MOVOL:200230460V) , MODEL:GA30_18 + (CAPPRE:ULCUL + MOVOL:230_460_V , MOVOL:460V + (CAPPRE:IEC , CAPPRE:ULCUL)))
1080	2001 0104 18	1	FUSE LABEL	(15/04/2018 - 15/04/2018) CAPPRE:IEC + (FREQ:60HZ + MODEL:GA30_18 + MOVOL:380V , MODEL:GA18P_18 + MOVOL:230V + OEM:N)
1080	2001 0104 06	1	FUSE LABEL	(16/04/2018 - ...) CAPPRE:IEC + (FREQ:50HZ + (MODEL:GA26P_18 , MODEL:GA30_18) + (MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + MODEL:GA30_18 + MOVOL:380V , MOVOL:230V + (MODEL:GA18P_18 , FREQ:60HZ + MODEL:GA15P_18))
1080	2001 0104 18	1	FUSE LABEL	(15/04/2018 - ...) CAPPRE:IEC + MOVOL:230V + (MODEL:GA30_18 , FREQ:50HZ + MODEL:GA26P_18)
1080	2001 0104 06	1	FUSE LABEL	(15/04/2018 - 15/04/2018) FREQ:60HZ + (CAPPRE:IEC + MODEL:GA11P_18 + MOVOL:380V , MODEL:GA15P_18 + MOVOL:460V + OEM:N)
1080	2001 0104 08	1	FUSE LABEL	(16/04/2018 - 25/07/2019) FREQ:60HZ + (CAPPRE:IEC + MODEL:GA11P_18 + MOVOL:380V , CAPPRE:ULCUL + MODEL:GA18P_18 + MOVOL:575V , MODEL:GA15P_18 + MOVOL:460V)
1080	2001 0104 08	1	FUSE LABEL	(26/07/2019 - ...) CAPPRE:IEC + (FREQ:60HZ + MODEL:GA15P_18 + MOVOL:460V , MODEL:GA11P_18 + (FREQ:50HZ + (MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + MOVOL:380V)) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA15P_18 + MOVOL:460V , MODEL:GA18P_18 + MOVOL:575V)
1080	2001 0104 08	1	FUSE LABEL	(15/04/2018 - 15/04/2018) FREQ:60HZ + (CAPPRE:IEC + MODEL:GA15P_18 + MOVOL:380V + OEM:AMMANN , OEM:N + (CAPPRE:IEC + MODEL:GA15P_18 + MOVOL:380V , MODEL:GA18P_18 + (CAPPRE:IEC + MOVOL:460V , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))))
1080	2001 0104 08	1	FUSE LABEL	(16/04/2018 - ...) CAPPRE:IEC + (FREQ:60HZ + MODEL:GA18P_18 + MOVOL:460V , MODEL:GA15P_18 + (FREQ:50HZ + (MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + MOVOL:380V)) , CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA18P_18 + (MOVOL:200230460V , MOVOL:460V)

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 MOVOL:230_460_V - Supply voltage:230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N
 OEM:AMMANN - OEM:Amann asphalt

FREQ:50HZ - Frequency:50 Hz
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:200V - Supply voltage:200 V
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V
 OEM:N - OEM:N

16.1 - Electrical components

OEM:N + (CAPPRE:IEC + FREQ:50HZ + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:460V , MOVOL:575V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18))))



16.1 - Electrical components

OEM:N + (CAPPRE:IEC + FREQ:50HZ + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:460V , MOVOL:575V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18))))

Ref	Part Number	Qty	Name	Validity
1080	2001 0104 04	1	FUSE LABEL	(15/04/2018 - 15/04/2018) CAPPRE:IEC + FREQ:60HZ + MODEL:GA11P_18 + MOVOL:460V (16/04/2018 - 25/07/2019) CAPPRE:IEC + MODEL:GA11P_18 + (FREQ:50HZ + (MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + MOVOL:460V) (26/07/2019 - ...) CAPPRE:IEC + MODEL:GA11P_18 + (FREQ:50HZ + MOVOL:400V , FREQ:60HZ + MOVOL:460V)
1080	2001 0104 05	1	FUSE LABEL	(15/04/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA11P_18 + (MOVOL:200230460V , MOVOL:460V) , MODEL:GA15P_18 + MOVOL:575V)
1080	2001 0104 09	1	FUSE LABEL	(15/04/2018 - 15/04/2018) CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA22P_18 + MOVOL:460V , MOVOL:575V + (MODEL:GA26P_18 , MODEL:GA30_18)) (16/04/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA22P_18 + (MOVOL:200230460V , MOVOL:460V) , MOVOL:575V + (MODEL:GA26P_18 , MODEL:GA30_18))
1080	2001 0104 11	1	FUSE LABEL	(15/04/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA26P_18 + MOVOL:460V
1080	2001 0104 03	1	FUSE LABEL	(15/04/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA11P_18 + MOVOL:575V
1080	2001 0104 07	1	FUSE LABEL	(15/04/2018 - 15/04/2018) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA22P_18 + MOVOL:575V (16/04/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA15P_18 + MOVOL:200230460V , MODEL:GA22P_18 + MOVOL:575V)
1080	2001 0104 19	1	FUSE LABEL	(16/04/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA30_18 + MOVOL:200V
1090	2001 0104 16	1	FUSE LABEL	(16/04/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA22P_18 + MOVOL:200230460V
1090	2001 0104 13	1	FUSE LABEL	(16/04/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA15P_18 + MOVOL:200230460V
1090	2001 0104 17	1	FUSE LABEL	(16/04/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA26P_18 + MOVOL:200230460V
1090	2001 0104 11	1	FUSE LABEL	(15/04/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA11P_18 + MOVOL:200230460V
1090	2001 0104 15	1	FUSE LABEL	(15/04/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA18P_18 + MOVOL:200230460V
1090	2001 0104 19	1	FUSE LABEL	(16/04/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA30_18 + MOVOL:230_460_V

Legend:


CAPPRE:IEC - Component approval electrical:IEC
FREQ:60HZ - Frequency:60 Hz
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
MOVOL:230_460_V - Supply voltage:230-460 V
MOVOL:400V - Supply voltage:400 V
MOVOL:575V - Supply voltage:575 V

CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA11P_18 - Model:GA 11+
MODEL:GA22P_18 - Model:GA 22+
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:230V - Supply voltage:230 V
MOVOL:400VN - Supply voltage:400 V+N
OEM:AMMANN - OEM:Ammann asphalt

FREQ:50HZ - Frequency:50 Hz
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
MOVOL:200V - Supply voltage:200 V
MOVOL:380V - Supply voltage:380 V
MOVOL:460V - Supply voltage:460 V
OEM:N - OEM:N

16.2 - Cubicle components GA 11+, GA 15+ - 230V IEC

CAPPRE:IEC + MOVOL:230V + OEM:N + (MODEL:GA11P_18, MODEL:GA15P_18)



16.2 - Cubicle components GA 11+, GA 15+ - 230V IEC

CAPPRE:IEC + MOVOL:230V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 08	1	CUBICLE	(16/04/2018 - ...)	
	9828 5323 50	1	SERVICE DIAGRAM	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , SD FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	9828 5323 20	-	CUBICLE ASSEMBLY DRAWING	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , AD FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , WH FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
		1	DATALABEL	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , DATALABEL FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	0993 7106 07	1	RAIL	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , - FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	~~1088 0031 81~~	1	END STOP BRACKET 6MM	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , - FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	 Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9427 61	3	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , 1X0 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	1089 9366 22	3	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	Electrical legend:	1X0:L1-L3 (to 1X2)			
	1089 9427 60	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , 1X3 motor FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	1089 9427 63	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	Electrical legend:	1X0:PE customer			
	0993 7106 07	1	RAIL	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , - FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , - FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	 Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9623 52	1	CONTACTOR	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , K21 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	1089 9623 52	1	CONTACTOR	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , K23 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	1089 9438 76	1	CONTACTOR	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , K22 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	1089 9205 16	1	OVERLOAD RELAY	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , F21 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	1089 9438 86	1	CONTACTOR	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , K21 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	1089 9438 84	1	CONTACTOR	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , K23 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	0993 7106 07	1	RAIL	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , - FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , - FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	 Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1088 0061 65	1	END PLATE	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	Electrical legend:	1X1:T1,2,3 & T10,11,12			

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA15P_18 - Model:GA 15+

FREQ:50HZ - Frequency:50 Hz
MOVOL:230V - Supply voltage:230 V

MODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

16.2 - Cubicle components GA 11+, GA 15+ - 230V IEC

CAPPRE:IEC + MOVOL:230V + OEM:N + (MODEL:GA11P_18, MODEL:GA15P_18)



16.2 - Cubicle components GA 11+, GA 15+ - 230V IEC

CAPPRE:IEC + MOVOL:230V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1088 0061 63	6	TERMINAL BLOCK	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	Electrical legend:	1X1:T1,2,3 & T10,11,12			
	1089 9514 60	1	TRANSFORMER	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , T1 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	1089 0612 24	2	FUSE 4A	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , F1-F2 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	1089 0612 01	2	FUSE HOLDER	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , F1-F2 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	1089 9267 25	1	CIRCUIT BREAKER	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , Q15 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	1089 9267 55	1	POWER SWITCH	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	Electrical legend:	Q15 (NO contact)			
	1089 9427 49	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	Electrical legend:	1X1:Y (terminal)			
	1089 9427 48	1	PLATE END	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	Electrical legend:	1X1:Y (end plate)			
	1089 9513 98	1	EMERGENCY STOP BUTTON	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , S3 (button) FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	1089 9482 92	2	CONTACT BLOCK	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	Electrical legend:	S3 (contacts)			
	1089 9482 95	1	HOLDER	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	Electrical legend:	S3 (holder for contacts)			
	1089 9438 42	1	CONTACTOR	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , K5 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	1089 9461 07	1	PHASE SEQUENCE RELAY	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , K25 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	1089 0612 21	1	FUSE	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , F3 (IEC) FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	1089 0612 01	1	FUSE HOLDER	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , F3 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	1088 0039 93	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA15P_18 - Model:GA 15+

FREQ:50HZ - Frequency:50 Hz
MOVOL:230V - Supply voltage:230 V

MODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

16.2 - Cubicle components GA 11+, GA 15+ - 230V IEC

CAPPRE:IEC + MOVOL:230V + OEM:N + (MODEL:GA11P_18, MODEL:GA15P_18)



16.2 - Cubicle components GA 11+, GA 15+ - 230V IEC

CAPPRE:IEC + MOVOL:230V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , 1X5 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	1088 0021 41	3	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , 1X2:L1-L2-L3 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , 1X2 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	0993 7106 07	1	RAIL	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , - FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	1089 9398 92	2	RAIL CARRIER	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , - FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	1088 0031 32	1	CONNECTOR	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , 2X30 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	1088 0037 80	1	CONNECTOR	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , 2X28 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , - FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	 Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
		1	AIR INLET WITH FILTER	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	Electrical legend:	airinlet bottom			
	 Service kits:	2901 9908 19 - CUBICLE VENTILATION KIT - GA 11+, GA 15+ 2901 9908 20 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 4000HRS 2901 9908 21 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 4000HRS 2901 9908 24 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 8000HRS 2901 9908 25 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 8000HRS			
		1	CUBICLE FAN	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	Electrical legend:	airoutlet top			
	 Service kits:	2901 9908 19 - CUBICLE VENTILATION KIT - GA 11+, GA 15+ 2901 9908 20 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 4000HRS 2901 9908 21 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 4000HRS 2901 9908 24 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 8000HRS 2901 9908 25 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 8000HRS			
	0697 9809 24	1	LOCKNUT	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , WH FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	0697 9810 32	1	PLUG	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , TT01 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...)	FAN
	0698 5149 16	1	PLUG	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , TT90 (LAT) FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA15P_18 - Model:GA 15+

FREQ:50HZ - Frequency:50 Hz
MOVOL:230V - Supply voltage:230 V

MODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

16.2 - Cubicle components GA 11+, GA 15+ - 230V IEC

CAPPRE:IEC + MOVOL:230V + OEM:N + (MODEL:GA11P_18, MODEL:GA15P_18)



16.2 - Cubicle components GA 11+, GA 15+ - 230V IEC

CAPPRE:IEC + MOVOL:230V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	0698 5148 82	1	PLUG	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , A1 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
2730	0697 9811 15	1	PLUG	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , M1 cable 2 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
2735	0989 3700 46	1	NUT	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , M1 cable 2 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
2740	0697 9811 11	1	PLUG	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , ANTENNA FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
2745	0989 3700 42	1	NUT	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , ANTENNA FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
2750	0698 5140 70	1	CABLE GLAND	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , TT01 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
2760	0697 9809 13	1	LOCKNUT	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , PT20 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
2765	0583 8120 73	1	ELBOW	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , PT20 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
2780	0698 5140 70	1	CABLE GLAND	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , TT90 (LAT) FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
2785	0697 9809 30	1	LOCKNUT	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , TT90 (LAT) FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
2795	0698 5140 73	1	CABLE GLAND	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , A1 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
2800	0697 9809 22	1	LOCKNUT	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , A1 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	1625 2201 27	1	CUBICLE ASSEMBLY	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , MSA FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
3010 •		1	CUBICLE		
3050 •	1625 2201 29	1	DOOR		
3060 •	1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...)	
3070 •	1079 9932 01	1	DECAL		
3080 •	1079 9932 15	1	DECAL		
•	1613 8339 01	1	LOCK		
3100 •	1637 0000 72	1	DECAL BP		
3110 •	1079 9931 46	1	DECAL WARNING		
3120 •	1622 0000 20	2	DECAL SYMBOLS		
3130 •	1079 9901 68	1	WARNING LABEL		

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA15P_18 - Model:GA 15+

FREQ:50HZ - Frequency:50 Hz
MOVOL:230V - Supply voltage:230 V

MODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

16.3 - Cubicle components GA 18+, GA 22+ - 230V IEC

CAPPRE:IEC + MOVOL:230V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)



16.3 - Cubicle components GA 18+, GA 22+ - 230V IEC

CAPPRE:IEC + MOVOL:230V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 08	1	CUBICLE	(15/04/2018 - ...)	
	9828 5323 50	1	SERVICE DIAGRAM	(15/04/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY DRAWING	(15/04/2018 - ...)	AD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(15/04/2018 - ...)	WH
		1	DATA LABEL	(15/04/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	~~1088 0031 81~~	1	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9366 72	3	TERMINAL	(15/04/2018 - ...)	1X0
	1089 9366 73	3	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 63	1	TERMINAL	(15/04/2018 - ...)	1X3 motor
	1088 0027 27	1	TERMINAL BLOCK	(15/04/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9623 53	1	CONTACTOR	(15/04/2018 - ...)	K21
	1089 9623 53	1	CONTACTOR	(15/04/2018 - ...)	K23
	1089 9438 79	1	CONTACTOR	(15/04/2018 - ...)	K22
	1089 9446 97	1	OVERLOAD RELAY	(15/04/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(15/04/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(15/04/2018 - ...)	K23
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1088 0061 65	1	END PLATE	(15/04/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0061 63	6	TERMINAL BLOCK	(15/04/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1089 9514 60	1	TRANSFORMER	(15/04/2018 - ...)	T1
	1089 0612 24	2	FUSE 4A	(15/04/2018 - ...)	F1-F2
	1089 0612 01	2	FUSE HOLDER	(15/04/2018 - ...)	F1-F2
	1089 9267 29	1	CIRCUIT BREAKER	(15/04/2018 - ...)	Q15
	1089 9267 55	1	POWER SWITCH	(15/04/2018 - ...)	
	Electrical legend: Q15 (NO contact)				
	1089 9427 49	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(15/04/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9513 98	1	EMERGENCY STOP BUTTON	(15/04/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(15/04/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(15/04/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(15/04/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQUENCE RELAY	(15/04/2018 - ...)	K25
	1089 0612 21	1	FUSE	(15/04/2018 - ...)	F3 (IEC)
	1089 0612 01	1	FUSE HOLDER	(15/04/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:5 top				

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MOVOL:230V - Supply voltage:230 V

MODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N

MODEL:GA22P_18 - Model:GA 22+

16.3 - Cubicle components GA 18+, GA 22+ - 230V IEC

CAPPRE:IEC + MOVOL:230V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)



16.3 - Cubicle components GA 18+, GA 22+ - 230V IEC

CAPPRE:IEC + MOVOL:230V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(15/04/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(15/04/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(15/04/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(15/04/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	TERMINAL	(15/04/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1089 9398 92	2	RAIL CARRIER	(15/04/2018 - ...)	-
	1088 0031 32	1	CONNECTOR	(15/04/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(15/04/2018 - ...)	2X28
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
		1	AIR INLET WITH FILTER	(15/04/2018 - ...)	
	Electrical legend:	airinlet bottom			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
		1	AIR INLET WITH FILTER	(15/04/2018 - ...)	
	Electrical legend:	airoutlet top			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
	0697 9809 24	1	LOCKNUT	(15/04/2018 - ...)	WH
	0697 9810 32	1	PLUG	(15/04/2018 - ...)	TT01
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...)	FAN
	0698 5149 16	1	PLUG	(15/04/2018 - ...)	TT90 (LAT)
	0698 5148 82	1	PLUG	(15/04/2018 - ...)	A1
2730	0697 9811 15	1	PLUG	(15/04/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(15/04/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(15/04/2018 - ...)	ANTENNA
2745	0989 3700 42	1	NUT	(15/04/2018 - ...)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT01
2760	0697 9809 13	1	LOCKNUT	(15/04/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(15/04/2018 - ...)	PT20
2780	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCKNUT	(15/04/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(15/04/2018 - ...)	A1
2800	0697 9809 22	1	LOCKNUT	(15/04/2018 - ...)	A1

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MOVOL:230V - Supply voltage:230 V

MODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N

MODEL:GA22P_18 - Model:GA 22+

16.3 - Cubicle components GA 18+, GA 22+ - 230V IEC

CAPPRE:IEC + MOVOL:230V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)



16.3 - Cubicle components GA 18+, GA 22+ - 230V IEC

CAPPRE:IEC + MOVOL:230V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1625 2201 27	1	CUBICLE ASSEMBLY	(15/04/2018 - ...)	MSA
3010	•	1	CUBICLE		
3050	• 1625 2201 29	1	DOOR		
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...)	
3070	• 1079 9932 01	1	DECAL		
3080	• 1079 9932 15	1	DECAL		
	• 1613 8339 01	1	LOCK		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MOVOL:230V - Supply voltage:230 V

MODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N

MODEL:GA22P_18 - Model:GA 22+

16.4 - Cubicle components GA 26+, GA 30 - 230V IEC

CAPPRE:IEC + MOVOL:230V + OEM:N + (MODEL:GA26P_18, MODEL:GA30_18)



16.4 - Cubicle components GA 26+, GA 30 - 230V IEC

CAPPRE:IEC + MOVOL:230V + OEM:N + (MODEL:GA26P_18 , MODEL:GA30_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 28	1	CUBICLE	(15/04/2018 - ...)	
	9828 5323 50	1	SERVICE DIAGRAM	(15/04/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY DRAWING	(15/04/2018 - ...)	AD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(15/04/2018 - ...)	WH
		1	DATA LABEL	(15/04/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	~~1088 0031 81~~	1	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9366 72	3	TERMINAL	(15/04/2018 - ...)	1X0
	1089 9366 73	3	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 63	1	TERMINAL	(15/04/2018 - ...)	1X3 motor
	1088 0027 27	1	TERMINAL BLOCK	(15/04/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9321 75	1	CONTACTOR	(15/04/2018 - ...)	K21
	1089 9321 75	1	CONTACTOR	(15/04/2018 - ...)	K23
	1089 9623 52	1	CONTACTOR	(15/04/2018 - ...)	K22
	1089 9205 18	1	OVERLOAD RELAY	(15/04/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(15/04/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(15/04/2018 - ...)	K23
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1088 0061 65	1	END PLATE	(15/04/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0061 63	6	TERMINAL BLOCK	(15/04/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1089 9514 60	1	TRANSFORMER	(15/04/2018 - ...)	T1
	1089 0612 24	2	FUSE 4A	(15/04/2018 - ...)	F1-F2
	1089 0612 01	2	FUSE HOLDER	(15/04/2018 - ...)	F1-F2
	1089 9267 29	1	CIRCUIT BREAKER	(15/04/2018 - ...)	Q15
	1089 9267 55	1	POWER SWITCH	(15/04/2018 - ...)	
	Electrical legend: Q15 (NO contact)				
	1089 9427 49	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(15/04/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9513 98	1	EMERGENCY STOP BUTTON	(15/04/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(15/04/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(15/04/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(15/04/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQUENCE RELAY	(15/04/2018 - ...)	K25
	1089 0612 21	1	FUSE	(15/04/2018 - ...)	F3 (IEC)
	1089 0612 01	1	FUSE HOLDER	(15/04/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:5 top				

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MOVOL:230V - Supply voltage:230 V

MODEL:GA26P_18 - Model:GA 26+
OEM:N - OEM:N

MODEL:GA30_18 - Model:GA 30

16.4 - Cubicle components GA 26+, GA 30 - 230V IEC

CAPPRE:IEC + MOVOL:230V + OEM:N + (MODEL:GA26P_18 , MODEL:GA30_18)



16.4 - Cubicle components GA 26+, GA 30 - 230V IEC

CAPPRE:IEC + MOVOL:230V + OEM:N + (MODEL:GA26P_18 , MODEL:GA30_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(15/04/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(15/04/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(15/04/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(15/04/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	TERMINAL	(15/04/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1089 9398 92	2	RAIL CARRIER	(15/04/2018 - ...)	-
	1088 0031 32	1	CONNECTOR	(15/04/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(15/04/2018 - ...)	2X28
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
		1	AIR INLET WITH FILTER	(15/04/2018 - ...)	
	Electrical legend:	airinlet bottom			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
		1	AIR INLET WITH FILTER	(15/04/2018 - ...)	
	Electrical legend:	airoutlet top			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
	0697 9809 24	1	LOCKNUT	(15/04/2018 - ...)	WH
	0697 9810 32	1	PLUG	(15/04/2018 - ...)	TT01
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...)	FAN
	0698 5149 16	1	PLUG	(15/04/2018 - ...)	TT90 (LAT)
	0698 5148 82	1	PLUG	(15/04/2018 - ...)	A1
2730	0697 9811 15	1	PLUG	(15/04/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(15/04/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(15/04/2018 - ...)	ANTENNA
2745	0989 3700 42	1	NUT	(15/04/2018 - ...)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT01
2760	0697 9809 13	1	LOCKNUT	(15/04/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(15/04/2018 - ...)	PT20
2780	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCKNUT	(15/04/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(15/04/2018 - ...)	A1
2800	0697 9809 22	1	LOCKNUT	(15/04/2018 - ...)	A1

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MOVOL:230V - Supply voltage:230 V

MODEL:GA26P_18 - Model:GA 26+
OEM:N - OEM:N

MODEL:GA30_18 - Model:GA 30

16.4 - Cubicle components GA 26+, GA 30 - 230V IEC

CAPPRE:IEC + MOVOL:230V + OEM:N + (MODEL:GA26P_18 , MODEL:GA30_18)



16.4 - Cubicle components GA 26+, GA 30 - 230V IEC

CAPPRE:IEC + MOVOL:230V + OEM:N + (MODEL:GA26P_18 , MODEL:GA30_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1625 2201 27	1	CUBICLE ASSEMBLY	(15/04/2018 - ...)	MSA
3010	•	1	CUBICLE		
3050	• 1625 2201 29	1	DOOR		
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...)	
3070	• 1079 9932 01	1	DECAL		
3080	• 1079 9932 15	1	DECAL		
	• 1613 8339 01	1	LOCK		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MOVOL:230V - Supply voltage:230 V

MODEL:GA26P_18 - Model:GA 26+
OEM:N - OEM:N

MODEL:GA30_18 - Model:GA 30

16.5 - Cubicle components GA 11+, GA 15+ - 380V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:380V + OEM:N + (MODEL:GA11P_18, MODEL:GA15P_18)



16.5 - Cubicle components GA 11+, GA 15+ - 380V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:380V + OEM:N + (MODEL:GA11P_18, MODEL:GA15P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 54	1	CUBICLE	(15/04/2018 - ...)	
	9828 5323 50	1	SERVICE DIAGRAM	(15/04/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY drawing	(15/04/2018 - ...)	AD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(15/04/2018 - ...)	WH
		1	DATA LABEL	(15/04/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	~~1088 0031 81~~	1	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 58	3	TERMINAL	(15/04/2018 - ...)	1X0
	1089 9366 71	3	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 50	1	TERMINAL	(15/04/2018 - ...)	1X3 motor
	1089 9427 60	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9438 76	1	CONTACTOR	(15/04/2018 - ...)	K21
	1089 9438 76	1	CONTACTOR	(15/04/2018 - ...)	K23
	1089 9438 68	1	CONTACTOR	(15/04/2018 - ...)	K22
	1089 9267 79	1	OVERLOAD RELAY	(15/04/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(15/04/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(15/04/2018 - ...)	K23
	1089 9514 56	1	TRANSFORMER VOLTAGE	(15/04/2018 - ...)	T1
	1089 9168 24	2	FUSE LINK 2A	(15/04/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(15/04/2018 - ...)	F1-F2
	1625 4306 00	1	FUSE LABEL	(15/04/2018 - ...)	LABEL (UL)
	1089 9267 22	1	CIRCUIT BREAKER	(15/04/2018 - ...)	Q15
	1089 9267 91	1	TERMINAL BLOCK	(15/04/2018 - ...)	Q15 (for UL)
	Electrical legend: Q15 (for UL)				
	1089 9267 55	1	POWER SWITCH	(15/04/2018 - ...)	
	Electrical legend: Q15 (NO contact)				
	1089 9427 49	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(15/04/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9513 98	1	EMERGENCY STOP BUTTON	(15/04/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(15/04/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(15/04/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(15/04/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQUENCE RELAY	(15/04/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(15/04/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(15/04/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:12 top				
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:13 top				

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA15P_18 - Model:GA 15+

FREQ:60HZ - Frequency:60 Hz
MOVOL:380V - Supply voltage:380 V

MODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

16.5 - Cubicle components GA 11+, GA 15+ - 380V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:380V + OEM:N + (MODEL:GA11P_18, MODEL:GA15P_18)



16.5 - Cubicle components GA 11+, GA 15+ - 380V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:380V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:14 top				
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:15 top				
	1088 0039 95	1	PLATE	(15/04/2018 - ...)	
	Electrical legend: 1X4 (end plate)				
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:46 bottom / 1x4:47 top				
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1X6:120 / 1x6:121				
	1088 0039 95	1	PLATE	(15/04/2018 - ...)	
	Electrical legend: 1X6 (end plate)				
	1088 0037 30	1	CONNECTOR 2-POLE	(15/04/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(15/04/2018 - ...)	1X2:L1-L2-L3
	Electrical legend: 1X2:L1-L2-L3				
	1088 0021 43	1	TERMINAL	(15/04/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1089 9398 92	2	RAIL CARRIER	(15/04/2018 - ...)	-
	1088 0031 32	1	CONNECTOR	(15/04/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(15/04/2018 - ...)	2X28
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
		1	AIR INLET WITH FILTER	(15/04/2018 - ...)	
	Electrical legend: airinlet bottom				
	Service kits: 2901 9908 19 - CUBICLE VENTILATION KIT - GA 11+, GA 15+				
	2901 9908 20 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 4000HRS				
	2901 9908 21 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 4000HRS				
	2901 9908 24 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 8000HRS				
	2901 9908 25 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 8000HRS				
		1	CUBICLE FAN	(15/04/2018 - ...)	
	Electrical legend: airoutlet top				
	Service kits: 2901 9908 19 - CUBICLE VENTILATION KIT - GA 11+, GA 15+				
	2901 9908 20 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 4000HRS				
	2901 9908 21 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 4000HRS				
	2901 9908 24 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 8000HRS				
	2901 9908 25 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 8000HRS				
	0697 9809 24	1	LOCKNUT	(15/04/2018 - ...)	WH
	0697 9810 32	1	PLUG	(15/04/2018 - ...)	TT01
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...)	FAN
	0698 5149 16	1	PLUG	(15/04/2018 - ...)	TT90 (LAT)
	0698 5148 82	1	PLUG	(15/04/2018 - ...)	A1
2730	0697 9811 15	1	PLUG	(15/04/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(15/04/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(15/04/2018 - ...)	ANTENNA
2745	0989 3700 42	1	NUT	(15/04/2018 - ...)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT01
2760	0697 9809 13	1	LOCKNUT	(15/04/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(15/04/2018 - ...)	PT20
2780	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCKNUT	(15/04/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(15/04/2018 - ...)	A1
2800	0697 9809 22	1	LOCKNUT	(15/04/2018 - ...)	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(15/04/2018 - ...)	MSA
3010 •		1	CUBICLE		
3050 •	1625 2201 29	1	DOOR		

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA15P_18 - Model:GA 15+

FREQ:60HZ - Frequency:60 Hz
MOVOL:380V - Supply voltage:380 V

MODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

16.5 - Cubicle components GA 11+, GA 15+ - 380V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:380V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)



16.5 - Cubicle components GA 11+, GA 15+ - 380V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:380V + OEM:N + (MODEL:GA11P_18, MODEL:GA15P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...)	
3070	• 1079 9932 01	1	DECAL INSTRUCT.		
3080	• 1079 9932 15	1	DECAL INSTRUCT.		
	• 1613 8339 01	1	LOCK		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA15P_18 - Model:GA 15+

FREQ:60HZ - Frequency:60 Hz
MOVOL:380V - Supply voltage:380 V

MODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

16.6 - Cubicle components GA 18+, GA 22+ - 380V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:380V + OEM:N + (MODEL:GA18P_18, MODEL:GA22P_18)



16.6 - Cubicle components GA 18+, GA 22+ - 380V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:380V + OEM:N + (MODEL:GA18P_18, MODEL:GA22P_18)

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 60	1	CUBICLE	(16/04/2018 - ...)	
	9828 5323 50	1	SERVICE DIAGRAM	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	SD
	9828 5323 20	0	CUBICLE ASSEMBLY	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	AD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	WH
		1	DATA LABEL	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	-
	~~1088 0031 81~~	1	END STOP BRACKET 6MM	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	-
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9427 61	3	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	1X0
	1089 9366 22	3	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	
	Electrical legend:	1X0:L1-L3 (to 1X2)			
	1089 9427 60	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	1X3 motor
	1089 9427 63	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	
	Electrical legend:	1X0:PE customer			
	0993 7106 07	1	RAIL	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	-
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	-
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9623 51	1	CONTACTOR	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	K21
	1089 9623 51	1	CONTACTOR	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	K23
	1089 9438 74	1	CONTACTOR	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	K22
	1089 9205 16	1	OVERLOAD RELAY	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	F21
	1089 9514 60	1	TRANSFORMER	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK 4A	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	LABEL (UL)
	1089 9267 26	1	CIRCUIT BREAKER	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	Q15
	1089 9267 91	1	TERMINAL BLOCK	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	Q15 (for UL)
	Electrical legend:	Q15 (for UL)			
	1089 9267 55	1	POWER SWITCH	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	
	Electrical legend:	Q15 (NO contact)			
	1089 9427 49	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	
	Electrical legend:	1X1:Y (terminal)			
	1089 9427 48	1	PLATE END	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	
	Electrical legend:	1X1:Y (end plate)			
	1089 9513 98	1	EMERGENCY STOP BUTTON	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	
	Electrical legend:	S3 (contacts)			
	1089 9482 95	1	HOLDER	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	
	Electrical legend:	S3 (holder for contacts)			
	1089 9438 42	1	CONTACTOR	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQUENCE RELAY	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	K25

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA22P_18 - Model:GA 22+

FREQ:60HZ - Frequency:60 Hz
MOVOL:380V - Supply voltage:380 V

MODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N

16.6 - Cubicle components GA 18+, GA 22+ - 380V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:380V + OEM:N + (MODEL:GA18P_18, MODEL:GA22P_18)



16.6 - Cubicle components GA 18+, GA 22+ - 380V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:380V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)

Atlas Copco


Ref	Part Number	Qty	Name	Validity	EL
	1089 9168 36	1	FUSE LINK 1A	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	-
	1089 9398 92	2	RAIL CARRIER	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	-
	1088 0031 32	1	CONNECTOR	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	2X28
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	-
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
		1	AIR INLET WITH FILTER	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	
	Electrical legend:	airinlet bottom			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
		1	AIR INLET WITH FILTER	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	
	Electrical legend:	airoutlet top			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
	0697 9809 24	1	LOCKNUT	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	WH
	0697 9810 32	1	PLUG	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	TT01
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN

Legend:

CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA22P_18 - Model:GA 22+


FREQ:60HZ - Frequency:60 Hz
MOVOL:380V - Supply voltage:380 V

MODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N



16.6 - Cubicle components GA 18+, GA 22+ - 380V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:380V + OEM:N + (MODEL:GA18P_18, MODEL:GA22P_18)



16.6 - Cubicle components GA 18+, GA 22+ - 380V/60Hz IEC


CAPPRE:IEC + FREQ:60HZ + MOVOL:380V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)

Ref	Part Number	Qty	Name	Validity	EL
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...)	FAN
	0698 5149 16	1	PLUG	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	TT90 (LAT)
	0698 5148 82	1	PLUG	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	A1
2730	0697 9811 15	1	PLUG	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	ANTENNA
2745	0989 3700 42	1	NUT	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	TT01
2760	0697 9809 13	1	LOCKNUT	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	PT20
2780	0698 5140 70	1	CABLE GLAND	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCKNUT	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	A1
2800	0697 9809 22	1	LOCKNUT	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	MSA
3010	•	1	CUBICLE		
3050	• 1625 2201 29	1	DOOR		
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...)	
3070	• 1079 9932 01	1	DECAL		
3080	• 1079 9932 15	1	DECAL		
	• 1613 8339 01	1	LOCK		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA22P_18 - Model:GA 22+FREQ:60HZ - Frequency:60 Hz
MOVOL:380V - Supply voltage:380 VMODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N

16.7 - Cubicle components GA 26+, GA 30 - 380V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:380V + OEM:N + (MODEL:GA26P_18 , MODEL:GA30_18)



16.7 - Cubicle components GA 26+, GA 30 - 380V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:380V + OEM:N + (MODEL:GA26P_18 , MODEL:GA30_18)

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 66	1	CUBICLE	(15/04/2018 - ...)	
	9828 5323 50	1	SERVICE DIAGRAM	(15/04/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY DRAWIN	(15/04/2018 - ...)	AD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(15/04/2018 - ...)	WH
		1	DATA LABEL	(15/04/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	~~1088 0031 81~~	1	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 61	3	TERMINAL	(15/04/2018 - ...)	1X0
	1089 9366 22	3	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 60	1	TERMINAL	(15/04/2018 - ...)	1X3 motor
	1089 9427 63	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9623 52	1	CONTACTOR	(15/04/2018 - ...)	K21
	1089 9623 52	1	CONTACTOR	(15/04/2018 - ...)	K23
	1089 9438 76	1	CONTACTOR	(15/04/2018 - ...)	K22
	1089 9205 16	1	OVERLOAD RELAY	(15/04/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(15/04/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(15/04/2018 - ...)	K23
	1089 9514 60	1	TRANSFORMER	(15/04/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK 4A	(15/04/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER 3NW7013	(15/04/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(15/04/2018 - ...)	LABEL (UL)
	1089 9267 26	1	CIRCUIT BREAKER	(15/04/2018 - ...)	Q15
	1089 9267 91	1	TERMINAL BLOCK	(15/04/2018 - ...)	Q15 (for UL)
	Electrical legend: Q15 (for UL)				
	1089 9267 55	1	SWITCH POWER	(15/04/2018 - ...)	
	Electrical legend: Q15 (NO contact)				
	1089 9427 49	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(15/04/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9513 98	1	EMERGENCY STOP BUTTON	(15/04/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(15/04/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(15/04/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(15/04/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQUENCE RELAY	(15/04/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(15/04/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(15/04/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:12 top				
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:13 top				

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA30_18 - Model:GA 30

FREQ:60HZ - Frequency:60 Hz
MOVOL:380V - Supply voltage:380 V

MODEL:GA26P_18 - Model:GA 26+
OEM:N - OEM:N

16.7 - Cubicle components GA 26+, GA 30 - 380V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:380V + OEM:N + (MODEL:GA26P_18 , MODEL:GA30_18)



16.7 - Cubicle components GA 26+, GA 30 - 380V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:380V + OEM:N + (MODEL:GA26P_18, MODEL:GA30_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(15/04/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(15/04/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(15/04/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(15/04/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	TERMINAL	(15/04/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1089 9398 92	2	RAIL CARRIER	(15/04/2018 - ...)	-
	1088 0031 32	1	CONNECTOR	(15/04/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(15/04/2018 - ...)	2X28
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
		1	AIR INLET WITH FILTER	(15/04/2018 - ...)	
	Electrical legend:	airinlet bottom			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
		1	AIR INLET WITH FILTER	(15/04/2018 - ...)	
	Electrical legend:	airoutlet top			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
	0697 9809 24	1	LOCKNUT	(15/04/2018 - ...)	WH
	0697 9810 32	1	PLUG	(15/04/2018 - ...)	TT01
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...)	FAN
	0698 5149 16	1	PLUG	(15/04/2018 - ...)	TT90 (LAT)
	0698 5148 82	1	PLUG	(15/04/2018 - ...)	A1
2730	0697 9811 15	1	PLUG	(15/04/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(15/04/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(15/04/2018 - ...)	ANTENNA
2745	0989 3700 42	1	NUT	(15/04/2018 - ...)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT01
2760	0697 9809 13	1	LOCKNUT	(15/04/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(15/04/2018 - ...)	PT20
2780	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCKNUT	(15/04/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(15/04/2018 - ...)	A1
2800	0697 9809 22	1	LOCKNUT	(15/04/2018 - ...)	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(15/04/2018 - ...)	MSA
3010 •		1	CUBICLE		
3050 •	1625 2201 29	1	DOOR		

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA30_18 - Model:GA 30

FREQ:60HZ - Frequency:60 Hz
MOVOL:380V - Supply voltage:380 V

MODEL:GA26P_18 - Model:GA 26+
OEM:N - OEM:N

16.7 - Cubicle components GA 26+, GA 30 - 380V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:380V + OEM:N + (MODEL:GA26P_18 , MODEL:GA30_18)



16.7 - Cubicle components GA 26+, GA 30 - 380V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:380V + OEM:N + (MODEL:GA26P_18 , MODEL:GA30_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...)	
3070	• 1079 9932 01	1	DECAL		
3080	• 1079 9932 15	1	DECAL		
	• 1613 8339 01	1	LOCK		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA30_18 - Model:GA 30

FREQ:60HZ - Frequency:60 Hz
MOVOL:380V - Supply voltage:380 V

MODEL:GA26P_18 - Model:GA 26+
OEM:N - OEM:N

16.8 - Cubicle components GA 11+ - 400V-400V+N/50Hz IEC


CAPPRE:IEC + FREQ:50HZ + MODEL:GA11P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)



16.8 - Cubicle components GA 11+ - 400V-400V+N/50Hz IEC


CAPPRE:IEC + FREQ:50HZ + MODEL:GA11P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 02	1	CUBICLE	(27/05/2018 - ...)	
	9828 5323 50	1	SERVICE DIAGRAM	(27/05/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY DRAWING	(27/05/2018 - 25/07/2019) (26/07/2019 - ...) MOVOL:400V	AD
	9828 5323 20	0	CUBICLE ASSEMBLY	(26/07/2019 - ...)	AD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(27/05/2018 - ...)	WH
		1	DATA LABEL	(27/05/2018 - ...)	DATALABEL
	1625 2201 27	1	CUBICLE ASSEMBLY	(26/07/2019 - ...)	MSA
	0993 7106 07	1	RAIL	(27/05/2018 - ...)	-
	1088 0031 81	1	END STOP BRACKET 6MM	(27/05/2018 - ...)	-
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 58	3	TERMINAL	(27/05/2018 - ...)	1X0
	1089 9366 71	3	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 59	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1X0:N (to 1X2)				
	1089 9427 50	1	TERMINAL	(27/05/2018 - ...)	1X3 motor
	1089 9427 60	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(27/05/2018 - ...)	-
	1088 0031 81	2	END STOP BRACKET 6MM	(27/05/2018 - ...)	-
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9438 74	1	CONTACTOR	(27/05/2018 - ...)	K21
	1089 9438 74	1	CONTACTOR	(27/05/2018 - ...)	K23
	1089 9438 66	1	CONTACTOR	(27/05/2018 - ...)	K22
	1089 9446 79	1	OVERLOAD RELAY	(27/05/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(27/05/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(27/05/2018 - ...)	K23
	1089 9514 56	1	TRANSFORMER VOLTAGE	(27/05/2018 - ...)	T1
	1089 0612 23	2	FUSE 2A	(27/05/2018 - ...)	F1-F2
	1089 0612 01	2	FUSE HOLDER	(27/05/2018 - ...)	F1-F2
	1089 9267 22	1	CIRCUIT BREAKER	(27/05/2018 - ...)	Q15
	1089 9267 55	1	POWER SWITCH	(27/05/2018 - ...)	
	Electrical legend: Q15 (NO contact)				
	1089 9427 49	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(27/05/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9513 98	1	EMERGENCY STOP BUTTON	(27/05/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(27/05/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(27/05/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(27/05/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQUENCE RELAY	(27/05/2018 - ...)	K25
	1089 0612 21	1	FUSE	(27/05/2018 - ...)	F3 (IEC)
	1089 0612 01	1	FUSE HOLDER	(27/05/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:12 top				
	1088 0039 93	2	TERMINAL	(27/05/2018 - ...)	

Legend:CAPPRE:IEC - Component approval electrical:IEC
MOVOL:400V - Supply voltage:400 VFREQ:50HZ - Frequency:50 Hz
MOVOL:400VN - Supply voltage:400 V+NMODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

16.8 - Cubicle components GA 11+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA11P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)



16.8 - Cubicle components GA 11+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA11P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(27/05/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(27/05/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(27/05/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(27/05/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 42	1	TERMINAL	(27/05/2018 - ...)	1X2:N
	1088 0021 43	1	TERMINAL	(27/05/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(27/05/2018 - ...)	-
	1089 9398 92	2	RAIL CARRIER	(27/05/2018 - ...)	-
	1088 0031 26	1	CONNECTOR 6-POLE	(27/05/2018 - ...)	2X31
	1088 0031 32	1	CONNECTOR	(27/05/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(27/05/2018 - ...)	2X28
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(27/05/2018 - ...)	-
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
		1	AIR INLET WITH FILTER	(27/05/2018 - ...)	
	Electrical legend:	airinlet bottom			
	Service kits:	2901 9908 19 - CUBICLE VENTILATION KIT - GA 11+, GA 15+			
		2901 9908 20 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 4000HRS			
		2901 9908 21 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 4000HRS			
		2901 9908 24 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 8000HRS			
		2901 9908 25 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 8000HRS			
		1	CUBICLE FAN	(27/05/2018 - ...)	
	Electrical legend:	airoutlet top			
	Service kits:	2901 9908 19 - CUBICLE VENTILATION KIT - GA 11+, GA 15+			
		2901 9908 20 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 4000HRS			
		2901 9908 21 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 4000HRS			
		2901 9908 24 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 8000HRS			
		2901 9908 25 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 8000HRS			
	0697 9809 24	1	LOCKNUT	(27/05/2018 - ...)	WH
	0697 9811 15	1	PLUG	(26/07/2019 - ...)	M1 cable 2
	0989 3700 46	1	NUT	(26/07/2019 - ...)	M1 cable 2
	0697 9811 11	1	PLUG	(26/07/2019 - ...)	ANTENNA
	0989 3700 42	1	NUT	(26/07/2019 - ...)	ANTENNA
	0698 5140 70	1	CABLE GLAND	(26/07/2019 - ...)	TT01
	0697 9810 32	1	PLUG	(27/05/2018 - ...)	TT01
	0697 9809 13	1	LOCKNUT	(26/07/2019 - ...)	PT20
	0583 8120 73	1	ELBOW	(26/07/2019 - ...)	PT20
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...)	FAN
	0698 5140 70	1	CABLE GLAND	(26/07/2019 - ...)	TT90 (LAT)
	0697 9809 30	1	LOCK NUT	(26/07/2019 - ...)	TT90 (LAT)
	0698 5149 16	1	PLUG	(27/05/2018 - ...)	TT90 (LAT)
	0698 5140 73	1	CABLE GLAND	(26/07/2019 - ...)	A1
	0697 9809 22	1	LOCKNUT	(26/07/2019 - ...)	A1
	0698 5148 82	1	PLUG	(27/05/2018 - ...)	A1

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MOVOL:400V - Supply voltage:400 V

FREQ:50HZ - Frequency:50 Hz
MOVOL:400VN - Supply voltage:400 V+N

MODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

16.8 - Cubicle components GA 11+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA11P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)



16.8 - Cubicle components GA 11+ - 400V-400V+N/50Hz IEC


CAPPRE:IEC + FREQ:50HZ + MODEL:GA11P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity	EL
2730	0697 9811 15	1	PLUG	(27/05/2018 - 25/07/2019) (26/07/2019 - ...) MOVOL:400V	M1 cable 2
2735	0989 3700 46	1	NUT	(27/05/2018 - 25/07/2019) (26/07/2019 - ...) MOVOL:400V	M1 cable 2
2740	0697 9811 11	1	PLUG	(27/05/2018 - 25/07/2019) (26/07/2019 - ...) MOVOL:400V	ANTENNA
2745	0989 3700 42	1	NUT	(27/05/2018 - 25/07/2019) (26/07/2019 - ...) MOVOL:400V	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(27/05/2018 - 25/07/2019) (26/07/2019 - ...) MOVOL:400V	TT01
2760	0697 9809 13	1	LOCKNUT	(27/05/2018 - 25/07/2019) (26/07/2019 - ...) MOVOL:400V	PT20
2765	0583 8120 73	1	ELBOW	(27/05/2018 - 25/07/2019) (26/07/2019 - ...) MOVOL:400V	PT20
2780	0698 5140 70	1	CABLE GLAND	(27/05/2018 - 25/07/2019) (26/07/2019 - ...) MOVOL:400V	TT90 (LAT)
2785	0697 9809 30	1	LOCKNUT	(27/05/2018 - 25/07/2019) (26/07/2019 - ...) MOVOL:400V	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(27/05/2018 - 25/07/2019) (26/07/2019 - ...) MOVOL:400V	A1
2800	0697 9809 22	1	LOCKNUT	(27/05/2018 - 25/07/2019) (26/07/2019 - ...) MOVOL:400V	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(27/05/2018 - 25/07/2019) (26/07/2019 - ...) MOVOL:400V	MSA
3010 •	1625 2201 28	1	CUBICLE		
3050 •	1625 2201 29	1	DOOR		
3060 •	1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - 25/07/2019) (26/07/2019 - ...) MOVOL:400V	
3070 •	1079 9932 01	1	DECAL		
3080 •	1079 9932 15	1	DECAL		
	• 1613 8339 01	1	LOCK		
3100 •	1637 0000 72	1	DECAL BP		
3110 •	1079 9931 46	1	DECAL WARNING		
3120 •	1622 0000 20	2	DECAL SYMBOLS		
3130 •	1079 9901 68	1	WARNING LABEL		

Legend:CAPPRE:IEC - Component approval electrical:IEC
MOVOL:400V - Supply voltage:400 VFREQ:50HZ - Frequency:50 Hz
MOVOL:400VN - Supply voltage:400 V+NMODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

16.9 - Cubicle components GA 15+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA15P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)



16.9 - Cubicle components GA 15+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA15P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 07	1	CUBICLE	(27/05/2018 - ...)	
	9828 5323 50	1	SERVICE DIAGRAM	(27/05/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY DRAWING	(27/05/2018 - ...)	AD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(27/05/2018 - ...)	WH
		1	DATA LABEL	(27/05/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(27/05/2018 - ...)	-
	~~1088 0031 81~~	1	END STOP BRACKET 6MM	(27/05/2018 - ...)	-
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 58	3	TERMINAL	(27/05/2018 - ...)	1X0
	1089 9366 71	3	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 59	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1X0:N (to 1X2)				
	1089 9427 50	1	TERMINAL	(27/05/2018 - ...)	1X3 motor
	1089 9427 60	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(27/05/2018 - ...)	-
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(27/05/2018 - ...)	-
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9438 76	1	CONTACTOR	(27/05/2018 - ...)	K21
	1089 9438 76	1	CONTACTOR	(27/05/2018 - ...)	K23
	1089 9438 68	1	CONTACTOR	(27/05/2018 - ...)	K22
	1089 9446 91	1	OVERLOAD RELAY	(27/05/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(27/05/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(27/05/2018 - ...)	K23
	1089 9514 56	1	TRANSFORMER VOLTAGE	(27/05/2018 - ...)	T1
	1089 0612 23	2	FUSE 2A	(27/05/2018 - ...)	F1-F2
	1089 0612 01	2	FUSE HOLDER	(27/05/2018 - ...)	F1-F2
	1089 9267 22	1	CIRCUIT BREAKER	(27/05/2018 - ...)	Q15
	1089 9267 55	1	POWER SWITCH	(27/05/2018 - ...)	
	Electrical legend: Q15 (NO contact)				
	1089 9427 49	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(27/05/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9513 98	1	EMERGENCY STOP BUTTON	(27/05/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(27/05/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(27/05/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(27/05/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQUENCE RELAY	(27/05/2018 - ...)	K25
	1089 0612 21	1	FUSE	(27/05/2018 - ...)	F3 (IEC)
	1089 0612 01	1	FUSE HOLDER	(27/05/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:12 top				
	1088 0039 93	2	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:13 top				
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:14 top				

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MOVOL:400V - Supply voltage:400 V

FREQ:50HZ - Frequency:50 Hz
MOVOL:400VN - Supply voltage:400 V+N

MODEL:GA15P_18 - Model:GA 15+
OEM:N - OEM:N

16.9 - Cubicle components GA 15+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA15P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)



16.9 - Cubicle components GA 15+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA15P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(27/05/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(27/05/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(27/05/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(27/05/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 42	1	TERMINAL	(27/05/2018 - ...)	1X2:N
	1088 0021 43	1	TERMINAL	(27/05/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(27/05/2018 - ...)	-
	1089 9398 92	2	RAIL CARRIER	(27/05/2018 - ...)	-
	1088 0031 26	1	CONNECTOR 6-POLE	(27/05/2018 - ...)	2X31
	1088 0031 32	1	CONNECTOR	(27/05/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(27/05/2018 - ...)	2X28
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(27/05/2018 - ...)	-
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
		1	AIR INLET WITH FILTER	(27/05/2018 - ...)	
	Electrical legend:	airinlet bottom			
	Service kits:	2901 9908 19 - CUBICLE VENTILATION KIT - GA 11+, GA 15+ 2901 9908 20 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 4000HRS 2901 9908 21 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 4000HRS 2901 9908 24 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 8000HRS 2901 9908 25 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 8000HRS			
		1	CUBICLE FAN	(27/05/2018 - ...)	
	Electrical legend:	airoutlet top			
	Service kits:	2901 9908 19 - CUBICLE VENTILATION KIT - GA 11+, GA 15+ 2901 9908 20 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 4000HRS 2901 9908 21 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 4000HRS 2901 9908 24 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 8000HRS 2901 9908 25 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 8000HRS			
	0697 9809 24	1	LOCKNUT	(27/05/2018 - ...)	WH
	0697 9810 32	1	PLUG	(27/05/2018 - ...)	TT01
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...)	FAN
	0698 5149 16	1	PLUG	(27/05/2018 - ...)	TT90 (LAT)
	0698 5148 82	1	PLUG	(27/05/2018 - ...)	A1
2730	0697 9811 15	1	PLUG	(27/05/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(27/05/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(27/05/2018 - ...)	ANTENNA
2745	0989 3700 42	1	NUT	(27/05/2018 - ...)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(27/05/2018 - ...)	TT01
2760	0697 9809 13	1	LOCKNUT	(27/05/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(27/05/2018 - ...)	PT20
2780	0698 5140 70	1	CABLE GLAND	(27/05/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCKNUT	(27/05/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(27/05/2018 - ...)	A1
2800	0697 9809 22	1	LOCKNUT	(27/05/2018 - ...)	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(27/05/2018 - ...)	MSA
3010 •		1	CUBICLE		
3050 •	1625 2201 29	1	DOOR		

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MOVOL:400V - Supply voltage:400 V

FREQ:50HZ - Frequency:50 Hz
MOVOL:400VN - Supply voltage:400 V+N

MODEL:GA15P_18 - Model:GA 15+
OEM:N - OEM:N

16.9 - Cubicle components GA 15+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA15P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)



16.9 - Cubicle components GA 15+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA15P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...)	
3070	• 1079 9932 01	1	DECAL		
3080	• 1079 9932 15	1	DECAL		
	• 1613 8339 01	1	LOCK		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MOVOL:400V - Supply voltage:400 V

FREQ:50HZ - Frequency:50 Hz
MOVOL:400VN - Supply voltage:400 V+N

MODEL:GA15P_18 - Model:GA 15+
OEM:N - OEM:N

16.10 - Cubicle components GA 18+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA18P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)



16.10 - Cubicle components GA 18+ - 400V-400V+N/50Hz IEC


CAPPRE:IEC + FREQ:50HZ + MODEL:GA18P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 12	1	CUBICLE	(27/05/2018 - ...)	
	9828 5323 50	1	SERVICE DIAGRAM	(27/05/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY DRAWING	(27/05/2018 - ...)	AD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(27/05/2018 - ...)	WH
		1	DATA LABEL	(27/05/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(27/05/2018 - ...)	-
	~~1088 0031 81~~	1	END STOP BRACKET 6MM	(27/05/2018 - ...)	-
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 61	3	TERMINAL	(27/05/2018 - ...)	1X0
	1089 9366 22	3	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 62	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1X0:N (to 1X2)				
	1089 9427 60	1	TERMINAL	(27/05/2018 - ...)	1X3 motor
	1089 9427 63	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(27/05/2018 - ...)	-
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(27/05/2018 - ...)	-
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9623 51	1	CONTACTOR	(27/05/2018 - ...)	K21
	1089 9623 51	1	CONTACTOR	(27/05/2018 - ...)	K23
	1089 9438 74	1	CONTACTOR	(27/05/2018 - ...)	K22
	1089 9205 81	1	OVERLOAD RELAY	(27/05/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(27/05/2018 - ...)	-
	1089 9438 84	1	CONTACTOR	(27/05/2018 - ...)	-
	1089 9514 63	1	TRANSFORMER	(27/05/2018 - ...)	T1
	1089 0612 23	2	FUSE 2A	(27/05/2018 - ...)	F1-F2
	1089 0612 01	2	FUSE HOLDER	(27/05/2018 - ...)	F1-F2
	1089 9267 26	1	CIRCUIT BREAKER	(27/05/2018 - ...)	Q15
	1089 9267 55	1	POWER SWITCH	(27/05/2018 - ...)	
	Electrical legend: Q15 (NO contact)				
	1089 9427 49	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(27/05/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9513 98	1	EMERGENCY STOP BUTTON	(27/05/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(27/05/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(27/05/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(27/05/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQUENCE RELAY	(27/05/2018 - ...)	K25
	1089 0612 21	1	FUSE	(27/05/2018 - ...)	F3 (IEC)
	1089 0612 01	1	FUSE HOLDER	(27/05/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:12 top				
	1088 0039 93	2	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:13 top				
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:14 top				

Legend:CAPPRE:IEC - Component approval electrical:IEC
MOVOL:400V - Supply voltage:400 VFREQ:50HZ - Frequency:50 Hz
MOVOL:400VN - Supply voltage:400 V+NMODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N

16.10 - Cubicle components GA 18+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA18P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)



16.10 - Cubicle components GA 18+ - 400V-400V+N/50Hz IEC


CAPPRE:IEC + FREQ:50HZ + MODEL:GA18P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity	EL
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(27/05/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(27/05/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(27/05/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(27/05/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 42	1	TERMINAL	(27/05/2018 - ...)	1X2:N
	1088 0021 43	1	TERMINAL	(27/05/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(27/05/2018 - ...)	-
	1089 9398 92	2	RAIL CARRIER	(27/05/2018 - ...)	-
	1088 0031 26	1	CONNECTOR 6-POLE	(27/05/2018 - ...)	2X31
	1088 0031 32	1	CONNECTOR	(27/05/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(27/05/2018 - ...)	2X28
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(27/05/2018 - ...)	-
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
		1	AIR INLET WITH FILTER	(27/05/2018 - ...)	
	Electrical legend:	airinlet bottom			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
		1	AIR INLET WITH FILTER	(27/05/2018 - ...)	
	Electrical legend:	airoutlet top			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
	0697 9809 24	1	LOCKNUT	(27/05/2018 - ...)	WH
	0697 9810 32	1	PLUG	(27/05/2018 - ...)	TT01
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...)	FAN
	0698 5149 16	1	PLUG	(27/05/2018 - ...)	TT90 (LAT)
	0698 5148 82	1	PLUG	(27/05/2018 - ...)	A1
2730	0697 9811 15	1	PLUG	(27/05/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(27/05/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(27/05/2018 - ...)	ANTENNA
2745	0989 3700 42	1	NUT	(27/05/2018 - ...)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(27/05/2018 - ...)	TT01
2760	0697 9809 13	1	LOCKNUT	(27/05/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(27/05/2018 - ...)	PT20
2780	0698 5140 70	1	CABLE GLAND	(27/05/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCKNUT	(27/05/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(27/05/2018 - ...)	A1
2800	0697 9809 22	1	LOCKNUT	(27/05/2018 - ...)	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(27/05/2018 - ...)	MSA
3010 •		1	CUBICLE		
3050 •	1625 2201 29	1	DOOR		

Legend:CAPPRE:IEC - Component approval electrical:IEC
MOVOL:400V - Supply voltage:400 VFREQ:50HZ - Frequency:50 Hz
MOVOL:400VN - Supply voltage:400 V+NMODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N

16.10 - Cubicle components GA 18+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA18P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)



16.10 - Cubicle components GA 18+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA18P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)


Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...)	
3070	• 1079 9932 01	1	DECAL		
3080	• 1079 9932 15	1	DECAL		
	• 1613 8339 01	1	LOCK		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:CAPPRE:IEC - Component approval electrical:IEC
MOVOL:400V - Supply voltage:400 VFREQ:50HZ - Frequency:50 Hz
MOVOL:400VN - Supply voltage:400 V+NMODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N

16.11 - Cubicle components GA 22+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA22P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)



16.11 - Cubicle components GA 22+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA22P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 17	1	CUBICLE	(27/05/2018 - ...)	
	9828 5323 50	1	SERVICE DIAGRAM	(27/05/2018 - ...)	SD
	9828 5323 20	0	CUBICLE ASSEMBLY	(27/05/2018 - ...)	AD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(27/05/2018 - ...)	WH
		1	DATA LABEL	(27/05/2018 - ...)	DATALABEL
	1625 2201 27	1	CUBICLE ASSEMBLY	(27/05/2018 - ...) MOVOL:400V	MSA
	0993 7106 07	1	RAIL	(27/05/2018 - ...)	-
	1088-0031-81	1	END STOP BRACKET 6MM	(27/05/2018 - ...)	-
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 61	3	TERMINAL	(27/05/2018 - ...)	1X0
	1089 9366 22	3	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 62	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1X0:N (to 1X2)				
	1089 9427 60	1	TERMINAL	(27/05/2018 - ...)	1X3 motor
	1089 9427 63	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(27/05/2018 - ...)	-
	1088-0031-81	2	END STOP BRACKET 6MM	(27/05/2018 - ...)	-
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9623 51	1	CONTACTOR	(27/05/2018 - ...)	K21
	1089 9623 51	1	CONTACTOR	(27/05/2018 - ...)	K23
	1089 9438 74	1	CONTACTOR -	(27/05/2018 - ...)	K22
	1089 9205 82	1	OVERLOAD RELAY	(27/05/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(27/05/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(27/05/2018 - ...)	K23
	1089 9514 63	1	TRANSFORMER	(27/05/2018 - ...)	T1
	1089 0612 24	2	FUSE 4A	(27/05/2018 - ...)	F1-F2
	1089 0612 01	2	FUSE HOLDER	(27/05/2018 - ...)	F1-F2
	1089 9267 26	1	CIRCUIT BREAKER	(27/05/2018 - ...)	Q15
	1089 9267 55	1	POWER SWITCH	(27/05/2018 - ...)	
	Electrical legend: Q15 (NO contact)				
	1089 9427 49	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(27/05/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9513 98	1	EMERGENCY STOP BUTTON	(27/05/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(27/05/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(27/05/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(27/05/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQUENCE RELAY	(27/05/2018 - ...)	K25
	1089 0612 21	1	FUSE	(27/05/2018 - ...)	F3 (IEC)
	1089 0612 01	1	FUSE HOLDER	(27/05/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:12 top				
	1088 0039 93	2	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:13 top				

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MOVOL:400V - Supply voltage:400 V

FREQ:50HZ - Frequency:50 Hz
MOVOL:400VN - Supply voltage:400 V+N

MODEL:GA22P_18 - Model:GA 22+
OEM:N - OEM:N

16.11 - Cubicle components GA 22+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA22P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)



16.11 - Cubicle components GA 22+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA22P_18 + OEM:N + (MOVOL:400V, MOVOL:400VN)

Atlas Copco


Ref	Part Number	Qty	Name	Validity	EL
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(27/05/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(27/05/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(27/05/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(27/05/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 42	1	TERMINAL	(27/05/2018 - ...)	1X2:N
	1088 0021 43	1	TERMINAL	(27/05/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(27/05/2018 - ...)	-
	1089 9398 92	2	RAIL CARRIER	(27/05/2018 - ...)	-
	1088 0031 26	1	CONNECTOR 6-POLE	(27/05/2018 - ...)	2X31
	1088 0031 32	1	CONNECTOR	(27/05/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(27/05/2018 - ...)	2X28
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(27/05/2018 - ...)	-
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
		1	AIR INLET WITH FILTER	(27/05/2018 - ...)	
	Electrical legend:	airinlet bottom			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
		1	AIR INLET WITH FILTER	(27/05/2018 - ...)	
	Electrical legend:	airoutlet top			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
	0697 9809 24	1	LOCKNUT	(27/05/2018 - ...)	WH
	0697 9811 15	1	PLUG	(27/05/2018 - ...) MOVOL:400V	M1 cable 2
	0989 3700 46	1	NUT	(27/05/2018 - ...) MOVOL:400V	M1 cable 2
	0697 9811 11	1	PLUG	(27/05/2018 - ...) MOVOL:400V	ANTENNA
	0989 3700 42	1	NUT	(27/05/2018 - ...) MOVOL:400V	ANTENNA
	0698 5140 70	1	CABLE GLAND	(27/05/2018 - ...) MOVOL:400V	TT01
	0697 9810 32	1	PLUG	(27/05/2018 - ...)	TT01
	0697 9809 13	1	LOCKNUT	(27/05/2018 - ...) MOVOL:400V	PT20
	0583 8120 73	1	ELBOW	(27/05/2018 - ...) MOVOL:400V	PT20
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...)	FAN
	0698 5140 70	1	CABLE GLAND	(27/05/2018 - ...) MOVOL:400V	TT90 (LAT)
	0697 9809 30	1	LOCKNUT	(27/05/2018 - ...) MOVOL:400V	TT90 (LAT)
	0698 5149 16	1	PLUG	(27/05/2018 - ...)	TT90 (LAT)
	0698 5140 73	1	CABLE GLAND	(27/05/2018 - ...) MOVOL:400V	A1
	0697 9809 22	1	LOCKNUT	(27/05/2018 - ...) MOVOL:400V	A1
	0698 5148 82	1	PLUG	(27/05/2018 - ...)	A1
2730	0697 9811 15	1	PLUG	(27/05/2018 - ...)	M1 cable 2

Legend:

CAPPRE:IEC - Component approval electrical:IEC
MOVOL:400V - Supply voltage:400 V

FREQ:50HZ - Frequency:50 Hz
MOVOL:400VN - Supply voltage:400 V+N

MODEL:GA22P_18 - Model:GA 22+
OEM:N - OEM:N



16.11 - Cubicle components GA 22+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA22P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)


Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
2735	0989 3700 46	1	NUT	(27/05/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(27/05/2018 - ...)	ANTENNA
2745	0989 3700 42	1	NUT	(27/05/2018 - ...)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(27/05/2018 - ...)	TT01
2760	0697 9809 13	1	LOCKNUT	(27/05/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(27/05/2018 - ...)	PT20
2780	0698 5140 70	1	CABLE GLAND	(27/05/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCKNUT	(27/05/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(27/05/2018 - ...)	A1
2800	0697 9809 22	1	LOCKNUT	(27/05/2018 - ...)	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(27/05/2018 - ...)	MSA
3010	•	1	CUBICLE		
3050	• 1625 2201 29	1	DOOR		
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...)	
3070	• 1079 9932 01	1	DECAL INSTRUCT.		
3080	• 1079 9932 15	1	DECAL INSTRUCT.		
	• 1613 8339 01	1	LOCK		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:CAPPRE:IEC - Component approval electrical:IEC
MOVOL:400V - Supply voltage:400 VFREQ:50HZ - Frequency:50 Hz
MOVOL:400VN - Supply voltage:400 V+NMODEL:GA22P_18 - Model:GA 22+
OEM:N - OEM:N

16.12 - Cubicle components GA 26+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA26P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)




16.12 - Cubicle components GA 26+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA26P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 22	1	CUBICLE	(27/05/2018 - ...)	
	9828 5323 50	1	SERVICE DIAGRAM	(27/05/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY DRAWING	(27/05/2018 - ...)	AD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(27/05/2018 - ...)	WH
		1	DATA LABEL	(27/05/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(27/05/2018 - ...)	-
	~~1088 0031 81~~	1	END STOP BRACKET 6MM	(27/05/2018 - ...)	-
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 61	3	TERMINAL	(27/05/2018 - ...)	1X0
	1089 9366 22	3	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 62	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1X0:N (to 1X2)				
	1089 9427 60	1	TERMINAL	(27/05/2018 - ...)	1X3 motor
	1089 9427 63	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(27/05/2018 - ...)	-
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(27/05/2018 - ...)	-
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9623 52	1	CONTACTOR	(27/05/2018 - ...)	K21
	1089 9623 52	1	CONTACTOR	(27/05/2018 - ...)	K23
	1089 9438 76	1	CONTACTOR	(27/05/2018 - ...)	K22
	1089 9205 83	1	OVERLOAD RELAY	(27/05/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(27/05/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(27/05/2018 - ...)	K23
	1089 9514 63	1	TRANSFORMER	(27/05/2018 - ...)	T1
	1089 0612 24	2	FUSE 4A	(27/05/2018 - ...)	F1-F2
	1089 0612 01	2	FUSE HOLDER	(27/05/2018 - ...)	F1-F2
	1089 9267 26	1	CIRCUIT BREAKER	(27/05/2018 - ...)	Q15
	1089 9267 55	1	POWER SWITCH	(27/05/2018 - ...)	
	Electrical legend: Q15 (NO contact)				
	1089 9427 49	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(27/05/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9513 98	1	EMERGENCY STOP BUTTON	(27/05/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(27/05/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(27/05/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(27/05/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQUENCE RELAY	(27/05/2018 - ...)	K25
	1089 0612 21	1	FUSE	(27/05/2018 - ...)	F3 (IEC)
	1089 0612 01	1	FUSE HOLDER 3NW7013	(27/05/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:12 top				
	1088 0039 93	2	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:13 top				
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:14 top				

Legend:CAPPRE:IEC - Component approval electrical:IEC
MOVOL:400V - Supply voltage:400 VFREQ:50HZ - Frequency:50 Hz
MOVOL:400VN - Supply voltage:400 V+NMODEL:GA26P_18 - Model:GA 26+
OEM:N - OEM:N



16.12 - Cubicle components GA 26+ - 400V-400V+N/50Hz IEC


CAPPRE:IEC + FREQ:50HZ + MODEL:GA26P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity	EL
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(27/05/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(27/05/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(27/05/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(27/05/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 42	1	TERMINAL	(27/05/2018 - ...)	1X2:N
	1088 0021 43	1	TERMINAL	(27/05/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(27/05/2018 - ...)	-
	1089 9398 92	2	RAIL CARRIER	(27/05/2018 - ...)	-
	1088 0031 26	1	CONNECTOR 6-POLE	(27/05/2018 - ...)	2X31
	1088 0031 32	1	CONNECTOR	(27/05/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(27/05/2018 - ...)	2X28
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(27/05/2018 - ...)	-
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
		1	AIR INLET WITH FILTER	(27/05/2018 - ...)	
	Electrical legend:	airinlet bottom			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
		1	AIR INLET WITH FILTER	(27/05/2018 - ...)	
	Electrical legend:	airoutlet top			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
	0697 9809 24	1	LOCKNUT	(27/05/2018 - ...)	WH
	0697 9810 32	1	PLUG	(27/05/2018 - ...)	TT01
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...)	FAN
	0698 5149 16	1	PLUG	(27/05/2018 - ...)	TT90 (LAT)
	0698 5148 82	1	PLUG	(27/05/2018 - ...)	A1
2730	0697 9811 15	1	PLUG	(27/05/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(27/05/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(27/05/2018 - ...)	ANTENNA
2745	0989 3700 42	1	NUT	(27/05/2018 - ...)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(27/05/2018 - ...)	TT01
2760	0697 9809 13	1	LOCKNUT	(27/05/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(27/05/2018 - ...)	PT20
2780	0698 5140 70	1	CABLE GLAND	(27/05/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCKNUT	(27/05/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(27/05/2018 - ...)	A1
2800	0697 9809 22	1	LOCKNUT	(27/05/2018 - ...)	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(27/05/2018 - ...)	MSA
3010 •	1625 2201 28	1	CUBICLE		
3050 •	1625 2201 29	1	DOOR		

Legend:CAPPRE:IEC - Component approval electrical:IEC
MOVOL:400V - Supply voltage:400 VFREQ:50HZ - Frequency:50 Hz
MOVOL:400VN - Supply voltage:400 V+NMODEL:GA26P_18 - Model:GA 26+
OEM:N - OEM:N

16.12 - Cubicle components GA 26+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA26P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)



16.12 - Cubicle components GA 26+ - 400V-400V+N/50Hz IEC


CAPPRE:IEC + FREQ:50HZ + MODEL:GA26P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity	EL
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...)	
3070	• 1079 9932 01	1	DECAL INSTRUCT.		
3080	• 1079 9932 15	1	DECAL INSTRUCT.		
	• 1613 8339 01	1	LOCK		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:CAPPRE:IEC - Component approval electrical:IEC
MOVOL:400V - Supply voltage:400 VFREQ:50HZ - Frequency:50 Hz
MOVOL:400VN - Supply voltage:400 V+NMODEL:GA26P_18 - Model:GA 26+
OEM:N - OEM:N

16.13 - Cubicle components GA 30 - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA30_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)



16.13 - Cubicle components GA 30 - 400V-400V+N/50Hz IEC


CAPPRE:IEC + FREQ:50HZ + MODEL:GA30_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 27	1	CUBICLE	(27/05/2018 - ...)	
	9828 5323 50	1	SERVICE DIAGRAM	(27/05/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY DRAWING	(27/05/2018 - ...)	AD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(27/05/2018 - ...)	WH
		1	DATA LABEL	(27/05/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(27/05/2018 - ...)	-
	~~1088 0031 81~~	1	END STOP BRACKET 6MM	(27/05/2018 - ...)	-
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 61	3	TERMINAL	(27/05/2018 - ...)	1X0
	1089 9366 22	3	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 62	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1X0:N (to 1X2)				
	1089 9427 60	1	TERMINAL	(27/05/2018 - ...)	1X3 motor
	1089 9427 63	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(27/05/2018 - ...)	-
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(27/05/2018 - ...)	-
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9623 52	1	CONTACTOR	(27/05/2018 - ...)	K21
	1089 9623 52	1	CONTACTOR	(27/05/2018 - ...)	K23
	1089 9438 76	1	CONTACTOR	(27/05/2018 - ...)	K22
	1089 9205 83	1	OVERLOAD RELAY	(27/05/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(27/05/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(27/05/2018 - ...)	K23
	1089 9514 63	1	TRANSFORMER	(27/05/2018 - ...)	T1
	1089 0612 24	2	FUSE 4A	(27/05/2018 - ...)	F1-F2
	1089 0612 01	2	FUSE HOLDER	(27/05/2018 - ...)	F1-F2
	1089 9267 26	1	CIRCUIT BREAKER	(27/05/2018 - ...)	Q15
	1089 9267 55	1	POWER SWITCH	(27/05/2018 - ...)	
	Electrical legend: Q15 (NO contact)				
	1089 9427 49	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(27/05/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9513 98	1	EMERGENCY STOP BUTTON	(27/05/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(27/05/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(27/05/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(27/05/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQUENCE RELAY	(27/05/2018 - ...)	K25
	1089 0612 21	1	FUSE	(27/05/2018 - ...)	F3 (IEC)
	1089 0612 01	1	FUSE HOLDER	(27/05/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:12 top				
	1088 0039 93	2	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:13 top				
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:14 top				

Legend:CAPPRE:IEC - Component approval electrical:IEC
MOVOL:400V - Supply voltage:400 VFREQ:50HZ - Frequency:50 Hz
MOVOL:400VN - Supply voltage:400 V+NMODEL:GA30_18 - Model:GA 30
OEM:N - OEM:N

16.13 - Cubicle components GA 30 - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA30_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)



16.13 - Cubicle components GA 30 - 400V-400V+N/50Hz IEC


CAPPRE:IEC + FREQ:50HZ + MODEL:GA30_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity	EL
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:15 top				
	1088 0039 95	1	PLATE	(27/05/2018 - ...)	
	Electrical legend: 1X4 (end plate)				
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1x4:46 bottom / 1x4:47 top				
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...)	
	Electrical legend: 1X6:120 / 1x6:121				
	1088 0039 95	1	PLATE	(27/05/2018 - ...)	
	Electrical legend: 1X6 (end plate)				
	1088 0037 30	1	CONNECTOR 2-POLE	(27/05/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(27/05/2018 - ...)	1X2:L1-L2-L3
	Electrical legend: 1X2:L1-L2-L3				
	1088 0021 42	1	TERMINAL	(27/05/2018 - ...)	1X2:N
	1088 0021 43	1	TERMINAL	(27/05/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(27/05/2018 - ...)	-
	1089 9398 92	2	RAIL CARRIER	(27/05/2018 - ...)	-
	1088 0031 26	1	CONNECTOR 6-POLE	(27/05/2018 - ...)	2X31
	1088 0031 32	1	CONNECTOR	(27/05/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(27/05/2018 - ...)	2X28
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(27/05/2018 - ...)	-
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
		1	AIR INLET WITH FILTER	(27/05/2018 - ...)	
	Electrical legend: airinlet bottom				
	Service kits: 2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30				
	2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS				
	2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS				
	2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS				
	2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS				
		1	AIR INLET WITH FILTER	(27/05/2018 - ...)	
	Electrical legend: airoutlet top				
	Service kits: 2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30				
	2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS				
	2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS				
	2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS				
	2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS				
	0697 9809 24	1	LOCKNUT	(27/05/2018 - ...)	WH
	0697 9810 32	1	PLUG	(27/05/2018 - ...)	TT01
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...)	FAN
	0698 5149 16	1	PLUG	(27/05/2018 - ...)	TT90 (LAT)
	0698 5148 82	1	PLUG	(27/05/2018 - ...)	A1
2730	0697 9811 15	1	PLUG	(27/05/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(27/05/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(27/05/2018 - ...)	ANTENNA
2745	0989 3700 42	1	NUT	(27/05/2018 - ...)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(27/05/2018 - ...)	TT01
2760	0697 9809 13	1	LOCKNUT	(27/05/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(27/05/2018 - ...)	PT20
2780	0698 5140 70	1	CABLE GLAND	(27/05/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCKNUT	(27/05/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(27/05/2018 - ...)	A1
2800	0697 9809 22	1	LOCKNUT	(27/05/2018 - ...)	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(27/05/2018 - ...)	MSA
3010	•	1	CUBICLE		
3050	• 1625 2201 29	1	DOOR		

Legend:CAPPRE:IEC - Component approval electrical:IEC
MOVOL:400V - Supply voltage:400 VFREQ:50HZ - Frequency:50 Hz
MOVOL:400VN - Supply voltage:400 V+NMODEL:GA30_18 - Model:GA 30
OEM:N - OEM:N

16.13 - Cubicle components GA 30 - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA30_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)



16.13 - Cubicle components GA 30 - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA30_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity	EL
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...)	
3070	• 1079 9932 01	1	DECAL		
3080	• 1079 9932 15	1	DECAL		
	• 1613 8339 01	1	LOCK		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		


Legend:
CAPPRE:IEC - Component approval electrical:IEC
MOVOL:400V - Supply voltage:400 V

FREQ:50HZ - Frequency:50 Hz
MOVOL:400VN - Supply voltage:400 V+N

MODEL:GA30_18 - Model:GA 30
OEM:N - OEM:N

16.14 - Cubicle components GA 11+, GA 15+ - 460V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA11P_18, MODEL:GA15P_18)



16.14 - Cubicle components GA 11+, GA 15+ - 460V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA11P_18, MODEL:GA15P_18)

Atlas Copco


Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 54	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(15/04/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY DRAWING	(15/04/2018 - ...)	AD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(15/04/2018 - ...)	WH
	1625 3906 31	1	DATA LABEL	(15/04/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1088 0031 81	1	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 58	3	TERMINAL	(15/04/2018 - ...)	1X0
	1089 9366 71	3	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 50	1	TERMINAL	(15/04/2018 - ...)	1X3 motor
	1089 9427 60	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1088 0031 81	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9438 76	1	CONTACTOR	(15/04/2018 - ...)	K21
	1089 9438 76	1	CONTACTOR	(15/04/2018 - ...)	K23
	1089 9438 68	1	CONTACTOR	(15/04/2018 - ...)	K22
	1089 9267 79	1	OVERLOAD RELAY	(15/04/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(15/04/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(15/04/2018 - ...)	K23
	1089 9514 56	1	TRANSFORMER VOLTAGE	(15/04/2018 - ...)	T1
	1089 9168 24	2	FUSE LINK 2A	(15/04/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(15/04/2018 - ...)	F1-F2
	1625 4306 00	1	FUSE LABEL	(15/04/2018 - ...)	LABEL (UL)
	1089 9267 22	1	CIRCUIT BREAKER	(15/04/2018 - ...)	Q15
	1089 9267 91	1	TERMINAL BLOCK	(15/04/2018 - ...)	Q15 (for UL)
	Electrical legend: Q15 (for UL)				
	1089 9267 55	1	POWER SWITCH	(15/04/2018 - ...)	
	Electrical legend: Q15 (NO contact)				
	1089 9427 49	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(15/04/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9513 98	1	EMERGENCY STOP BUTTON	(15/04/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(15/04/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(15/04/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(15/04/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQUENCE RELAY	(15/04/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(15/04/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(15/04/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:12 top				
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:13 top				

Legend:

CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA15P_18 - Model:GA 15+

FREQ:60HZ - Frequency:60 Hz
MOVOL:460V - Supply voltage:460 V

MODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N



16.14 - Cubicle components GA 11+, GA 15+ - 460V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:14 top				
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:15 top				
	1088 0039 95	1	PLATE	(15/04/2018 - ...)	
	Electrical legend: 1X4 (end plate)				
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:46 bottom / 1x4:47 top				
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1X6:120 / 1x6:121				
	1088 0039 95	1	PLATE	(15/04/2018 - ...)	
	Electrical legend: 1X6 (end plate)				
	1088 0037 30	1	CONNECTOR 2-POLE	(15/04/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(15/04/2018 - ...)	1X2:L1-L2-L3
	Electrical legend: 1X2:L1-L2-L3				
	1088 0021 43	1	TERMINAL	(15/04/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1089 9398 92	2	RAIL CARRIER	(15/04/2018 - ...)	-
	1088 0031 32	1	CONNECTOR	(15/04/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(15/04/2018 - ...)	2X28
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
		1	AIR INLET WITH FILTER	(15/04/2018 - ...)	
	Electrical legend: airinlet bottom				
	Service kits: 2901 9908 19 - CUBICLE VENTILATION KIT - GA 11+, GA 15+				
	2901 9908 20 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 4000HRS				
	2901 9908 21 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 4000HRS				
	2901 9908 24 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 8000HRS				
	2901 9908 25 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 8000HRS				
		1	CUBICLE FAN	(15/04/2018 - ...)	
	Electrical legend: airoutlet top				
	Service kits: 2901 9908 19 - CUBICLE VENTILATION KIT - GA 11+, GA 15+				
	2901 9908 20 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 4000HRS				
	2901 9908 21 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 4000HRS				
	2901 9908 24 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 8000HRS				
	2901 9908 25 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 8000HRS				
	0697 9809 24	1	LOCKNUT	(15/04/2018 - ...)	WH
	0697 9810 32	1	PLUG	(15/04/2018 - ...)	TT01
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...)	FAN
	0698 5149 16	1	PLUG	(15/04/2018 - ...)	TT90 (LAT)
	0698 5148 82	1	PLUG	(15/04/2018 - ...)	A1
2730	0697 9811 15	1	PLUG	(15/04/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(15/04/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(15/04/2018 - ...)	ANTENNA
2745	0989 3700 42	1	NUT	(15/04/2018 - ...)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT01
2760	0697 9809 13	1	LOCKNUT	(15/04/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(15/04/2018 - ...)	PT20
2780	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCKNUT	(15/04/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(15/04/2018 - ...)	A1
2800	0697 9809 22	1	LOCKNUT	(15/04/2018 - ...)	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(15/04/2018 - ...)	MSA
3010 •		1	CUBICLE		
3050 •	1625 2201 29	1	DOOR		

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA15P_18 - Model:GA 15+

FREQ:60HZ - Frequency:60 Hz
MOVOL:460V - Supply voltage:460 V

MODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

16.14 - Cubicle components GA 11+, GA 15+ - 460V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)



16.14 - Cubicle components GA 11+, GA 15+ - 460V/60Hz IEC


CAPPRE:IEC + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Ref	Part Number	Qty	Name	Validity	EL
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...)	
3070	• 1079 9932 01	1	DECAL		
3080	• 1079 9932 15	1	DECAL		
	• 1613 8339 01	1	LOCK		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA15P_18 - Model:GA 15+FREQ:60HZ - Frequency:60 Hz
MOVOL:460V - Supply voltage:460 VMODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

16.15 - Cubicle components GA 18+, GA 22+ - 460V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)




16.15 - Cubicle components GA 18+, GA 22+ - 460V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 60	1	CUBICLE	(15/04/2018 - ...)	
	9828 5323 50	1	SERVICE DIAGRAM	(15/04/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY DRAWING	(15/04/2018 - ...)	AD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(15/04/2018 - ...)	WH
		1	DATA LABEL	(15/04/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	~~1088 0031 81~~	1	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 61	3	TERMINAL	(15/04/2018 - ...)	1X0
	1089 9366 22	3	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 60	1	TERMINAL	(15/04/2018 - ...)	1X3 motor
	1089 9427 63	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9623 51	1	CONTACTOR	(15/04/2018 - ...)	K21
	1089 9623 51	1	CONTACTOR	(15/04/2018 - ...)	K23
	1089 9438 74	1	CONTACTOR	(15/04/2018 - ...)	K22
	1089 9205 16	1	OVERLOAD RELAY	(15/04/2018 - ...)	F21
	1089 9514 60	1	TRANSFORMER	(15/04/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK 4A	(15/04/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(15/04/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(15/04/2018 - ...)	LABEL (UL)
	1089 9267 26	1	CIRCUIT BREAKER	(15/04/2018 - ...)	Q15
	1089 9267 91	1	TERMINAL BLOCK	(15/04/2018 - ...)	Q15 (for UL)
	Electrical legend: Q15 (for UL)				
	1089 9267 55	1	POWER SWITCH	(15/04/2018 - ...)	
	Electrical legend: Q15 (NO contact)				
	1089 9427 49	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(15/04/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9513 98	1	EMERGENCY STOP BUTTON	(15/04/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(15/04/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(15/04/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(15/04/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQUENCE RELAY	(15/04/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(15/04/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(15/04/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:12 top				
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:13 top				
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:14 top				
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	

Legend:CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA22P_18 - Model:GA 22+FREQ:60HZ - Frequency:60 Hz
MOVOL:460V - Supply voltage:460 VMODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N



16.15 - Cubicle components GA 18+, GA 22+ - 460V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)

Atlas Copco


Ref	Part Number	Qty	Name	Validity	EL
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(15/04/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(15/04/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(15/04/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(15/04/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	TERMINAL	(15/04/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1089 9398 92	2	RAIL CARRIER	(15/04/2018 - ...)	-
	1088 0031 32	1	CONNECTOR	(15/04/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(15/04/2018 - ...)	2X28
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
		1	AIR INLET WITH FILTER	(15/04/2018 - ...)	
	Electrical legend:	airinlet bottom			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
		1	AIR INLET WITH FILTER	(15/04/2018 - ...)	
	Electrical legend:	airoutlet top			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
	0697 9809 24	1	LOCKNUT	(15/04/2018 - ...)	WH
	0697 9810 32	1	PLUG	(15/04/2018 - ...)	TT01
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...)	FAN
	0698 5149 16	1	PLUG	(15/04/2018 - ...)	TT90 (LAT)
	0698 5148 82	1	PLUG	(15/04/2018 - ...)	A1
2730	0697 9811 15	1	PLUG	(15/04/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(15/04/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(15/04/2018 - ...)	ANTENNA
2745	0989 3700 42	1	NUT	(15/04/2018 - ...)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT01
2760	0697 9809 13	1	LOCKNUT	(15/04/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(15/04/2018 - ...)	PT20
2780	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCKNUT	(15/04/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(15/04/2018 - ...)	A1
2800	0697 9809 22	1	LOCKNUT	(15/04/2018 - ...)	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(15/04/2018 - ...)	MSA
3010	•	1	CUBICLE		
3050	• 1625 2201 29	1	DOOR		
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...)	
3070	• 1079 9932 01	1	DECAL		
3080	• 1079 9932 15	1	DECAL		


Legend:

CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA22P_18 - Model:GA 22+

FREQ:60HZ - Frequency:60 Hz
MOVOL:460V - Supply voltage:460 V

MODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N





16.15 - Cubicle components GA 18+, GA 22+ - 460V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	• 1613 8339 01	1	LOCK		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA22P_18 - Model:GA 22+

FREQ:60HZ - Frequency:60 Hz
MOVOL:460V - Supply voltage:460 V

MODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N

16.16 - Cubicle components GA 26+, GA 30 - 460V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA26P_18 , MODEL:GA30_18)




16.16 - Cubicle components GA 26+, GA 30 - 460V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA26P_18 , MODEL:GA30_18)

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 66	1	CUBICLE	(15/04/2018 - ...)	
	9828 5323 50	1	SERVICE DIAGRAM	(15/04/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY DRAWING	(15/04/2018 - ...)	AD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(15/04/2018 - ...)	WH
	1625 3906 31	1	DATA LABEL	(15/04/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	~~1088 0031 81~~	1	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 61	3	TERMINAL	(15/04/2018 - ...)	1X0
	1089 9366 22	3	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 60	1	TERMINAL	(15/04/2018 - ...)	1X3 motor
	1089 9427 63	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9623 52	1	CONTACTOR	(15/04/2018 - ...)	K21
	1089 9623 52	1	CONTACTOR	(15/04/2018 - ...)	K23
	1089 9438 76	1	CONTACTOR	(15/04/2018 - ...)	K22
	1089 9205 16	1	OVERLOAD RELAY	(15/04/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(15/04/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(15/04/2018 - ...)	K23
	1089 9514 60	1	TRANSFORMER	(15/04/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK 4A	(15/04/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(15/04/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(15/04/2018 - ...)	LABEL (UL)
	1089 9267 26	1	CIRCUIT BREAKER	(15/04/2018 - ...)	Q15
	1089 9267 91	1	TERMINAL BLOCK	(15/04/2018 - ...)	Q15 (for UL)
	Electrical legend: Q15 (for UL)				
	1089 9267 55	1	POWER SWITCH	(15/04/2018 - ...)	
	Electrical legend: Q15 (NO contact)				
	1089 9427 49	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(15/04/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9513 98	1	EMERGENCY STOP BUTTON	(15/04/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(15/04/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(15/04/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(15/04/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQUENCE RELAY	(15/04/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(15/04/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(15/04/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:12 top				
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:13 top				

Legend:CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA30_18 - Model:GA 30FREQ:60HZ - Frequency:60 Hz
MOVOL:460V - Supply voltage:460 VMODEL:GA26P_18 - Model:GA 26+
OEM:N - OEM:N



16.16 - Cubicle components GA 26+, GA 30 - 460V/60Hz IEC


CAPPRE:IEC + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA26P_18 , MODEL:GA30_18)

Ref	Part Number	Qty	Name	Validity	EL
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(15/04/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(15/04/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(15/04/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(15/04/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	TERMINAL	(15/04/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1089 9398 92	2	RAIL CARRIER	(15/04/2018 - ...)	-
	1088 0031 32	1	CONNECTOR	(15/04/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(15/04/2018 - ...)	2X28
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
		1	AIR INLET WITH FILTER	(15/04/2018 - ...)	
	Electrical legend:	airinlet bottom			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
		1	AIR INLET WITH FILTER	(15/04/2018 - ...)	
	Electrical legend:	airoutlet top			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
	0697 9809 24	1	LOCKNUT	(15/04/2018 - ...)	WH
	0697 9810 32	1	PLUG	(15/04/2018 - ...)	TT01
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...)	FAN
	0698 5149 16	1	PLUG	(15/04/2018 - ...)	TT90 (LAT)
	0698 5148 82	1	PLUG	(15/04/2018 - ...)	A1
2730	0697 9811 15	1	PLUG	(15/04/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(15/04/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(15/04/2018 - ...)	ANTENNA
2745	0989 3700 42	1	NUT	(15/04/2018 - ...)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT01
2760	0697 9809 13	1	LOCKNUT	(15/04/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(15/04/2018 - ...)	PT20
2780	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCKNUT	(15/04/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(15/04/2018 - ...)	A1
2800	0697 9809 22	1	LOCKNUT	(15/04/2018 - ...)	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(15/04/2018 - ...)	MSA
3010 •		1	CUBICLE		
3050 •	1625 2201 29	1	DOOR		

Legend:CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA30_18 - Model:GA 30FREQ:60HZ - Frequency:60 Hz
MOVOL:460V - Supply voltage:460 VMODEL:GA26P_18 - Model:GA 26+
OEM:N - OEM:N

16.16 - Cubicle components GA 26+, GA 30 - 460V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA26P_18 , MODEL:GA30_18)




16.16 - Cubicle components GA 26+, GA 30 - 460V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA26P_18 , MODEL:GA30_18)

Ref	Part Number	Qty	Name	Validity	EL
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...)	
3070	• 1079 9932 01	1	DECAL		
3080	• 1079 9932 15	1	DECAL		
	• 1613 8339 01	1	LOCK		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA30_18 - Model:GA 30FREQ:60HZ - Frequency:60 Hz
MOVOL:460V - Supply voltage:460 VMODEL:GA26P_18 - Model:GA 26+
OEM:N - OEM:N




16.17 - Cubicle components GA 11+, GA 15+ - 200-230-460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 56	1	CUBICLE	(15/04/2018 - ...)	
	9828 5323 50	1	SERVICE DIAGRAM	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	AD
	1625 2200 02	1	WIRE HARNESS	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - 18/09/2018)	WH
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	WH
		1	DATA LABEL	(02/08/2017 - 14/04/2018) MODEL:GA15P_18	DATALABEL
		1	DATA LABEL	(15/04/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	-
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(02/08/2017 - 14/04/2018) MODEL:GA15P_18	-
	⚡ Substituted by:	1089 0577 82	- END RETAINER (quantity: 1)		
	~~1088 0031 81~~	1	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	⚡ Substituted by:	1089 0577 82	- END RETAINER (quantity: 1)		
	1089 9427 61	3	TERMINAL	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	1X0
	1089 9366 22	3	TERMINAL	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	
	Electrical legend:	1X0:L1-L3 (to 1X2)			
	1089 9427 60	1	TERMINAL	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	1X3 motor
	1089 9427 63	1	TERMINAL	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	
	Electrical legend:	1X0:PE customer			
	0993 7106 07	1	RAIL	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	-
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	-
	⚡ Substituted by:	1089 0577 82	- END RETAINER (quantity: 1)		
	1089 9623 53	1	CONTACTOR	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	K21
	1089 9623 53	1	CONTACTOR	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	K23
	1089 9438 76	1	CONTACTOR	(02/08/2017 - 14/04/2018) MODEL:GA15P_18	K22
	1089 9438 79	1	CONTACTOR	(15/04/2018 - ...)	K22
	1089 9205 16	1	OVERLOAD RELAY	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	K23
	0993 7106 07	1	RAIL	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	-
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	-
	⚡ Substituted by:	1089 0577 82	- END RETAINER (quantity: 1)		
	1088 0061 65	1	END PLATE	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	
	Electrical legend:	1X1:T1,2,3 & T10,11,12			
	1088 0061 63	6	TERMINAL BLOCK	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	
	Electrical legend:	1X1:T1,2,3 & T10,11,12			
	1088 0040 30	1	END PLATE	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	1X1:T4..T9
	1088 0061 14	3	TERMINAL	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	1X1:T4..T9
	1089 9514 60	1	TRANSFORMER	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK 4A	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	LABEL (UL)

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA15P_18 - Model:GA 15+FREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 VMODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N





16.17 - Cubicle components GA 11+, GA 15+ - 200-230-460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1089 9427 49	1	TERMINAL	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	
	Electrical legend:	1X1:Y (terminal)			
	1089 9427 48	1	PLATE END	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	
	Electrical legend:	1X1:Y (end plate)			
	1089 9267 65	1	OVERLOAD RELAY	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	F15 support
	1089 9168 34	3	FUSE LINK 6A	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	F10-F11-F12
	1089 9168 85	3	FUSE	(15/04/2018 - ...)	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	F10-F11-F12
	1625 4306 03	1	FUSE LABEL	(15/04/2018 - ...)	F10-F11-F12
	1089 9513 98	1	EMERGENCY STOP BUTTON	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	
	Electrical legend:	S3 (contacts)			
	1089 9482 95	1	HOLDER	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	
	Electrical legend:	S3 (holder for contacts)			
	1089 9438 42	1	CONTACTOR	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQUENCE RELAY	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	F3
	1088 0039 93	3	TERMINAL	(02/08/2017 - 14/04/2018) MODEL:GA15P_18	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	TERMINAL	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	-

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA15P_18 - Model:GA 15+FREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 VMODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N



16.17 - Cubicle components GA 11+, GA 15+ - 200-230-460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco


Ref	Part Number	Qty	Name	Validity	EL
	1089 9398 92	2	RAIL CARRIER	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	-
	1088 0031 26	1	CONNECTOR 6-POLE	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	2X31
	1088 0031 32	1	CONNECTOR	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	2X28
	1088 0031 81	2	END STOP BRACKET 6MM	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	-
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
		2	AIR INLET WITH FILTER	(02/08/2017 - 14/04/2018) MODEL:GA15P_18	
	Electrical legend: airinlet bottom				
	Service kits: 2901 9908 19 - CUBICLE VENTILATION KIT - GA 11+, GA 15+				
	2901 9908 20 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 4000HRS				
	2901 9908 21 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 4000HRS				
	2901 9908 24 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 8000HRS				
	2901 9908 25 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 8000HRS				
		1	AIR INLET WITH FILTER	(15/04/2018 - ...)	
	Electrical legend: airinlet bottom				
	Service kits: 2901 9908 19 - CUBICLE VENTILATION KIT - GA 11+, GA 15+				
	2901 9908 20 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 4000HRS				
	2901 9908 21 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 4000HRS				
	2901 9908 24 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 8000HRS				
	2901 9908 25 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 8000HRS				
		1	CUBICLE FAN	(15/04/2018 - ...)	
	Electrical legend: airoutlet top				
	Service kits: 2901 9908 19 - CUBICLE VENTILATION KIT - GA 11+, GA 15+				
	2901 9908 20 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 4000HRS				
	2901 9908 21 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 4000HRS				
	2901 9908 24 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 8000HRS				
	2901 9908 25 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 8000HRS				
	0697 9809 24	1	LOCKNUT	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	WH
	0697 9809 20	1	LOCKNUT	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	TT01
	0697 9810 32	1	PLUG	(15/04/2018 - ...)	TT01
	0698 5140 71	1	CABLE GLAND	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - 18/09/2018)	FAN
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 20	1	LOCKNUT	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - 18/09/2018)	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...)	FAN
	0698 5149 16	1	PLUG	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	TT90 (LAT)
	0698 5148 82	1	PLUG	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	A1
2730	0697 9811 15	1	PLUG	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	ANTENNA
2745	0989 3700 42	1	NUT	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	ANTENNA
2750	0698 5140 71	1	CABLE GLAND	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	TT01
2750	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT01
2760	0697 9809 13	1	LOCKNUT	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	PT20
2780	0698 5140 70	1	CABLE GLAND	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCKNUT	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	A1
2800	0697 9809 22	1	LOCKNUT	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	A1


Legend:

CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA15P_18 - Model:GA 15+

FREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 V

MODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N






16.17 - Cubicle components GA 11+, GA 15+ - 200-230-460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Ref	Part Number	Qty	Name	Validity	EL
	1625 2201 27	1	CUBICLE ASSEMBLY	(02/08/2017 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	MSA
3010	•	1	CUBICLE		
3050	• 1625 2201 29	1	DOOR		
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...)	
3070	• 1079 9932 01	1	DECAL		
3080	• 1079 9932 15	1	DECAL		
	• 1613 8339 01	1	LOCK		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA15P_18 - Model:GA 15+FREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 VMODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N



16.18 - Cubicle components GA 18+, GA 22+ - 200-230-460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)

Atlas Copco


Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 62	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY DRAWING	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	AD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	WH
		1	DATA LABEL	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	-
	~~1088 0031 81~~	1	END STOP BRACKET 6MM	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	-
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9366 72	3	TERMINAL	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	1X0
	1089 9366 73	3	TERMINAL	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	
	Electrical legend:	1X0:L1-L3 (to 1X2)			
	1089 9427 63	1	TERMINAL	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	1X3 motor
	1088 0027 27	1	TERMINAL BLOCK	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	
	Electrical legend:	1X0:PE customer			
	0993 7106 07	1	RAIL	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	-
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	-
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9321 74	1	CONTACTOR	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	K21
	1089 9321 74	1	CONTACTOR	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	K23
	1089 9623 51	1	CONTACTOR	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	K22
	1089 9205 17	1	OVERLOAD RELAY	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	F21
	1089 9205 19	1	OVERLOAD RELAY	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	F21: loose
	1089 9438 86	1	CONTACTOR	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	K23
	0993 7106 07	1	RAIL	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	-
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	-
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1088 0061 65	1	END PLATE	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	
	Electrical legend:	1X1:T1,2,3 & T10,11,12			
	1088 0061 63	6	TERMINAL BLOCK	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	
	Electrical legend:	1X1:T1,2,3 & T10,11,12			
	1088 0040 30	1	END PLATE	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	1X1:T4..T9
	1088 0061 14	3	TERMINAL	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	1X1:T4..T9
	1089 9514 60	1	TRANSFORMER	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK 4A	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	LABEL (UL)
	1089 9427 49	1	TERMINAL	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	
	Electrical legend:	1X1:Y (terminal)			


Legend:

CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA22P_18 - Model:GA 22+

FREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 V

MODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N






16.18 - Cubicle components GA 18+, GA 22+ - 200-230-460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1089 9427 48	1	PLATE END	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	
	Electrical legend:	1X1:Y (end plate)			
	1089 9267 66	1	OVERLOAD RELAY	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	F15 support
	1089 9168 34	3	FUSE LINK 6A	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	F10-F11-F12
	1625 4306 02	1	FUSE LABEL	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	F10-F11-F12
	1089 9513 98	1	EMERGENCY STOP BUTTON	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	
	Electrical legend:	S3 (contacts)			
	1089 9482 95	1	HOLDER	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	
	Electrical legend:	S3 (holder for contacts)			
	1089 9438 42	1	CONTACTOR	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQUENCE RELAY	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	TERMINAL	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	-
	1089 9398 92	2	RAIL CARRIER	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	-
	1088 0031 26	1	CONNECTOR 6-POLE	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	2X31

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA22P_18 - Model:GA 22+FREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 VMODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N



16.18 - Cubicle components GA 18+, GA 22+ - 200-230-460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)


Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1088 0031 32	1	CONNECTOR	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	2X28
	1088 0031 81	2	END STOP BRACKET 6MM	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	-
	 Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
		1	AIR INLET WITH FILTER	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	
	Electrical legend:	airinlet bottom			
	 Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
		1	AIR INLET WITH FILTER	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	
	Electrical legend:	airoutlet top			
	 Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
	0697 9809 24	1	LOCKNUT	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	WH
	0697 9810 32	1	PLUG	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	TT01
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...)	FAN
	0698 5149 16	1	PLUG	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	TT90 (LAT)
	0698 5148 82	1	PLUG	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	A1
2730	0697 9811 15	1	PLUG	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	ANTENNA
2745	0989 3700 42	1	NUT	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	TT01
2760	0697 9809 13	1	LOCKNUT	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	PT20
2780	0698 5140 70	1	CABLE GLAND	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCKNUT	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	A1
2800	0697 9809 22	1	LOCKNUT	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	MSA
3010	•	1	CUBICLE		
3050	• 1625 2201 29	1	DOOR		
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...)	
3070	• 1079 9932 01	1	DECAL		
3080	• 1079 9932 15	1	DECAL		
	• 1613 8339 01	1	LOCK		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA22P_18 - Model:GA 22+FREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 VMODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N

16.19 - Cubicle components GA 26+ - 200-230-460V/60Hz UL-cUL, GA 30 - 230-460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + OEM:N + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + MOVOL:230_460_V)



16.19 - Cubicle components GA 26+ - 200-230-460V/60Hz UL-cUL, GA 30 - 230-460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + OEM:N + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + MOVOL:230_460_V)

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 69	1	CUBICLE	(16/04/2018 - ...)	
	9828 5323 50	1	SERVICE DIAGRAM	(16/04/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY DRAWING	(16/04/2018 - ...)	AD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(16/04/2018 - ...)	WH
	1625 3906 31	1	DATA LABEL	(16/04/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(16/04/2018 - ...)	-
	1088 0031 81	1	END STOP BRACKET 6MM	(16/04/2018 - ...)	-
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9366 72	3	TERMINAL	(16/04/2018 - ...)	1X0
	1089 9366 73	3	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 63	1	TERMINAL	(16/04/2018 - ...)	1X3 motor
	1088 0027 27	1	TERMINAL BLOCK	(16/04/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(16/04/2018 - ...)	-
	1088 0031 81	2	END STOP BRACKET 6MM	(16/04/2018 - ...)	-
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9321 75	1	CONTACTOR	(16/04/2018 - ...)	K21
	1089 9321 75	1	CONTACTOR	(16/04/2018 - ...)	K23
	1089 9623 52	1	CONTACTOR	(16/04/2018 - ...)	K22
	1089 9205 17	1	OVERLOAD RELAY	(16/04/2018 - ...)	F21
	1089 9205 19	1	OVERLOAD RELAY	(16/04/2018 - ...)	F21: loose
	1089 9438 86	1	CONTACTOR	(16/04/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(16/04/2018 - ...)	K23
	0993 7106 07	1	RAIL	(16/04/2018 - ...)	-
	1088 0031 81	2	END STOP BRACKET 6MM	(16/04/2018 - ...)	-
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1088 0061 65	1	END PLATE	(16/04/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0061 63	6	TERMINAL BLOCK	(16/04/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0040 30	1	END PLATE	(16/04/2018 - ...)	1X1:T4..T9
	1088 0061 14	3	TERMINAL	(16/04/2018 - ...)	1X1:T4..T9
	1089 9514 60	1	TRANSFORMER	(16/04/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK 4A	(16/04/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(16/04/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(16/04/2018 - ...)	LABEL (UL)
	1089 9427 49	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(16/04/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 66	1	OVERLOAD RELAY	(16/04/2018 - ...)	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(16/04/2018 - ...)	F15 support
	1089 9168 34	3	FUSE LINK 6A	(16/04/2018 - ...)	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(16/04/2018 - ...)	F10-F11-F12
	1625 4306 02	1	FUSE LABEL	(16/04/2018 - ...)	F10-F11-F12
	1089 9438 42	1	CONTACTOR	(16/04/2018 - ...)	K15
	1089 9513 98	1	EMERGENCY STOP BUTTON	(16/04/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(16/04/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(16/04/2018 - ...)	

Legend:


CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA30_18 - Model:GA 30
OEM:N - OEM:N

FREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 V

MODEL:GA26P_18 - Model:GA 26+
MOVOL:230_460_V - Supply voltage:230-460 V

16.19 - Cubicle components GA 26+ - 200-230-460V/60Hz UL-cUL, GA 30 - 230-460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + OEM:N + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + MOVOL:230_460_V)



16.19 - Cubicle components GA 26+ - 200-230-460V/60Hz UL-cUL, GA 30 - 230-460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + OEM:N + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + MOVOL:230_460_V)

Ref	Part Number	Qty	Name	Validity	EL
	Electrical legend:	S3 (holder for contacts)			
	1089 9438 42	1	CONTACTOR	(16/04/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQUENCE RELAY	(16/04/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(16/04/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(16/04/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(16/04/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(16/04/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(16/04/2018 - ...)	1X5
	1088 0038 25	3	TERMINAL	(16/04/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0038 66	1	END PLATE	(16/04/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(16/04/2018 - ...)	-
	1089 9398 92	2	RAIL CARRIER	(16/04/2018 - ...)	-
	1088 0031 26	1	CONNECTOR 6-POLE	(16/04/2018 - ...)	2X31
	1088 0031 32	1	CONNECTOR	(16/04/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(16/04/2018 - ...)	2X28
	1088 0031 81	2	END STOP BRACKET 6MM	(16/04/2018 - ...)	-
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
		1	AIR INLET WITH FILTER	(16/04/2018 - ...)	
	Electrical legend:	airinlet bottom			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
		1	AIR INLET WITH FILTER	(16/04/2018 - ...)	
	Electrical legend:	airoutlet top			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
	0697 9809 24	1	LOCKNUT	(16/04/2018 - ...)	WH
	0697 9810 32	1	PLUG	(16/04/2018 - ...)	TT01
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...)	FAN
	0698 5149 16	1	PLUG	(16/04/2018 - ...)	TT90 (LAT)
	0698 5148 82	1	PLUG	(16/04/2018 - ...)	A1
2740	0697 9811 11	1	PLUG	(16/04/2018 - ...)	ANTENNA

Legend:


CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA30_18 - Model:GA 30
OEM:N - OEM:N

FREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 V

MODEL:GA26P_18 - Model:GA 26+
MOVOL:230_460_V - Supply voltage:230-460 V

16.19 - Cubicle components GA 26+ - 200-230-460V/60Hz UL-cUL, GA 30 - 230-460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + OEM:N + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + MOVOL:230_460_V)



16.19 - Cubicle components GA 26+ - 200-230-460V/60Hz UL-cUL, GA 30 - 230-460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + OEM:N + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + MOVOL:230_460_V)

Ref	Part Number	Qty	Name	Validity	EL
2745	0989 3700 42	1	NUT	(16/04/2018 - ...)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(16/04/2018 - ...)	TT01
2760	0697 9809 13	1	LOCKNUT	(16/04/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(16/04/2018 - ...)	PT20
2780	0698 5140 70	1	CABLE GLAND	(16/04/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCKNUT	(16/04/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(16/04/2018 - ...)	A1
2800	0697 9809 22	1	LOCKNUT	(16/04/2018 - ...)	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(16/04/2018 - ...)	MSA
3010	•	1	CUBICLE		
3050	• 1625 2201 29	1	DOOR		
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...)	
3070	• 1079 9932 01	1	DECAL		
3080	• 1079 9932 15	1	DECAL		
	• 1613 8339 01	1	LOCK		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:

CAPPRE:ULCUL - Component approval electrical:UL/cUL

MODEL:GA30_18 - Model:GA 30


OEM:N - OEM:N

FREQ:60HZ - Frequency:60 Hz

MOVOL:200230460V - Supply voltage:200-230-460 V

MODEL:GA26P_18 - Model:GA 26+

MOVOL:230_460_V - Supply voltage:230-460 V




16.20 - Cubicle components GA 30 - 200V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA30_18 + MOVOL:200V + OEM:N

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 68	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(16/04/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY DRAWING	(16/04/2018 - ...)	AD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(16/04/2018 - ...)	WH
		1	DATA LABEL	(16/04/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(16/04/2018 - ...)	-
	~~1088 0031 81~~	1	END STOP BRACKET 6MM	(16/04/2018 - ...)	-
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9366 72	3	TERMINAL	(16/04/2018 - ...)	1X0
	1089 9366 73	3	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 63	1	TERMINAL	(16/04/2018 - ...)	1X3 motor
	1088 0027 27	1	TERMINAL BLOCK	(16/04/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(16/04/2018 - ...)	-
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(16/04/2018 - ...)	-
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9321 75	1	CONTACTOR	(16/04/2018 - ...)	K21
	1089 9321 75	1	CONTACTOR	(16/04/2018 - ...)	K23
	1089 9623 52	1	CONTACTOR	(16/04/2018 - ...)	K22
	1089 9205 19	1	OVERLOAD RELAY	(16/04/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(16/04/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(16/04/2018 - ...)	K23
	1089 9514 60	1	TRANSFORMER	(16/04/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK 4A	(16/04/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(16/04/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(16/04/2018 - ...)	LABEL (UL)
	1089 9427 49	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(16/04/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 66	1	OVERLOAD RELAY	(16/04/2018 - ...)	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(16/04/2018 - ...)	F15 support
	1089 9168 34	3	FUSE LINK 6A	(16/04/2018 - ...)	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(16/04/2018 - ...)	F10-F11-F12
	1625 4306 02	1	FUSE LABEL	(16/04/2018 - ...)	F10-F11-F12
	1089 9438 42	1	CONTACTOR	(16/04/2018 - ...)	K15
	1089 9513 98	1	EMERGENCY STOP BUTTON	(16/04/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(16/04/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(16/04/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(16/04/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQUENCE RELAY	(16/04/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(16/04/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(16/04/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:12 top				

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MOVOL:200V - Supply voltage:200 VFREQ:60HZ - Frequency:60 Hz
OEM:N - OEM:N

MODEL:GA30_18 - Model:GA 30



16.20 - Cubicle components GA 30 - 200V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA30_18 + MOVOL:200V + OEM:N

Atlas Copco


Ref	Part Number	Qty	Name	Validity	EL
	1088 0039 93	2	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(16/04/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(16/04/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(16/04/2018 - ...)	1X5
	1088 0038 25	3	TERMINAL	(16/04/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0038 66	1	END PLATE	(16/04/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(16/04/2018 - ...)	-
	1089 9398 92	2	RAIL CARRIER	(16/04/2018 - ...)	-
	1088 0031 26	1	CONNECTOR 6-POLE	(16/04/2018 - ...)	2X31
	1088 0031 32	1	CONNECTOR	(16/04/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(16/04/2018 - ...)	2X28
	1088 0031 81	2	END STOP BRACKET 6MM	(16/04/2018 - ...)	-
	⚙ Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
		1	AIR INLET WITH FILTER	(16/04/2018 - ...)	
	Electrical legend:	airinlet bottom			
	🧰 Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
		1	AIR INLET WITH FILTER	(16/04/2018 - ...)	
	Electrical legend:	airoutlet top			
	🧰 Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
	0697 9809 24	1	LOCKNUT	(16/04/2018 - ...)	WH
	0697 9810 32	1	PLUG	(16/04/2018 - ...)	TT01
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...)	FAN
	0698 5149 16	1	PLUG	(16/04/2018 - ...)	TT90 (LAT)
	0698 5148 82	1	PLUG	(16/04/2018 - ...)	A1
2740	0697 9811 11	1	PLUG	(16/04/2018 - ...)	ANTENNA
2745	0989 3700 42	1	NUT	(16/04/2018 - ...)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(16/04/2018 - ...)	TT01
2760	0697 9809 13	1	LOCKNUT	(16/04/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(16/04/2018 - ...)	PT20
2780	0698 5140 70	1	CABLE GLAND	(16/04/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCKNUT	(16/04/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(16/04/2018 - ...)	A1
2800	0697 9809 22	1	LOCKNUT	(16/04/2018 - ...)	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(16/04/2018 - ...)	MSA
3010	• 1625 2201 28	1	CUBICLE		
3050	• 1625 2201 29	1	DOOR		


Legend:

CAPPRE:ULCUL - Component approval electrical:UL/cUL
MOVOL:200V - Supply voltage:200 V

FREQ:60HZ - Frequency:60 Hz
OEM:N - OEM:N

MODEL:GA30_18 - Model:GA 30






16.20 - Cubicle components GA 30 - 200V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA30_18 + MOVOL:200V + OEM:N

Ref	Part Number	Qty	Name	Validity	EL
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...)	
3070	• 1079 9932 01	1	DECAL INSTRUCT.		
3080	• 1079 9932 15	1	DECAL INSTRUCT.		
	• 1613 8339 01	1	LOCK		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MOVOL:200V - Supply voltage:200 VFREQ:60HZ - Frequency:60 Hz
OEM:N - OEM:N

MODEL:GA30_18 - Model:GA 30



16.21 - Cubicle components GA 11+, GA 15+ - 460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco


Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 54	1	CUBICLE	(15/04/2018 - ...)	
	9828 5323 50	1	SERVICE DIAGRAM	(15/04/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY DRAWING	(15/04/2018 - ...)	AD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(15/04/2018 - ...)	WH
		1	DATA LABEL	(15/04/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1088-0031-81	1	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 58	3	TERMINAL	(15/04/2018 - ...)	1X0
	1089 9366 71	3	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 50	1	TERMINAL	(15/04/2018 - ...)	1X3 motor
	1089 9427 60	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1088-0031-81	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9438 76	1	CONTACTOR	(15/04/2018 - ...)	K21
	1089 9438 76	1	CONTACTOR	(15/04/2018 - ...)	K23
	1089 9438 68	1	CONTACTOR	(15/04/2018 - ...)	K22
	1089 9267 79	1	OVERLOAD RELAY	(15/04/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(15/04/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(15/04/2018 - ...)	K23
	1089 9514 56	1	TRANSFORMER VOLTAGE	(15/04/2018 - ...)	T1
	1089 9168 24	2	FUSE LINK 2A	(15/04/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(15/04/2018 - ...)	F1-F2
	1625 4306 00	1	FUSE LABEL	(15/04/2018 - ...)	LABEL (UL)
	1089 9267 22	1	CIRCUIT BREAKER	(15/04/2018 - ...)	Q15
	1089 9267 91	1	TERMINAL BLOCK	(15/04/2018 - ...)	Q15 (for UL)
	Electrical legend: Q15 (for UL)				
	1089 9267 55	1	SWITCH POWER	(15/04/2018 - ...)	
	Electrical legend: Q15 (NO contact)				
	1089 9427 49	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(15/04/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9513 98	1	EMERGENCY STOP BUTTON	(15/04/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(15/04/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(15/04/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(15/04/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQUENCE RELAY	(15/04/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(15/04/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(15/04/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:12 top				
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:13 top				

Legend:

CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA15P_18 - Model:GA 15+

FREQ:60HZ - Frequency:60 Hz
MOVOL:460V - Supply voltage:460 V

MODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N



16.21 - Cubicle components GA 11+, GA 15+ - 460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco


Ref	Part Number	Qty	Name	Validity	EL
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:14 top				
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:15 top				
	1088 0039 95	1	PLATE	(15/04/2018 - ...)	
	Electrical legend: 1X4 (end plate)				
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:46 bottom / 1x4:47 top				
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1X6:120 / 1x6:121				
	1088 0039 95	1	PLATE	(15/04/2018 - ...)	
	Electrical legend: 1X6 (end plate)				
	1088 0037 30	1	CONNECTOR 2-POLE	(15/04/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(15/04/2018 - ...)	1X2:L1-L2-L3
	Electrical legend: 1X2:L1-L2-L3				
	1088 0021 43	1	TERMINAL	(15/04/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1089 9398 92	2	RAIL CARRIER	(15/04/2018 - ...)	-
	1088 0031 32	1	CONNECTOR	(15/04/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(15/04/2018 - ...)	2X28
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
		1	AIR INLET WITH FILTER	(15/04/2018 - ...)	
	Electrical legend: airinlet bottom				
	Service kits: 2901 9908 19 - CUBICLE VENTILATION KIT - GA 11+, GA 15+				
	2901 9908 20 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 4000HRS				
	2901 9908 21 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 4000HRS				
	2901 9908 24 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 8000HRS				
	2901 9908 25 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 8000HRS				
		1	CUBICLE FAN	(15/04/2018 - ...)	
	Electrical legend: airoutlet top				
	Service kits: 2901 9908 19 - CUBICLE VENTILATION KIT - GA 11+, GA 15+				
	2901 9908 20 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 4000HRS				
	2901 9908 21 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 4000HRS				
	2901 9908 24 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 8000HRS				
	2901 9908 25 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 8000HRS				
	0697 9809 24	1	LOCKNUT	(15/04/2018 - ...)	WH
	0697 9810 32	1	PLUG	(15/04/2018 - ...)	TT01
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...)	FAN
	0698 5149 16	1	PLUG	(15/04/2018 - ...)	TT90 (LAT)
	0698 5148 82	1	PLUG	(15/04/2018 - ...)	A1
2730	0697 9811 15	1	PLUG	(15/04/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(15/04/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(15/04/2018 - ...)	ANTENNA
2745	0989 3700 42	1	NUT	(15/04/2018 - ...)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT01
2760	0697 9809 13	1	LOCKNUT	(15/04/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(15/04/2018 - ...)	PT20
2780	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCKNUT	(15/04/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(15/04/2018 - ...)	A1
2800	0697 9809 22	1	LOCKNUT	(15/04/2018 - ...)	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(15/04/2018 - ...)	MSA
3010 •		1	CUBICLE		
3050 •	1625 2201 29	1	DOOR		

Legend:

CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA15P_18 - Model:GA 15+

FREQ:60HZ - Frequency:60 Hz
MOVOL:460V - Supply voltage:460 V

MODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N




16.21 - Cubicle components GA 11+, GA 15+ - 460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Ref	Part Number	Qty	Name	Validity	EL
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...)	
3070	• 1079 9932 01	1	DECAL		
3080	• 1079 9932 15	1	DECAL		
	• 1613 8339 01	1	LOCK		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA15P_18 - Model:GA 15+FREQ:60HZ - Frequency:60 Hz
MOVOL:460V - Supply voltage:460 VMODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N




16.22 - Cubicle components GA 18+, GA 22+ - 460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 60	1	CUBICLE	(15/04/2018 - ...)	
	9828 5323 50	1	SERVICE DIAGRAM	(15/04/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY DRAWING	(15/04/2018 - ...)	AD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(15/04/2018 - ...)	WH
		1	DATA LABEL	(15/04/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1088-0031-81	1	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 61	3	TERMINAL	(15/04/2018 - ...)	1X0
	1089 9366 22	3	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 60	1	TERMINAL	(15/04/2018 - ...)	1X3 motor
	1089 9427 63	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1088-0031-81	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9623 51	1	CONTACTOR	(15/04/2018 - ...)	K21
	1089 9623 51	1	CONTACTOR	(15/04/2018 - ...)	K23
	1089 9438 74	1	CONTACTOR	(15/04/2018 - ...)	K22
	1089 9205 16	1	OVERLOAD RELAY	(15/04/2018 - ...)	F21
	1089 9514 60	1	TRANSFORMER	(15/04/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK 4A	(15/04/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(15/04/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(15/04/2018 - ...)	LABEL (UL)
	1089 9267 26	1	CIRCUIT BREAKER	(15/04/2018 - ...)	Q15
	1089 9267 91	1	TERMINAL BLOCK	(15/04/2018 - ...)	Q15 (for UL)
	Electrical legend: Q15 (for UL)				
	1089 9267 55	1	POWER SWITCH	(15/04/2018 - ...)	
	Electrical legend: Q15 (NO contact)				
	1089 9427 49	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(15/04/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9513 98	1	EMERGENCY STOP BUTTON	(15/04/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(15/04/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(15/04/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(15/04/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQUENCE RELAY	(15/04/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(15/04/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(15/04/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:12 top				
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:13 top				
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:14 top				
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA22P_18 - Model:GA 22+FREQ:60HZ - Frequency:60 Hz
MOVOL:460V - Supply voltage:460 VMODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N



16.22 - Cubicle components GA 18+, GA 22+ - 460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)

Atlas Copco


Ref	Part Number	Qty	Name	Validity	EL
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(15/04/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(15/04/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(15/04/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(15/04/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	TERMINAL	(15/04/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1089 9398 92	2	RAIL CARRIER	(15/04/2018 - ...)	-
	1088 0031 32	1	CONNECTOR	(15/04/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(15/04/2018 - ...)	2X28
	1088 0031 81	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
		1	AIR INLET WITH FILTER	(15/04/2018 - ...)	
	Electrical legend:	airinlet bottom			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30			
		2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS			
		2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS			
		2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
		2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
		1	AIR INLET WITH FILTER	(15/04/2018 - ...)	
	Electrical legend:	airoutlet top			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30			
		2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS			
		2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS			
		2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
		2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
	0697 9809 24	1	LOCKNUT	(15/04/2018 - ...)	WH
	0697 9810 32	1	PLUG	(15/04/2018 - ...)	TT01
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...)	FAN
	0698 5149 16	1	PLUG	(15/04/2018 - ...)	TT90 (LAT)
	0698 5148 82	1	PLUG	(15/04/2018 - ...)	A1
2730	0697 9811 15	1	PLUG	(15/04/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(15/04/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(15/04/2018 - ...)	ANTENNA
2745	0989 3700 42	1	NUT	(15/04/2018 - ...)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT01
2760	0697 9809 13	1	LOCKNUT	(15/04/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(15/04/2018 - ...)	PT20
2780	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCKNUT	(15/04/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(15/04/2018 - ...)	A1
2800	0697 9809 22	1	LOCKNUT	(15/04/2018 - ...)	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(15/04/2018 - ...)	MSA
3010	•	1	CUBICLE		
3050	• 1625 2201 29	1	DOOR		
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...)	
3070	• 1079 9932 01	1	DECAL		
3080	• 1079 9932 15	1	DECAL		


Legend:

CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA22P_18 - Model:GA 22+

FREQ:60HZ - Frequency:60 Hz
MOVOL:460V - Supply voltage:460 V

MODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N





16.22 - Cubicle components GA 18+, GA 22+ - 460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	• 1613 8339 01	1	LOCK		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:


CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA22P_18 - Model:GA 22+

FREQ:60HZ - Frequency:60 Hz
MOVOL:460V - Supply voltage:460 V

MODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N

16.23 - Cubicle components GA 26+, GA 30 - 460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA26P_18, MODEL:GA30_18)



16.23 - Cubicle components GA 26+, GA 30 - 460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA26P_18 , MODEL:GA30_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 66	1	CUBICLE	(15/04/2018 - ...)	
	9828 5323 50	1	SERVICE DIAGRAM	(15/04/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY DRAWING	(15/04/2018 - ...)	AD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(15/04/2018 - ...)	WH
		1	DATA LABEL	(15/04/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	~~1088 0031 81~~	1	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 61	3	TERMINAL	(15/04/2018 - ...)	1X0
	1089 9366 22	3	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 60	1	TERMINAL	(15/04/2018 - ...)	1X3 motor
	1089 9427 63	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9623 52	1	CONTACTOR	(15/04/2018 - ...)	K21
	1089 9623 52	1	CONTACTOR	(15/04/2018 - ...)	K23
	1089 9438 76	1	CONTACTOR	(15/04/2018 - ...)	K22
	1089 9205 16	1	OVERLOAD RELAY	(15/04/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(15/04/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(15/04/2018 - ...)	K23
	1089 9514 60	1	TRANSFORMER	(15/04/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK 4A	(15/04/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(15/04/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(15/04/2018 - ...)	LABEL (UL)
	1089 9267 26	1	CIRCUIT BREAKER	(15/04/2018 - ...)	Q15
	1089 9267 91	1	TERMINAL BLOCK	(15/04/2018 - ...)	Q15 (for UL)
	Electrical legend: Q15 (for UL)				
	1089 9267 55	1	POWER SWITCH	(15/04/2018 - ...)	
	Electrical legend: Q15 (NO contact)				
	1089 9427 49	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(15/04/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9513 98	1	EMERGENCY STOP BUTTON	(15/04/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(15/04/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(15/04/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(15/04/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQUENCE RELAY	(15/04/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(15/04/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(15/04/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:12 top				
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:13 top				

Legend:


CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA30_18 - Model:GA 30

FREQ:60HZ - Frequency:60 Hz
MOVOL:460V - Supply voltage:460 V

MODEL:GA26P_18 - Model:GA 26+
OEM:N - OEM:N

16.23 - Cubicle components GA 26+, GA 30 - 460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA26P_18, MODEL:GA30_18)



16.23 - Cubicle components GA 26+, GA 30 - 460V/60Hz UL-cUL


CAPPRE:ULCUL + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA26P_18 , MODEL:GA30_18)

Ref	Part Number	Qty	Name	Validity	EL
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:14 top				
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:15 top				
	1088 0039 95	1	PLATE	(15/04/2018 - ...)	
	Electrical legend: 1X4 (end plate)				
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:46 bottom / 1x4:47 top				
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1X6:120 / 1x6:121				
	1088 0039 95	1	PLATE	(15/04/2018 - ...)	
	Electrical legend: 1X6 (end plate)				
	1088 0037 30	1	CONNECTOR 2-POLE	(15/04/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(15/04/2018 - ...)	1X2:L1-L2-L3
	Electrical legend: 1X2:L1-L2-L3				
	1088 0021 43	1	TERMINAL	(15/04/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1089 9398 92	2	RAIL CARRIER	(15/04/2018 - ...)	-
	1088 0031 32	1	CONNECTOR	(15/04/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(15/04/2018 - ...)	2X28
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
		1	AIR INLET WITH FILTER	(15/04/2018 - ...)	
	Electrical legend: airinlet bottom				
	Service kits: 2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30				
	2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS				
	2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS				
	2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS				
	2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS				
		1	AIR INLET WITH FILTER	(15/04/2018 - ...)	
	Electrical legend: airoutlet top				
	Service kits: 2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30				
	2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS				
	2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS				
	2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS				
	2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS				
	0697 9809 24	1	LOCKNUT	(15/04/2018 - ...)	WH
	0697 9810 32	1	PLUG	(15/04/2018 - ...)	TT01
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...)	FAN
	0698 5149 16	1	PLUG	(15/04/2018 - ...)	TT90 (LAT)
	0698 5148 82	1	PLUG	(15/04/2018 - ...)	A1
2730	0697 9811 15	1	PLUG	(15/04/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(15/04/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(15/04/2018 - ...)	ANTENNA
2745	0989 3700 42	1	NUT	(15/04/2018 - ...)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT01
2760	0697 9809 13	1	LOCKNUT	(15/04/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(15/04/2018 - ...)	PT20
2780	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCKNUT	(15/04/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(15/04/2018 - ...)	A1
2800	0697 9809 22	1	LOCKNUT	(15/04/2018 - ...)	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(15/04/2018 - ...)	MSA
3010 •		1	CUBICLE		
3050 •	1625 2201 29	1	DOOR		

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA30_18 - Model:GA 30FREQ:60HZ - Frequency:60 Hz
MOVOL:460V - Supply voltage:460 VMODEL:GA26P_18 - Model:GA 26+
OEM:N - OEM:N

16.23 - Cubicle components GA 26+, GA 30 - 460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA26P_18, MODEL:GA30_18)



16.23 - Cubicle components GA 26+, GA 30 - 460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA26P_18 , MODEL:GA30_18)




Ref	Part Number	Qty	Name	Validity	EL
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...)	
3070	• 1079 9932 01	1	DECAL		
3080	• 1079 9932 15	1	DECAL		
	• 1613 8339 01	1	LOCK		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA30_18 - Model:GA 30FREQ:60HZ - Frequency:60 Hz
MOVOL:460V - Supply voltage:460 VMODEL:GA26P_18 - Model:GA 26+
OEM:N - OEM:N

16.24 - Cubicle components GA 11+, GA 15+ - 575V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:575V + OEM:N + (MODEL:GA11P_18, MODEL:GA15P_18)



16.24 - Cubicle components GA 11+, GA 15+ - 575V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:575V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 55	1	CUBICLE	(15/04/2018 - ...)	
	9828 5323 50	1	SERVICE DIAGRAM	(15/04/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY DRAWING	(15/04/2018 - ...)	AD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(15/04/2018 - ...)	WH
		1	DATA LABEL	(15/04/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1088-0031-81	1	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 58	3	TERMINAL	(15/04/2018 - ...)	1X0
	1089 9366 71	3	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 50	1	TERMINAL	(15/04/2018 - ...)	1X3 motor
	1089 9427 60	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1088-0031-81	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9438 74	1	CONTACTOR	(15/04/2018 - ...)	K21
	1089 9438 74	1	CONTACTOR	(15/04/2018 - ...)	K23
	1089 9438 66	1	CONTACTOR	(15/04/2018 - ...)	K22
	1089 9267 79	1	OVERLOAD RELAY	(15/04/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(15/04/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(15/04/2018 - ...)	K23
	1089 9514 59	1	TRANSFORMER	(15/04/2018 - ...)	T1
	1089 9168 24	2	FUSE LINK 2A	(15/04/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(15/04/2018 - ...)	F1-F2
	1625 4306 00	1	FUSE LABEL	(15/04/2018 - ...)	LABEL (UL)
	1089 9267 24	1	CIRCUIT BREAKER	(15/04/2018 - ...)	Q15
	1089 9267 91	1	TERMINAL BLOCK	(15/04/2018 - ...)	Q15 (for UL)
	Electrical legend: Q15 (for UL)				
	1089 9267 55	1	POWER SWITCH	(15/04/2018 - ...)	
	Electrical legend: Q15 (NO contact)				
	1089 9427 49	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(15/04/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9513 98	1	EMERGENCY STOP BUTTON	(15/04/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(15/04/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(15/04/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(15/04/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQUENCE RELAY	(15/04/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(15/04/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(15/04/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:12 top				
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:13 top				

Legend:


CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA15P_18 - Model:GA 15+

FREQ:60HZ - Frequency:60 Hz
MOVOL:575V - Supply voltage:575 V

MODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

16.24 - Cubicle components GA 11+, GA 15+ - 575V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:575V + OEM:N + (MODEL:GA11P_18, MODEL:GA15P_18)



16.24 - Cubicle components GA 11+, GA 15+ - 575V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:575V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco


Ref	Part Number	Qty	Name	Validity	EL
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:14 top				
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:15 top				
	1088 0039 95	1	PLATE	(15/04/2018 - ...)	
	Electrical legend: 1X4 (end plate)				
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:46 bottom / 1x4:47 top				
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1X6:120 / 1x6:121				
	1088 0039 95	1	PLATE	(15/04/2018 - ...)	
	Electrical legend: 1X6 (end plate)				
	1088 0037 30	1	CONNECTOR 2-POLE	(15/04/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(15/04/2018 - ...)	1X2:L1-L2-L3
	Electrical legend: 1X2:L1-L2-L3				
	1088 0021 43	1	TERMINAL	(15/04/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1089 9398 92	2	RAIL CARRIER	(15/04/2018 - ...)	-
	1088 0031 32	1	CONNECTOR	(15/04/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(15/04/2018 - ...)	2X28
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
		1	AIR INLET WITH FILTER	(15/04/2018 - ...)	
	Electrical legend: airinlet bottom				
	Service kits: 2901 9908 19 - CUBICLE VENTILATION KIT - GA 11+, GA 15+				
	2901 9908 20 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 4000HRS				
	2901 9908 21 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 4000HRS				
	2901 9908 24 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 8000HRS				
	2901 9908 25 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 8000HRS				
		1	CUBICLE FAN	(15/04/2018 - ...)	
	Electrical legend: airoutlet top				
	Service kits: 2901 9908 19 - CUBICLE VENTILATION KIT - GA 11+, GA 15+				
	2901 9908 20 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 4000HRS				
	2901 9908 21 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 4000HRS				
	2901 9908 24 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 8000HRS				
	2901 9908 25 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 8000HRS				
	0697 9809 24	1	LOCKNUT	(15/04/2018 - ...)	WH
	0697 9810 32	1	PLUG	(15/04/2018 - ...)	TT01
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...)	FAN
	0698 5149 16	1	PLUG	(15/04/2018 - ...)	TT90 (LAT)
	0698 5148 82	1	PLUG	(15/04/2018 - ...)	A1
2730	0697 9811 15	1	PLUG	(15/04/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(15/04/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(15/04/2018 - ...)	ANTENNA
2745	0989 3700 42	1	NUT	(15/04/2018 - ...)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT01
2760	0697 9809 13	1	LOCKNUT	(15/04/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(15/04/2018 - ...)	PT20
2780	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCKNUT	(15/04/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(15/04/2018 - ...)	A1
2800	0697 9809 22	1	LOCKNUT	(15/04/2018 - ...)	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(15/04/2018 - ...)	MSA
3010 •		1	CUBICLE		
3050 •	1625 2201 29	1	DOOR		

Legend:

CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA15P_18 - Model:GA 15+

FREQ:60HZ - Frequency:60 Hz
MOVOL:575V - Supply voltage:575 V

MODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N




16.24 - Cubicle components GA 11+, GA 15+ - 575V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:575V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Ref	Part Number	Qty	Name	Validity	EL
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...)	
3070	• 1079 9932 01	1	DECAL		
3080	• 1079 9932 15	1	DECAL		
	• 1613 8339 01	1	LOCK		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA15P_18 - Model:GA 15+FREQ:60HZ - Frequency:60 Hz
MOVOL:575V - Supply voltage:575 VMODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N



16.25 - Cubicle components GA 18+, GA 22+ - 575V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:575V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 61	1	CUBICLE	(16/04/2018 - ...)	
	9828 5323 50	1	SERVICE DIAGRAM	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY DRAWING	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	AD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	WH
		1	DATA LABEL	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	-
	1088-0031-81	1	END STOP BRACKET 6MM	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	-
	Substituted by:	1089 0577 82	- END RETAINER (quantity: 1)		
	1089 9427 61	3	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	1X0
	1089 9366 22	3	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	
	Electrical legend:	1X0:L1-L3 (to 1X2)			
	1089 9427 60	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	1X3 motor
	1089 9427 63	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	
	Electrical legend:	1X0:PE customer			
	0993 7106 07	1	RAIL	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	-
	1088-0031-81	2	END STOP BRACKET 6MM	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	-
	Substituted by:	1089 0577 82	- END RETAINER (quantity: 1)		
	1089 9438 76	1	CONTACTOR	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	K21
	1089 9438 76	1	CONTACTOR	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	K23
	1089 9438 68	1	CONTACTOR	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	K22
	1089 9267 79	1	OVERLOAD RELAY	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	K23
	1089 9514 59	1	TRANSFORMER	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	T1
	1089 9168 24	2	FUSE LINK 2A	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	F1-F2
	1625 4306 00	1	FUSE LABEL	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	LABEL (UL)
	1089 9267 26	1	CIRCUIT BREAKER	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	Q15
	1089 9267 91	1	TERMINAL BLOCK	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	Q15 (for UL)
	Electrical legend:	Q15 (for UL)			
	1089 9267 55	1	POWER SWITCH	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	
	Electrical legend:	Q15 (NO contact)			
	1089 9427 49	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	
	Electrical legend:	1X1:Y (terminal)			
	1089 9427 48	1	PLATE END	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	
	Electrical legend:	1X1:Y (end plate)			
	1089 9513 98	1	EMERGENCY STOP BUTTON	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	
	Electrical legend:	S3 (contacts)			
	1089 9482 95	1	HOLDER	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	
	Electrical legend:	S3 (holder for contacts)			

Legend:


CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA22P_18 - Model:GA 22+

FREQ:60HZ - Frequency:60 Hz
MOVOL:575V - Supply voltage:575 V

MODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N

16.25 - Cubicle components GA 18+, GA 22+ - 575V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:575V + OEM:N + (MODEL:GA18P_18, MODEL:GA22P_18)




16.25 - Cubicle components GA 18+, GA 22+ - 575V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:575V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1089 9438 42	1	CONTACTOR	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQUENCE RELAY	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	-
	1089 9398 92	2	RAIL CARRIER	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	-
	1088 0031 32	1	CONNECTOR	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	2X28
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	-
	 Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
		1	AIR INLET WITH FILTER	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	
	Electrical legend:	airinlet bottom			
	 Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
		1	AIR INLET WITH FILTER	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	
	Electrical legend:	airoutlet top			
	 Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA22P_18 - Model:GA 22+FREQ:60HZ - Frequency:60 Hz
MOVOL:575V - Supply voltage:575 VMODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N




16.25 - Cubicle components GA 18+, GA 22+ - 575V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:575V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)

Ref	Part Number	Qty	Name	Validity	EL
	0697 9809 24	1	LOCKNUT	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	WH
	0697 9810 32	1	PLUG	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	TT01
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...)	FAN
	0698 5149 16	1	PLUG	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	TT90 (LAT)
	0698 5148 82	1	PLUG	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	A1
2730	0697 9811 15	1	PLUG	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	ANTENNA
2745	0989 3700 42	1	NUT	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	TT01
2760	0697 9809 13	1	LOCKNUT	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	PT20
2780	0698 5140 70	1	CABLE GLAND	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCKNUT	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	A1
2800	0697 9809 22	1	LOCKNUT	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	MSA
3010	• 1625 2201 28	1	CUBICLE		
3050	• 1625 2201 29	1	DOOR		
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...)	
3070	• 1079 9932 01	1	DECAL		
3080	• 1079 9932 15	1	DECAL		
	• 1613 8339 01	1	LOCK		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA22P_18 - Model:GA 22+FREQ:60HZ - Frequency:60 Hz
MOVOL:575V - Supply voltage:575 VMODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N



16.26 - Cubicle components GA 26+, GA 30 - 575V/60Hz UL-cUL


CAPPRE:ULCUL + FREQ:60HZ + MOVOL:575V + OEM:N + (MODEL:GA26P_18 , MODEL:GA30_18)

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 67	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(15/04/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY DRAWING	(15/04/2018 - ...)	AD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(15/04/2018 - ...)	WH
		1	DATA LABEL	(15/04/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	~~1088 0031 81~~	1	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 61	3	TERMINAL	(15/04/2018 - ...)	1X0
	1089 9366 22	3	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 60	1	TERMINAL	(15/04/2018 - ...)	1X3 motor
	1089 9427 63	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9623 51	1	CONTACTOR	(15/04/2018 - ...)	K21
	1089 9623 51	1	CONTACTOR	(15/04/2018 - ...)	K23
	1089 9438 74	1	CONTACTOR	(15/04/2018 - ...)	K22
	1089 9205 16	1	OVERLOAD RELAY	(15/04/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(15/04/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(15/04/2018 - ...)	K23
	1089 9514 60	1	TRANSFORMER	(15/04/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK 4A	(15/04/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(15/04/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(15/04/2018 - ...)	LABEL (UL)
	1089 9267 26	1	CIRCUIT BREAKER	(15/04/2018 - ...)	Q15
	1089 9267 91	1	TERMINAL BLOCK	(15/04/2018 - ...)	Q15 (for UL)
	Electrical legend: Q15 (for UL)				
	1089 9267 55	1	SWITCH POWER	(15/04/2018 - ...)	
	Electrical legend: Q15 (NO contact)				
	1089 9427 49	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(15/04/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9513 98	1	EMERGENCY STOP BUTTON	(15/04/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(15/04/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(15/04/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(15/04/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQUENCE RELAY	(15/04/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(15/04/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(15/04/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:12 top				
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:13 top				

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA30_18 - Model:GA 30FREQ:60HZ - Frequency:60 Hz
MOVOL:575V - Supply voltage:575 VMODEL:GA26P_18 - Model:GA 26+
OEM:N - OEM:N

16.26 - Cubicle components GA 26+, GA 30 - 575V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:575V + OEM:N + (MODEL:GA26P_18, MODEL:GA30_18)



16.26 - Cubicle components GA 26+, GA 30 - 575V/60Hz UL-cUL


CAPPRE:ULCUL + FREQ:60HZ + MOVOL:575V + OEM:N + (MODEL:GA26P_18 , MODEL:GA30_18)

Ref	Part Number	Qty	Name	Validity	EL
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:14 top				
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:15 top				
	1088 0039 95	1	PLATE	(15/04/2018 - ...)	
	Electrical legend: 1X4 (end plate)				
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:46 bottom / 1x4:47 top				
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1X6:120 / 1x6:121				
	1088 0039 95	1	PLATE	(15/04/2018 - ...)	
	Electrical legend: 1X6 (end plate)				
	1088 0037 30	1	CONNECTOR 2-POLE	(15/04/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(15/04/2018 - ...)	1X2:L1-L2-L3
	Electrical legend: 1X2:L1-L2-L3				
	1088 0021 43	1	TERMINAL	(15/04/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1089 9398 92	2	RAIL CARRIER	(15/04/2018 - ...)	-
	1088 0031 32	1	CONNECTOR	(15/04/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(15/04/2018 - ...)	2X28
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
		1	AIR INLET WITH FILTER	(15/04/2018 - ...)	
	Electrical legend: airinlet bottom				
	Service kits: 2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30				
	2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS				
	2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS				
	2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS				
	2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS				
		1	AIR INLET WITH FILTER	(15/04/2018 - ...)	
	Electrical legend: airoutlet top				
	Service kits: 2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30				
	2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS				
	2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS				
	2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS				
	2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS				
	0697 9809 24	1	LOCKNUT	(15/04/2018 - ...)	WH
	0697 9810 32	1	PLUG	(15/04/2018 - ...)	TT01
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...)	FAN
	0698 5149 16	1	PLUG	(15/04/2018 - ...)	TT90 (LAT)
	0698 5148 82	1	PLUG	(15/04/2018 - ...)	A1
2730	0697 9811 15	1	PLUG	(15/04/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(15/04/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(15/04/2018 - ...)	ANTENNA
2745	0989 3700 42	1	NUT	(15/04/2018 - ...)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT01
2760	0697 9809 13	1	LOCKNUT	(15/04/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(15/04/2018 - ...)	PT20
2780	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCKNUT	(15/04/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(15/04/2018 - ...)	A1
2800	0697 9809 22	1	LOCKNUT	(15/04/2018 - ...)	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(15/04/2018 - ...)	MSA
3010	• 1625 2201 28	1	CUBICLE		
3050	• 1625 2201 29	1	DOOR		

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA30_18 - Model:GA 30FREQ:60HZ - Frequency:60 Hz
MOVOL:575V - Supply voltage:575 VMODEL:GA26P_18 - Model:GA 26+
OEM:N - OEM:N

16.26 - Cubicle components GA 26+, GA 30 - 575V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:575V + OEM:N + (MODEL:GA26P_18, MODEL:GA30_18)




16.26 - Cubicle components GA 26+, GA 30 - 575V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:575V + OEM:N + (MODEL:GA26P_18 , MODEL:GA30_18)



Ref	Part Number	Qty	Name	Validity	EL
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...)	
3070	• 1079 9932 01	1	DECAL		
3080	• 1079 9932 15	1	DECAL		
	• 1613 8339 01	1	LOCK		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA30_18 - Model:GA 30FREQ:60HZ - Frequency:60 Hz
MOVOL:575V - Supply voltage:575 VMODEL:GA26P_18 - Model:GA 26+
OEM:N - OEM:N



Ref	Part Number	Qty	Name	Validity
1010	0226 0300 41	4	SCREW	(15/05/2019 - ...) OEM:AMMANN + REGUL:MK5S_SWIPE + (PRESS:10.8BAR , PRESS:10BAR) , OEM:N + ((MODEL:GA30_18 + REGUL:MK5S_SWIPE , REGUL:MK5S_TOUCH + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA30_18 + REGUL:MK5S_TOUCH + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))
1020	1900 5202 00	1	MK5S ELEKTRONIKON SWIPE CONTROLLER	(11/07/2018 - 22/07/2018) REGUL:MK5S_SWIPE + (MODEL:GA30_18 + OEM:N + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , OEM:AMMANN + (PRESS:10.8BAR , PRESS:10BAR)) (02/12/2019 - ...) MODEL:GA30_18 + OEM:N + REGUL:MK5S_SWIPE + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR)
1020	1900 5204 00	1	MK5S ELEKTRONIKON TOUCH CONTROLLER	(11/07/2018 - 22/07/2018) OEM:N + (MODEL:GA30_18 + (PRESS:9.1BAR + REGUL:MK5GRAPH , REGUL:MK5S_TOUCH + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) , REGUL:MK5S_TOUCH + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR)) (23/07/2018 - 03/04/2019) OEM:AMMANN + REGUL:MK5S_SWIPE + (PRESS:10.8BAR , PRESS:10BAR) , OEM:N + ((MODEL:GA30_18 + REGUL:MK5S_SWIPE , REGUL:MK5S_TOUCH + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (PRESS:9.1BAR + REGUL:MK5GRAPH , REGUL:MK5S_TOUCH + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))) (04/04/2019 - 01/12/2019) OEM:AMMANN + REGUL:MK5S_SWIPE + (PRESS:10.8BAR , PRESS:10BAR) , OEM:N + ((MODEL:GA30_18 + REGUL:MK5S_SWIPE , REGUL:MK5S_TOUCH + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA30_18 + REGUL:MK5S_TOUCH + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) (02/12/2019 - ...) (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) + (OEM:AMMANN + REGUL:MK5S_SWIPE + (PRESS:10.8BAR , PRESS:10BAR) , OEM:N + REGUL:MK5S_TOUCH + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR)) , MODEL:GA30_18 + (OEM:AMMANN + REGUL:MK5S_SWIPE + (PRESS:10.8BAR , PRESS:10BAR) , OEM:N + REGUL:MK5S_TOUCH + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))

Remarks:

7.4bar - 107psig, 9.1bar - 132psig, 10.8bar - 157psig, 12.5bar - 181psig

Legend:

MODEL:GA11P_18 - Model:GA 11+

MODEL:GA22P_18 - Model:GA 22+

OEM:AMMANN - OEM:Ammann asphalt

PRESS:10BAR - Working pressure:10 bar

PRESS:7.4BAR - Working pressure:7.4 bar

PRESS:9.1BAR - Working pressure:9.1 bar

REGUL:MK5S_TOUCH - Regulation:MK5 Touch

MODEL:GA15P_18 - Model:GA 15+

MODEL:GA26P_18 - Model:GA 26+

OEM:N - OEM:N

PRESS:12.5BAR - Working pressure:12.5 bar

PRESS:7.5BAR - Working pressure:7.5 bar

REGUL:MK5GRAPH - Regulation:Elektronikon Graphic

MODEL:GA18P_18 - Model:GA 18+


MODEL:GA30_18 - Model:GA 30

PRESS:10.8BAR - Working pressure:10.8 bar

PRESS:13BAR - Working pressure:13 bar

PRESS:8.5BAR - Working pressure:8.5 bar

REGUL:MK5S_SWIPE - Regulation:MK5 Swipe



Ref	Part Number	Qty	Name	Validity
1030	0301 2315 00	4	WASHER	(08/06/2018 - 03/04/2019) OEM:AMMANN + REGUL:MK5S_SWIPE + (PRESS:10.8BAR , PRESS:10BAR) , OEM:N + ((MODEL:GA30_18 + REGUL:MK5S_SWIPE , REGUL:MK5S_TOUCH + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (PRESS:9.1BAR + REGUL:MK5GRAPH , REGUL:MK5S_TOUCH + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))) (04/04/2019 - 14/05/2019) OEM:AMMANN + REGUL:MK5S_SWIPE + (PRESS:10.8BAR , PRESS:10BAR) , OEM:N + ((MODEL:GA30_18 + REGUL:MK5S_SWIPE , REGUL:MK5S_TOUCH + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA30_18 + REGUL:MK5S_TOUCH + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)))

Remarks:

7.4bar - 107psig, 9.1bar - 132psig, 10.8bar - 157psig, 12.5bar - 181psig

Legend:

MODEL:GA11P_18 - Model:GA 11+

MODEL:GA22P_18 - Model:GA 22+

OEM:AMMANN - OEM:Ammann asphalt

PRESS:10BAR - Working pressure:10 bar

PRESS:7.4BAR - Working pressure:7.4 bar

PRESS:9.1BAR - Working pressure:9.1 bar

REGUL:MK5S_TOUCH - Regulation:MK5 Touch

MODEL:GA15P_18 - Model:GA 15+

MODEL:GA26P_18 - Model:GA 26+

OEM:N - OEM:N

PRESS:12.5BAR - Working pressure:12.5 bar

PRESS:7.5BAR - Working pressure:7.5 bar

REGUL:MK5GRAPH - Regulation:Elektronikon Graphic

MODEL:GA18P_18 - Model:GA 18+

MODEL:GA30_18 - Model:GA 30

PRESS:10.8BAR - Working pressure:10.8 bar


PRESS:13BAR - Working pressure:13 bar

PRESS:8.5BAR - Working pressure:8.5 bar

REGUL:MK5S_SWIPE - Regulation:MK5 Swipe

17.1 - Electrical components - Ammann

OEM: AMMANN + (FREQ:50HZ + MOVOL:400V , FREQ:60HZ + MOVOL:380V)



Ref	Part Number	Qty	Name	Validity
1010		1	CUBICLE	
1050	0147 1963 08	4	HEXAGON BOLT	(16/04/2018 - ...)
1060	1089 0574 70	1	TEMPERATURE SWITCH	(03/09/2018 - ...)
1065	1089 0708 11	1	TEMPERATURE SWITCH	(03/09/2018 - ...)
1070	1089 0580 22	1	SOLENOID VALVE	(16/04/2018 - ...)
1080	2001 0104 04	1	FUSE LABEL	(16/04/2018 - ...) FREQ:50HZ + MODEL:GA11P_18 + MOVOL:400V
1080	2001 0104 08	1	FUSE LABEL	(16/04/2018 - ...) MODEL:GA15P_18
1080	2001 0104 10	1	FUSE LABEL	(16/04/2018 - ...) FREQ:50HZ + MODEL:GA18P_18 + MOVOL:400V , FREQ:60HZ + MOVOL:380V + (MODEL:GA18P_18 , MODEL:GA22P_18)
1080	2001 0104 12	1	FUSE LABEL	(16/04/2018 - ...) FREQ:50HZ + MODEL:GA22P_18 + MOVOL:400V , FREQ:60HZ + MODEL:GA26P_18 + MOVOL:380V
1080	2001 0104 14	1	FUSE LABEL	(16/04/2018 - ...) FREQ:50HZ + MOVOL:400V + (MODEL:GA26P_18 , MODEL:GA30_18) , FREQ:60HZ + MODEL:GA30_18 + MOVOL:380V
1080	2001 0104 06	1	FUSE LABEL	(16/04/2018 - ...) FREQ:60HZ + MODEL:GA11P_18 + MOVOL:380V

Legend:


FREQ:50HZ - Frequency:50 Hz
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:400V - Supply voltage:400 V

FREQ:60HZ - Frequency:60 Hz
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 OEM:AMMANN - OEM:Ammann asphalt

MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:380V - Supply voltage:380 V

17.2 - Cubicle components - Ammann GA 11+, GA 15+

CAPPRE:IEC + OEM:AMMANN + (FREQ:50HZ + MOVOL:400V , FREQ:60HZ + MOVOL:380V) + (MODEL:GA11P_18 , MODEL:GA15P_18)



17.2 - Cubicle components - Ammann GA 11+, GA 15+

CAPPRE:IEC + OEM:AMMANN + (FREQ:50HZ + MOVOL:400V , FREQ:60HZ + MOVOL:380V) + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 82	1	CUBICLE		
	9828 5323 51	1	SERVICE DIAGRAM	(16/04/2018 - ...)	SD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(16/04/2018 - ...)	WH
	1625 3906 31	1	DATA LABEL	(16/04/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(16/04/2018 - ...)	
	1088 0031 81	1	END STOP BRACKET	(16/04/2018 - ...)	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 58	3	TERMINAL	(16/04/2018 - ...)	1X0
	1089 9366 71	3	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 50	1	TERMINAL	(16/04/2018 - ...)	1X3 motor
	1089 9427 60	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(16/04/2018 - ...)	
	1088 0031 81	2	END STOP BRACKET	(16/04/2018 - ...)	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9438 76	1	CONTACTOR	(16/04/2018 - ...)	K21
	1089 9438 76	1	CONTACTOR	(16/04/2018 - ...)	K23
	1089 9438 68	1	CONTACTOR -	(16/04/2018 - ...)	K22
	1089 9267 79	1	OVERLOAD RELAY	(16/04/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(16/04/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(16/04/2018 - ...)	K23
	1089 9514 44	1	TRANSFORMER	(16/04/2018 - ...)	T1
	1089 0612 24	2	FUSE 4A	(16/04/2018 - ...)	F1-F2
	1089 0612 01	2	FUSE HOLDER	(16/04/2018 - ...)	F1-F2
	1089 9267 22	1	CIRCUIT BREAKER	(16/04/2018 - ...)	Q15
	1089 9267 55	1	SWITCH POWER	(16/04/2018 - ...)	
	Electrical legend: Q15 (NO contact)				
	1089 9427 49	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(16/04/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9513 98	1	EMERGENCY STOP BUTTON	(16/04/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(16/04/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	Holder	(16/04/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(16/04/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQ RELAY	(16/04/2018 - ...)	K25
	1089 0612 21	1	FUSE	(16/04/2018 - ...)	F3 (IEC)
	1089 0612 01	1	FUSE HOLDER	(16/04/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:12 top				
	1088 0039 93	2	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:13 top				
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:14 top				
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:15 top				

Legend:

CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA11P_18 - Model:GA 11+
MOVOL:400V - Supply voltage:400 V


FREQ:50HZ - Frequency:50 Hz
MODEL:GA15P_18 - Model:GA 15+
OEM:AMMANN - OEM:Ammann asphalt

FREQ:60HZ - Frequency:60 Hz
MOVOL:380V - Supply voltage:380 V



17.2 - Cubicle components - Ammann GA 11+, GA 15+

CAPPRE:IEC + OEM:AMMANN + (FREQ:50HZ + MOVOL:400V , FREQ:60HZ + MOVOL:380V) + (MODEL:GA11P_18 , MODEL:GA15P_18)



17.2 - Cubicle components - Ammann GA 11+, GA 15+

CAPPRE:IEC + OEM:AMMANN + (FREQ:50HZ + MOVOL:400V , FREQ:60HZ + MOVOL:380V) + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1088 0039 95	1	PLATE	(16/04/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x6:31 bottom / 1x6:35 top			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x6:30 bottom / 1x6:33 top			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x6:30 bottom / 1x6:34 top			
	1089 9621 04	1	CIRCUIT BREAKER	(16/04/2018 - ...)	Q10
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(16/04/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(16/04/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(16/04/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	TERMINAL	(16/04/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(16/04/2018 - ...)	
	1089 9398 92	2	RAIL CARRIER	(16/04/2018 - ...)	
	1088 0031 32	1	CONNECTOR	(16/04/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(16/04/2018 - ...)	2X28
	~~1088 0031 81~~	2	END STOP BRACKET	(16/04/2018 - ...)	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
		1	AIR INLET WITH FILTER	(16/04/2018 - ...)	
	Electrical legend:	airinlet bottom			
	Service kits:	2901 9908 19 - CUBICLE VENTILATION KIT - GA 11+, GA 15+			
		1	CUBICLE FAN	(16/04/2018 - ...)	
	Electrical legend:	airoutlet top			
	Service kits:	2901 9908 19 - CUBICLE VENTILATION KIT - GA 11+, GA 15+			
	0697 9809 24	1	LOCK NUT	(16/04/2018 - ...)	WH
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...)	FAN
	0698 5148 82	1	PLUG	(16/04/2018 - ...)	A1
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x7:105 bottom / 1x4:104 top			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x7:71 bottom / 1x4:72 top			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x7:73 bottom / 1x4:74 top			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x7:75 bottom / 1x4:76 top			
	1088 0039 95	1	PLATE	(16/04/2018 - ...)	
	Electrical legend:	1X7 (end plate)			
	1089 9438 86	1	CONTACTOR	(16/04/2018 - ...)	K21
	1089 9511 51	1	RELAY	(16/04/2018 - ...)	K04'
	1089 9511 57	1	CLIP	(11/07/2018 - ...)	K04'
	1089 9511 15	1	SOCKET FOR RELAY	(11/07/2018 - ...)	K04'
2730	0697 9811 15	1	PLUG	(16/04/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(16/04/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(16/04/2018 - ...)	ANTENNA
2745	0989 3700 42	1	NUT	(16/04/2018 - ...)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(16/04/2018 - ...)	TT01
2760	0697 9809 13	1	LOCK NUT	(16/04/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(16/04/2018 - ...)	PT20
2780	0698 5140 70	1	CABLE GLAND	(16/04/2018 - ...)	TT90 (LAT)

Legend:

CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA11P_18 - Model:GA 11+
MOVOL:400V - Supply voltage:400 V


FREQ:50HZ - Frequency:50 Hz
MODEL:GA15P_18 - Model:GA 15+
OEM:AMMANN - OEM:Ammann asphalt

FREQ:60HZ - Frequency:60 Hz
MOVOL:380V - Supply voltage:380 V



17.2 - Cubicle components - Ammann GA 11+, GA 15+

CAPPRE:IEC + OEM:AMMANN + (FREQ:50HZ + MOVOL:400V , FREQ:60HZ + MOVOL:380V) + (MODEL:GA11P_18 , MODEL:GA15P_18)



17.2 - Cubicle components - Ammann GA 11+, GA 15+

CAPPRE:IEC + OEM:AMMANN + (FREQ:50HZ + MOVOL:400V , FREQ:60HZ + MOVOL:380V) + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
2785	0697 9809 30	1	LOCK NUT	(16/04/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(16/04/2018 - ...)	A1
2800	0697 9809 22	1	LOCK NUT	(16/04/2018 - ...)	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(16/04/2018 - ...)	MSA
3010	• 1625 2201 28	1	CUBICLE		
3050	• 1625 2201 29	1	DOOR		
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...)	
3070	• 1079 9932 01	1	DECAL INSTRUCT.		
3080	• 1079 9932 15	1	DECAL INSTRUCT.		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 MODEL:GA11P_18 - Model:GA 11+
 MOVOL:400V - Supply voltage:400 V

FREQ:50HZ - Frequency:50 Hz
 MODEL:GA15P_18 - Model:GA 15+
 OEM:AMMANN - OEM:Ammann asphalt

FREQ:60HZ - Frequency:60 Hz
 MOVOL:380V - Supply voltage:380 V

17.3 - Cubicle components - Ammann GA 18+, GA 22+

CAPPRE:IEC + OEM:AMMANN + (FREQ:50HZ + MOVOL:400V , FREQ:60HZ + MOVOL:380V) + (MODEL:GA18P_18 , MODEL:GA22P_18)



17.3 - Cubicle components - Ammann GA 18+, GA 22+

CAPPRE:IEC + OEM:AMMANN + (FREQ:50HZ + MOVOL:400V , FREQ:60HZ + MOVOL:380V) + (MODEL:GA18P_18 , MODEL:GA22P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 86	1	CUBICLE		
	9828 5323 51	1	SERVICE DIAGRAM	(16/04/2018 - ...)	SD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(16/04/2018 - ...)	WH
	1625 3906 31	1	DATA LABEL	(16/04/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(16/04/2018 - ...)	
	1088 0031 81	1	END STOP BRACKET	(16/04/2018 - ...)	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 61	3	TERMINAL	(16/04/2018 - ...)	1X0
	1089 9366 22	3	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 60	1	TERMINAL	(16/04/2018 - ...)	1X3 motor
	1089 9427 63	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(16/04/2018 - ...)	
	1088 0031 81	2	END STOP BRACKET	(16/04/2018 - ...)	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9623 51	1	CONTACTOR	(16/04/2018 - ...)	K21
	1089 9623 51	1	CONTACTOR	(16/04/2018 - ...)	K23
	1089 9438 74	1	CONTACTOR	(16/04/2018 - ...)	K22
	1089 9205 16	1	OVERLOAD RELAY	(16/04/2018 - ...)	F21
	1089 9514 44	1	TRANSFORMER	(16/04/2018 - ...)	T1
	1089 0612 24	2	FUSE 4A	(16/04/2018 - ...)	F1-F2
	1089 0612 01	2	FUSE HOLDER	(16/04/2018 - ...)	F1-F2
	1089 9267 26	1	CIRCUIT BREAKER	(16/04/2018 - ...)	Q15
	1089 9267 55	1	SWITCH POWER	(16/04/2018 - ...)	
	Electrical legend: Q15 (NO contact)				
	1089 9427 49	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(16/04/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9513 98	1	EMERGENCY STOP BUTTON	(16/04/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(16/04/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	Holder	(16/04/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(16/04/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQ RELAY	(16/04/2018 - ...)	K25
	1089 0612 21	1	FUSE	(16/04/2018 - ...)	F3 (IEC)
	1089 0612 01	1	FUSE HOLDER	(16/04/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:12 top				
	1088 0039 93	2	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:13 top				
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:14 top				
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:15 top				
	1088 0039 95	1	PLATE	(16/04/2018 - ...)	
	Electrical legend: 1X4 (end plate)				

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA18P_18 - Model:GA 18+
MOVOL:400V - Supply voltage:400 V

FREQ:50HZ - Frequency:50 Hz
MODEL:GA22P_18 - Model:GA 22+
OEM:AMMANN - OEM:Ammann asphalt

FREQ:60HZ - Frequency:60 Hz
MOVOL:380V - Supply voltage:380 V

17.3 - Cubicle components - Ammann GA 18+, GA 22+

CAPPRE:IEC + OEM:AMMANN + (FREQ:50HZ + MOVOL:400V , FREQ:60HZ + MOVOL:380V) + (MODEL:GA18P_18 , MODEL:GA22P_18)



17.3 - Cubicle components - Ammann GA 18+, GA 22+

CAPPRE:IEC + OEM:AMMANN + (FREQ:50HZ + MOVOL:400V , FREQ:60HZ + MOVOL:380V) + (MODEL:GA18P_18 , MODEL:GA22P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x6:31 bottom / 1x6:35 top			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x6:30 bottom / 1x6:33 top			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x6:30 bottom / 1x6:34 top			
	1089 9621 04	1	CIRCUIT BREAKER	(16/04/2018 - ...)	Q10
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(16/04/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(16/04/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(16/04/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	TERMINAL	(16/04/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(16/04/2018 - ...)	
	1089 9398 92	2	RAIL CARRIER	(16/04/2018 - ...)	
	1088 0031 32	1	CONNECTOR	(16/04/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(16/04/2018 - ...)	2X28
	~~1088 0031 81~~	2	END STOP BRACKET	(16/04/2018 - ...)	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
		1	AIR INLET WITH FILTER	(16/04/2018 - ...)	
	Electrical legend:	airinlet bottom			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30			
		1	AIR INLET WITH FILTER	(16/04/2018 - ...)	
	Electrical legend:	airoutlet top			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30			
	0697 9809 24	1	LOCK NUT	(16/04/2018 - ...)	WH
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...)	FAN
	0698 5148 82	1	PLUG	(16/04/2018 - ...)	A1
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x7:105 bottom / 1x4:104 top			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x7:71 bottom / 1x4:72 top			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x7:73 bottom / 1x4:74 top			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x7:75 bottom / 1x4:76 top			
	1088 0039 95	1	PLATE	(16/04/2018 - ...)	
	Electrical legend:	1X7 (end plate)			
	1089 9438 86	1	CONTACTOR	(16/04/2018 - ...)	K21
	1089 9511 51	1	RELAY	(16/04/2018 - ...)	K04'
	1089 9511 57	1	CLIP	(11/07/2018 - ...)	K04'
	1089 9511 15	1	SOCKET FOR RELAY	(11/07/2018 - ...)	K04'
2730	0697 9811 15	1	PLUG	(16/04/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(16/04/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(16/04/2018 - ...)	ANTENNA
2745	0989 3700 42	1	NUT	(16/04/2018 - ...)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(16/04/2018 - ...)	TT01
2760	0697 9809 13	1	LOCK NUT	(16/04/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(16/04/2018 - ...)	PT20
2780	0698 5140 70	1	CABLE GLAND	(16/04/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(16/04/2018 - ...)	TT90 (LAT)

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA18P_18 - Model:GA 18+
MOVOL:400V - Supply voltage:400 V

FREQ:50HZ - Frequency:50 Hz
MODEL:GA22P_18 - Model:GA 22+
OEM:AMMANN - OEM:Ammann asphalt

FREQ:60HZ - Frequency:60 Hz
MOVOL:380V - Supply voltage:380 V

17.3 - Cubicle components - Ammann GA 18+, GA 22+

CAPPRE:IEC + OEM:AMMANN + (FREQ:50HZ + MOVOL:400V , FREQ:60HZ + MOVOL:380V) + (MODEL:GA18P_18 , MODEL:GA22P_18)



17.3 - Cubicle components - Ammann GA 18+, GA 22+

CAPPRE:IEC + OEM:AMMANN + (FREQ:50HZ + MOVOL:400V , FREQ:60HZ + MOVOL:380V) + (MODEL:GA18P_18 , MODEL:GA22P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
2795	0698 5140 73	1	CABLE GLAND	(16/04/2018 - ...)	A1
2800	0697 9809 22	1	LOCK NUT	(16/04/2018 - ...)	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(16/04/2018 - ...)	MSA
3010	•	1	CUBICLE		
3050	• 1625 2201 29	1	DOOR		
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...)	
3070	• 1079 9932 01	1	DECAL		
3080	• 1079 9932 15	1	DECAL		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA18P_18 - Model:GA 18+
MOVOL:400V - Supply voltage:400 V

FREQ:50HZ - Frequency:50 Hz
MODEL:GA22P_18 - Model:GA 22+
OEM:AMMANN - OEM:Ammann asphalt

FREQ:60HZ - Frequency:60 Hz
MOVOL:380V - Supply voltage:380 V

17.4 - Cubicle components - Ammann GA 26+, GA 30

CAPPRE:IEC + OEM:AMMANN + (FREQ:50HZ + MOVOL:400V , FREQ:60HZ + MOVOL:380V) + (MODEL:GA26P_18 , MODEL:GA30_18)



17.4 - Cubicle components - Ammann GA 26+, GA 30

CAPPRE:IEC + OEM:AMMANN + (FREQ:50HZ + MOVOL:400V , FREQ:60HZ + MOVOL:380V) + (MODEL:GA26P_18 , MODEL:GA30_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 90	1	CUBICLE		
	9828 5323 51	1	SERVICE DIAGRAM	(16/04/2018 - ...)	SD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(16/04/2018 - ...)	WH
	1625 3906 31	1	DATA LABEL	(16/04/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(16/04/2018 - ...)	
	1088 0031 81	1	END STOP BRACKET 6MM	(16/04/2018 - ...)	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 61	3	TERMINAL	(16/04/2018 - ...)	1X0
	1089 9366 22	3	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 60	1	TERMINAL	(16/04/2018 - ...)	1X3 motor
	1089 9427 63	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(16/04/2018 - ...)	
	1088 0031 81	2	END STOP BRACKET 6MM	(16/04/2018 - ...)	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9623 52	1	CONTACTOR	(16/04/2018 - ...)	K21
	1089 9623 52	1	CONTACTOR	(16/04/2018 - ...)	K23
	1089 9438 76	1	CONTACTOR	(16/04/2018 - ...)	K22
	1089 9205 16	1	OVERLOAD RELAY	(16/04/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(16/04/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(16/04/2018 - ...)	K23
	1089 9514 44	1	TRANSFORMER	(16/04/2018 - ...)	T1
	1089 0612 24	2	FUSE 4A	(16/04/2018 - ...)	F1-F2
	1089 0612 01	2	FUSE HOLDER	(16/04/2018 - ...)	F1-F2
	1089 9267 26	1	CIRCUIT BREAKER	(16/04/2018 - ...)	Q15
	1089 9267 55	1	SWITCH POWER	(16/04/2018 - ...)	
	Electrical legend: Q15 (NO contact)				
	1089 9427 49	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(16/04/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9513 98	1	EMERGENCY STOP BUTTON	(16/04/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(16/04/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(16/04/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(16/04/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQ RELAY	(16/04/2018 - ...)	K25
	1089 0612 21	1	FUSE	(16/04/2018 - ...)	F3 (IEC)
	1089 0612 01	1	FUSE HOLDER	(16/04/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:12 top				
	1088 0039 93	2	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:13 top				
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:14 top				
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:15 top				

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA26P_18 - Model:GA 26+
MOVOL:400V - Supply voltage:400 V

FREQ:50HZ - Frequency:50 Hz
MODEL:GA30_18 - Model:GA 30
OEM:AMMANN - OEM:Ammann asphalt

FREQ:60HZ - Frequency:60 Hz
MOVOL:380V - Supply voltage:380 V

17.4 - Cubicle components - Ammann GA 26+, GA 30

CAPPRE:IEC + OEM:AMMANN + (FREQ:50HZ + MOVOL:400V , FREQ:60HZ + MOVOL:380V) + (MODEL:GA26P_18 , MODEL:GA30_18)



17.4 - Cubicle components - Ammann GA 26+, GA 30

CAPPRE:IEC + OEM:AMMANN + (FREQ:50HZ + MOVOL:400V , FREQ:60HZ + MOVOL:380V) + (MODEL:GA26P_18 , MODEL:GA30_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1088 0039 95	1	PLATE	(16/04/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x6:31 bottom / 1x6:35 top			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x6:30 bottom / 1x6:33 top			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x6:30 bottom / 1x6:34 top			
	1089 9621 04	1	CIRCUIT BREAKER	(16/04/2018 - ...)	Q10
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(16/04/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(16/04/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(16/04/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	TERMINAL	(16/04/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(16/04/2018 - ...)	
	1089 9398 92	2	RAIL CARRIER	(16/04/2018 - ...)	
	1088 0031 32	1	CONNECTOR	(16/04/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(16/04/2018 - ...)	2X28
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(16/04/2018 - ...)	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
		1	AIR INLET WITH FILTER	(16/04/2018 - ...)	
	Electrical legend:	airinlet bottom			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30			
		1	AIR INLET WITH FILTER	(16/04/2018 - ...)	
	Electrical legend:	airoutlet top			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30			
	0697 9809 24	1	LOCK NUT	(16/04/2018 - ...)	WH
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...)	FAN
	0698 5148 82	1	PLUG	(16/04/2018 - ...)	A1
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x7:105 bottom / 1x4:104 top			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x7:71 bottom / 1x4:72 top			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x7:73 bottom / 1x4:74 top			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x7:75 bottom / 1x4:76 top			
	1088 0039 95	1	PLATE	(16/04/2018 - ...)	
	Electrical legend:	1X7 (end plate)			
	1089 9438 86	1	CONTACTOR	(16/04/2018 - ...)	K21
	1089 9511 51	1	RELAY	(16/04/2018 - ...)	K04'
	1089 9511 57	1	CLIP	(11/07/2018 - ...)	K04'
	1089 9511 15	1	SOCKET FOR RELAY	(11/07/2018 - ...)	K04'
2730	0697 9811 15	1	PLUG	(16/04/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(16/04/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(16/04/2018 - ...)	ANTENNA
2745	0989 3700 42	1	NUT	(16/04/2018 - ...)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(16/04/2018 - ...)	TT01
2760	0697 9809 13	1	LOCK NUT	(16/04/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(16/04/2018 - ...)	PT20
2780	0698 5140 70	1	CABLE GLAND	(16/04/2018 - ...)	TT90 (LAT)

Legend:

CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA26P_18 - Model:GA 26+
MOVOL:400V - Supply voltage:400 V


FREQ:50HZ - Frequency:50 Hz
MODEL:GA30_18 - Model:GA 30
OEM:AMMANN - OEM:Ammann asphalt

FREQ:60HZ - Frequency:60 Hz
MOVOL:380V - Supply voltage:380 V



17.4 - Cubicle components - Ammann GA 26+, GA 30

CAPPRE:IEC + OEM:AMMANN + (FREQ:50HZ + MOVOL:400V , FREQ:60HZ + MOVOL:380V) + (MODEL:GA26P_18 , MODEL:GA30_18)



17.4 - Cubicle components - Ammann GA 26+, GA 30

CAPPRE:IEC + OEM:AMMANN + (FREQ:50HZ + MOVOL:400V , FREQ:60HZ + MOVOL:380V) + (MODEL:GA26P_18 , MODEL:GA30_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
2785	0697 9809 30	1	LOCK NUT	(16/04/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(16/04/2018 - ...)	A1
2800	0697 9809 22	1	LOCK NUT	(16/04/2018 - ...)	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(16/04/2018 - ...)	MSA
3010	• 1625 2201 28	1	CUBICLE		
3050	• 1625 2201 29	1	DOOR		
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...)	
3070	• 1079 9932 01	1	DECAL INSTRUCT.		
3080	• 1079 9932 15	1	DECAL INSTRUCT.		
	• 1613 8339 01	1	LOCK		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA26P_18 - Model:GA 26+
MOVOL:400V - Supply voltage:400 V

FREQ:50HZ - Frequency:50 Hz
MODEL:GA30_18 - Model:GA 30
OEM:AMMANN - OEM:Ammann asphalt

FREQ:60HZ - Frequency:60 Hz
MOVOL:380V - Supply voltage:380 V

18 - Bodywork

PRESS:10BAR , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA30_18 + PRESS:7.5BAR) , MODEL:GA30_18 + PRESS:9.1BAR



18 - Bodywork

PRESS:10BAR , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA30_18 + PRESS:7.5BAR) , MODEL:GA30_18 + PRESS:9.1BAR

Ref	Part Number	Qty	Name	Validity
1010	1625 2201 02	1	FRAME	(01/08/2017 - 01/08/2017) PRESS:10BAR , IDRY:N + (MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + (PRESS:9.1BAR , IDRY:Y + PRESS:7.5BAR)) (02/08/2017 - 13/03/2018) PRESS:10BAR , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , MODEL:GA30_18 + (PRESS:9.1BAR , IDRY:Y + PRESS:7.5BAR) (14/03/2018 - 28/03/2018) PRESS:10BAR , IDRY:N + ((MODEL:GA15P_18 , MODEL:GA22P_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA18P_18 + PRESS:9.1BAR , MODEL:GA26P_18 + PRESS:13BAR , MODEL:GA30_18 + PRESS:7.4BAR , PRESS:10.8BAR + (MODEL:GA22P_18 , MODEL:GA26P_18)) , IDRY:Y + (MODEL:GA15P_18 + PRESS:10.8BAR , PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18)) , MODEL:GA30_18 + PRESS:9.1BAR (29/03/2018 - ...) PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR (08/06/2018 - ...) PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR
	• 1622 0000 20	3	DECAL SYMBOLS	(08/06/2018 - ...) PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR
2010	0147 1963 08	9	HEXAGON BOLT	(26/03/2018 - 28/03/2018) PRESS:10BAR , IDRY:N + ((MODEL:GA15P_18 , MODEL:GA22P_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA18P_18 + PRESS:9.1BAR , MODEL:GA26P_18 + PRESS:13BAR , MODEL:GA30_18 + PRESS:7.4BAR , PRESS:10.8BAR + (MODEL:GA22P_18 , MODEL:GA26P_18)) , IDRY:Y + (MODEL:GA15P_18 + PRESS:10.8BAR , PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18)) , MODEL:GA30_18 + PRESS:9.1BAR (29/03/2018 - ...) PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR
2020	0215 0010 13	7	HEXAGON SOCKET SCREW	(08/06/2018 - ...) PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR
2030	0291 1110 00	2	LOCK NUT	(01/08/2017 - 01/08/2017) PRESS:10BAR , IDRY:N + (MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + (PRESS:9.1BAR , IDRY:Y + PRESS:7.5BAR)) (02/08/2017 - 13/03/2018) PRESS:10BAR , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , MODEL:GA30_18 + (PRESS:9.1BAR , IDRY:Y + PRESS:7.5BAR) (14/03/2018 - 28/03/2018) PRESS:10BAR , IDRY:N + ((MODEL:GA15P_18 , MODEL:GA22P_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA18P_18 + PRESS:9.1BAR , MODEL:GA26P_18 + PRESS:13BAR , MODEL:GA30_18 + PRESS:7.4BAR , PRESS:10.8BAR + (MODEL:GA22P_18 , MODEL:GA26P_18)) , IDRY:Y + (MODEL:GA15P_18 + PRESS:10.8BAR , PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18)) , MODEL:GA30_18 + PRESS:9.1BAR (29/03/2018 - ...) PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR

Remarks:

7.4bar - 107psig, 9.1bar - 132psig, 10.8bar - 157psig, 12.5bar - 181psig Insulation: SELF-ADHESIVE INSULATION FOAM:
THICKNESS:10MM / PART NUMBER:0395 6001 62 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
THICKNESS:20MM / PART NUMBER:0395 6001 64 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
THICKNESS:25MM / PART NUMBER:0395 6001 66 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
THICKNESS:30MM / PART NUMBER:0395 6001 67 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
THICKNESS:40MM / PART NUMBER:0395 6001 68 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
THICKNESS:50MM / PART NUMBER:0395 6001 69 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
THICKNESS:60MM / PART NUMBER:0395 6001 70 / SHEET DIMENSIONS: 2040MM X 1650MM

Legend:


IDRY:N - Integrated dryer:No
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
PRESS:10BAR - Working pressure:10 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:9.1BAR - Working pressure:9.1 bar

IDRY:Y - Integrated dryer:Yes
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.5BAR - Working pressure:7.5 bar

MODEL:GA11P_18 - Model:GA 11+
MODEL:GA22P_18 - Model:GA 22+
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:8.5BAR - Working pressure:8.5 bar

18 - Bodywork

PRESS:10BAR , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA30_18 + PRESS:7.5BAR) , MODEL:GA30_18 + PRESS:9.1BAR



18 - Bodywork

PRESS:10BAR , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA30_18 + PRESS:7.5BAR) , MODEL:GA30_18 + PRESS:9.1BAR

Ref	Part Number	Qty	Name	Validity
2040	1625 2201 15	1	MIDDLE PANEL	(01/08/2017 - 01/08/2017) PRESS:10BAR , IDRY:N + MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + (PRESS:9.1BAR , IDRY:Y + PRESS:7.5BAR) (02/08/2017 - 13/03/2018) PRESS:10BAR , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , MODEL:GA30_18 + (PRESS:9.1BAR , IDRY:Y + PRESS:7.5BAR) (14/03/2018 - 28/03/2018) PRESS:10BAR , IDRY:N + ((MODEL:GA15P_18 , MODEL:GA22P_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA18P_18 + PRESS:9.1BAR , MODEL:GA26P_18 + PRESS:13BAR , MODEL:GA30_18 + PRESS:7.4BAR , PRESS:10.8BAR + (MODEL:GA22P_18 , MODEL:GA26P_18)) , IDRY:Y + (MODEL:GA15P_18 + PRESS:10.8BAR , PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18)) , MODEL:GA30_18 + PRESS:9.1BAR (29/03/2018 - ...) PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR
2050	1625 2201 13	1	SEPARATION PLATE	(01/08/2017 - 01/08/2017) PRESS:10BAR , IDRY:N + MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + (PRESS:9.1BAR , IDRY:Y + PRESS:7.5BAR) (02/08/2017 - 13/03/2018) PRESS:10BAR , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , MODEL:GA30_18 + (PRESS:9.1BAR , IDRY:Y + PRESS:7.5BAR) (14/03/2018 - 28/03/2018) PRESS:10BAR , IDRY:N + ((MODEL:GA15P_18 , MODEL:GA22P_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA18P_18 + PRESS:9.1BAR , MODEL:GA26P_18 + PRESS:13BAR , MODEL:GA30_18 + PRESS:7.4BAR , PRESS:10.8BAR + (MODEL:GA22P_18 , MODEL:GA26P_18)) , IDRY:Y + (MODEL:GA15P_18 + PRESS:10.8BAR , PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18)) , MODEL:GA30_18 + PRESS:9.1BAR (29/03/2018 - ...) PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR
2060	1625 2201 12	1	DRYER SUPPORT PLATE	(01/08/2017 - 01/08/2017) PRESS:10BAR , IDRY:N + MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + (PRESS:9.1BAR , IDRY:Y + PRESS:7.5BAR) (02/08/2017 - 13/03/2018) PRESS:10BAR , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , MODEL:GA30_18 + (PRESS:9.1BAR , IDRY:Y + PRESS:7.5BAR) (14/03/2018 - 28/03/2018) PRESS:10BAR , IDRY:N + ((MODEL:GA15P_18 , MODEL:GA22P_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA18P_18 + PRESS:9.1BAR , MODEL:GA26P_18 + PRESS:13BAR , MODEL:GA30_18 + PRESS:7.4BAR , PRESS:10.8BAR + (MODEL:GA22P_18 , MODEL:GA26P_18)) , IDRY:Y + (MODEL:GA15P_18 + PRESS:10.8BAR , PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18)) , MODEL:GA30_18 + PRESS:9.1BAR (29/03/2018 - ...) PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR

Remarks:

7.4bar - 107psig, 9.1bar - 132psig, 10.8bar - 157psig, 12.5bar - 181psig Insulation: SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:10MM / PART NUMBER:0395 6001 62 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:20MM / PART NUMBER:0395 6001 64 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:25MM / PART NUMBER:0395 6001 66 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:30MM / PART NUMBER:0395 6001 67 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:40MM / PART NUMBER:0395 6001 68 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:50MM / PART NUMBER:0395 6001 69 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:60MM / PART NUMBER:0395 6001 70 / SHEET DIMENSIONS: 2040MM X 1650MM

Legend:


IDRY:N - Integrated dryer:No
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

IDRY:Y - Integrated dryer:Yes
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

18 - Bodywork

PRESS:10BAR , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA30_18 + PRESS:7.5BAR) , MODEL:GA30_18 + PRESS:9.1BAR



18 - Bodywork

PRESS:10BAR , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA30_18 + PRESS:7.5BAR) , MODEL:GA30_18 + PRESS:9.1BAR

Ref	Part Number	Qty	Name	Validity
2070	1625 2201 09	1	BACK PANEL	(01/08/2017 - 01/08/2017) PRESS:10BAR , IDRY:N + MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + (PRESS:9.1BAR , IDRY:Y + PRESS:7.5BAR) (02/08/2017 - 13/03/2018) PRESS:10BAR , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , MODEL:GA30_18 + (PRESS:9.1BAR , IDRY:Y + PRESS:7.5BAR) (14/03/2018 - 28/03/2018) PRESS:10BAR , IDRY:N + ((MODEL:GA15P_18 , MODEL:GA22P_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA18P_18 + PRESS:9.1BAR , MODEL:GA26P_18 + PRESS:13BAR , MODEL:GA30_18 + PRESS:7.4BAR , PRESS:10.8BAR + (MODEL:GA22P_18 , MODEL:GA26P_18)) , IDRY:Y + (MODEL:GA15P_18 + PRESS:10.8BAR , PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18)) , MODEL:GA30_18 + PRESS:9.1BAR (29/03/2018 - ...) PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR
	• 1079 9915 89	1	LABEL - AUTOMATIC DRAIN	
	• 1079 9915 98	1	LABEL - MANUAL DRAIN	
2080	1625 2201 07	1	ROOF	(01/08/2017 - 01/08/2017) PRESS:10BAR , IDRY:N + MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + (PRESS:9.1BAR , IDRY:Y + PRESS:7.5BAR) (02/08/2017 - 13/03/2018) PRESS:10BAR , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , MODEL:GA30_18 + (PRESS:9.1BAR , IDRY:Y + PRESS:7.5BAR) (14/03/2018 - 28/03/2018) PRESS:10BAR , IDRY:N + ((MODEL:GA15P_18 , MODEL:GA22P_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA18P_18 + PRESS:9.1BAR , MODEL:GA26P_18 + PRESS:13BAR , MODEL:GA30_18 + PRESS:7.4BAR , PRESS:10.8BAR + (MODEL:GA22P_18 , MODEL:GA26P_18)) , IDRY:Y + (MODEL:GA15P_18 + PRESS:10.8BAR , PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18)) , MODEL:GA30_18 + PRESS:9.1BAR (29/03/2018 - ...) PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR
	• 1079 9931 44	1	LABEL - HOT SURFACE	
2090	1625 2203 52	1	PANEL	(09/07/2018 - 20/08/2018) (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , IDRY:N + (MODEL:GA11P_18 , MODEL:GA15P_18)) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , IDRY:Y + MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) (21/08/2018 - ...) (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , IDRY:N + (MODEL:GA11P_18 , MODEL:GA15P_18)) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , IDRY:Y + MODEL:GA15P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR)

Remarks:

7.4bar - 107psig, 9.1bar - 132psig, 10.8bar - 157psig, 12.5bar - 181psig Insulation: SELF-ADHESIVE INSULATION FOAM:
THICKNESS:10MM / PART NUMBER:0395 6001 62 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
THICKNESS:20MM / PART NUMBER:0395 6001 64 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
THICKNESS:25MM / PART NUMBER:0395 6001 66 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
THICKNESS:30MM / PART NUMBER:0395 6001 67 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
THICKNESS:40MM / PART NUMBER:0395 6001 68 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
THICKNESS:50MM / PART NUMBER:0395 6001 69 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
THICKNESS:60MM / PART NUMBER:0395 6001 70 / SHEET DIMENSIONS: 2040MM X 1650MM

Legend:


IDRY:N - Integrated dryer:No
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
PRESS:10BAR - Working pressure:10 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:9.1BAR - Working pressure:9.1 bar

IDRY:Y - Integrated dryer:Yes
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.5BAR - Working pressure:7.5 bar

MODEL:GA11P_18 - Model:GA 11+
MODEL:GA22P_18 - Model:GA 22+
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:8.5BAR - Working pressure:8.5 bar

18 - Bodywork

PRESS:10BAR , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA30_18 + PRESS:7.5BAR) , MODEL:GA30_18 + PRESS:9.1BAR



18 - Bodywork

PRESS:10BAR , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA30_18 + PRESS:7.5BAR) , MODEL:GA30_18 + PRESS:9.1BAR

Ref	Part Number	Qty	Name	Validity
2090	1625 2203 48	1	PANEL	(09/07/2018 - 20/08/2018) IDRY:Y + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR)) (21/08/2018 - ...) IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR))
2100	1625 4714 80	1	PANEL INLET LEFT	(01/08/2017 - 01/08/2017) PRESS:10BAR , IDRY:N + MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + (PRESS:9.1BAR , IDRY:Y + PRESS:7.5BAR) (02/08/2017 - 13/03/2018) PRESS:10BAR , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , MODEL:GA30_18 + (PRESS:9.1BAR , IDRY:Y + PRESS:7.5BAR) (14/03/2018 - 28/03/2018) PRESS:10BAR , IDRY:N + ((MODEL:GA15P_18 , MODEL:GA22P_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA18P_18 + PRESS:9.1BAR , MODEL:GA26P_18 + PRESS:13BAR , MODEL:GA30_18 + PRESS:7.4BAR , PRESS:10.8BAR + (MODEL:GA22P_18 , MODEL:GA26P_18)) , IDRY:Y + (MODEL:GA15P_18 + PRESS:10.8BAR , PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18)) , MODEL:GA30_18 + PRESS:9.1BAR (29/03/2018 - ...) PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR
	• 1079 9931 44	1	LABEL - HOT SURFACE	
2110	1625 2201 34	1	FRONT PANEL	(26/03/2018 - 28/03/2018) PRESS:10BAR , IDRY:N + ((MODEL:GA15P_18 , MODEL:GA22P_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA18P_18 + PRESS:9.1BAR , MODEL:GA26P_18 + PRESS:13BAR , MODEL:GA30_18 + PRESS:7.4BAR , PRESS:10.8BAR + (MODEL:GA22P_18 , MODEL:GA26P_18)) , IDRY:Y + (MODEL:GA15P_18 + PRESS:10.8BAR , PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18)) , MODEL:GA30_18 + PRESS:9.1BAR (29/03/2018 - ...) PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR
	• 1622 7673 00	1	LOCK	
	• 1622 4477 07	1	HOUSE LABEL	
	• 0690 1101 51	1	DECAL	(08/06/2018 - ...) PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR

Remarks:

7.4bar - 107psig, 9.1bar - 132psig, 10.8bar - 157psig, 12.5bar - 181psig Insulation: SELF-ADHESIVE INSULATION FOAM:
THICKNESS:10MM / PART NUMBER:0395 6001 62 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
THICKNESS:20MM / PART NUMBER:0395 6001 64 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
THICKNESS:25MM / PART NUMBER:0395 6001 66 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
THICKNESS:30MM / PART NUMBER:0395 6001 67 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
THICKNESS:40MM / PART NUMBER:0395 6001 68 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
THICKNESS:50MM / PART NUMBER:0395 6001 69 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
THICKNESS:60MM / PART NUMBER:0395 6001 70 / SHEET DIMENSIONS: 2040MM X 1650MM

Legend:


IDRY:N - Integrated dryer:No
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
PRESS:10BAR - Working pressure:10 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:9.1BAR - Working pressure:9.1 bar

IDRY:Y - Integrated dryer:Yes
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.5BAR - Working pressure:7.5 bar

MODEL:GA11P_18 - Model:GA 11+
MODEL:GA22P_18 - Model:GA 22+
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:8.5BAR - Working pressure:8.5 bar

18 - Bodywork

PRESS:10BAR , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA30_18 + PRESS:7.5BAR) , MODEL:GA30_18 + PRESS:9.1BAR



18 - Bodywork

PRESS:10BAR , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA30_18 + PRESS:7.5BAR) , MODEL:GA30_18 + PRESS:9.1BAR

Ref	Part Number	Qty	Name	Validity
2120	1625 2201 04	1	SERVICE PANEL	(01/08/2017 - 01/08/2017) PRESS:10BAR , IDRY:N + (MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + (PRESS:9.1BAR , IDRY:Y + PRESS:7.5BAR)) (02/08/2017 - 13/03/2018) PRESS:10BAR , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , MODEL:GA30_18 + (PRESS:9.1BAR , IDRY:Y + PRESS:7.5BAR) (14/03/2018 - 28/03/2018) PRESS:10BAR , IDRY:N + ((MODEL:GA15P_18 , MODEL:GA22P_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA18P_18 + PRESS:9.1BAR , MODEL:GA26P_18 + PRESS:13BAR , MODEL:GA30_18 + PRESS:7.4BAR , PRESS:10.8BAR + (MODEL:GA22P_18 , MODEL:GA26P_18)) , IDRY:Y + (MODEL:GA15P_18 + PRESS:10.8BAR , PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18)) , MODEL:GA30_18 + PRESS:9.1BAR (29/03/2018 - ...) PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR
	• 1622 7673 00	1	LOCK	
2130	1625 2203 55	1	PANEL	(09/07/2018 - ...) PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR
	• 1622 7673 00	1	LOCK	
2160	0211 1246 03	2	HEXAGON SOCKET SCREW	(26/03/2018 - 28/03/2018) PRESS:10BAR , IDRY:N + ((MODEL:GA15P_18 , MODEL:GA22P_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA18P_18 + PRESS:9.1BAR , MODEL:GA26P_18 + PRESS:13BAR , MODEL:GA30_18 + PRESS:7.4BAR , PRESS:10.8BAR + (MODEL:GA22P_18 , MODEL:GA26P_18)) , IDRY:Y + (MODEL:GA15P_18 + PRESS:10.8BAR , PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18)) , MODEL:GA30_18 + PRESS:9.1BAR (29/03/2018 - ...) PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR

Remarks:


7.4bar - 107psig, 9.1bar - 132psig, 10.8bar - 157psig, 12.5bar - 181psig Insulation: SELF-ADHESIVE INSULATION FOAM:
THICKNESS:10MM / PART NUMBER:0395 6001 62 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
THICKNESS:20MM / PART NUMBER:0395 6001 64 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
THICKNESS:25MM / PART NUMBER:0395 6001 66 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
THICKNESS:30MM / PART NUMBER:0395 6001 67 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
THICKNESS:40MM / PART NUMBER:0395 6001 68 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
THICKNESS:50MM / PART NUMBER:0395 6001 69 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
THICKNESS:60MM / PART NUMBER:0395 6001 70 / SHEET DIMENSIONS: 2040MM X 1650MM

Legend:

IDRY:N - Integrated dryer:No
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
PRESS:10BAR - Working pressure:10 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:9.1BAR - Working pressure:9.1 bar

IDRY:Y - Integrated dryer:Yes
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.5BAR - Working pressure:7.5 bar

MODEL:GA11P_18 - Model:GA 11+
MODEL:GA22P_18 - Model:GA 22+
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:8.5BAR - Working pressure:8.5 bar




Ref	Part Number	Qty	Name	Validity
1010	1625 2201 78	1	UNIT DECAL GA11+FF	(09/07/2018 - ...) IDRY:Y + MODEL:GA11P_18 + (CAPPRE:IEC + (CAPPRM:AS1210, CAPPRM:ASME, CAPPRM:CE, CAPPRM:CEAD2000), CAPPRE:ULCUL + (CAPPRM:ASME, CAPPRM:CRNASME))
1010	1625 2201 80	1	UNIT DECAL GA15+FF	(09/07/2018 - ...) IDRY:Y + MODEL:GA15P_18 + (CAPPRE:IEC + (CAPPRM:AS1210, CAPPRM:ASME, CAPPRM:CE, CAPPRM:CEAD2000), CAPPRE:ULCUL + (CAPPRM:ASME, CAPPRM:CRNASME))
1010	1625 2201 82	1	UNIT DECAL GA18+FF	(09/07/2018 - ...) IDRY:Y + MODEL:GA18P_18 + (CAPPRE:IEC + (CAPPRM:AS1210, CAPPRM:ASME, CAPPRM:CE, CAPPRM:CEAD2000), CAPPRE:ULCUL + (CAPPRM:ASME, CAPPRM:CRNASME))
1010	1625 2201 84	1	UNIT DECAL GA22+FF	(09/07/2018 - ...) IDRY:Y + MODEL:GA22P_18 + (CAPPRE:IEC + (CAPPRM:AS1210, CAPPRM:ASME, CAPPRM:CE, CAPPRM:CEAD2000), CAPPRE:ULCUL + (CAPPRM:ASME, CAPPRM:CRNASME))
1010	1625 2201 86	1	UNIT DECAL GA26+FF	(09/07/2018 - ...) IDRY:Y + MODEL:GA26P_18 + (CAPPRE:IEC + (CAPPRM:AS1210, CAPPRM:ASME, CAPPRM:CE, CAPPRM:CEAD2000), CAPPRE:ULCUL + (CAPPRM:ASME, CAPPRM:CRNASME))
1010	1625 2201 94	1	UNIT DECAL GA30FF	(09/07/2018 - ...) IDRY:Y + MODEL:GA30_18 + (CAPPRE:IEC + (CAPPRM:AS1210, CAPPRM:ASME, CAPPRM:CE, CAPPRM:CEAD2000), CAPPRE:ULCUL + (CAPPRM:ASME, CAPPRM:CRNASME))
1010	1625 2201 93	1	UNIT DECAL GA30	(09/07/2018 - 03/04/2019) MODEL:GA30_18 + (CAPPRE:ULCUL + CAPPRM:ASME + IDRY:Y, IDRY:N + (CAPPRE:IEC + (CAPPRM:AS1210, CAPPRM:ASME, CAPPRM:CE, CAPPRM:CEAD2000), CAPPRE:ULCUL + (CAPPRM:ASME, CAPPRM:CRNASME))) (04/04/2019 - ...) IDRY:N + MODEL:GA30_18 + (CAPPRE:IEC + (CAPPRM:AS1210, CAPPRM:ASME, CAPPRM:CE, CAPPRM:CEAD2000), CAPPRE:ULCUL + (CAPPRM:ASME, CAPPRM:CRNASME))
1010	1625 2201 85	1	UNIT DECAL GA26+	(09/07/2018 - ...) IDRY:N + MODEL:GA26P_18 + (CAPPRE:IEC + (CAPPRM:AS1210, CAPPRM:ASME, CAPPRM:CE, CAPPRM:CEAD2000), CAPPRE:ULCUL + (CAPPRM:ASME, CAPPRM:CRNASME))
1010	1625 2201 83	1	UNIT DECAL GA22+	(09/07/2018 - ...) IDRY:N + MODEL:GA22P_18 + (CAPPRE:IEC + (CAPPRM:AS1210, CAPPRM:ASME, CAPPRM:CE, CAPPRM:CEAD2000), CAPPRE:ULCUL + (CAPPRM:ASME, CAPPRM:CRNASME))
1010	1625 2201 81	1	UNIT DECAL GA18+	(09/07/2018 - ...) IDRY:N + MODEL:GA18P_18 + (CAPPRE:IEC + (CAPPRM:AS1210, CAPPRM:ASME, CAPPRM:CE, CAPPRM:CEAD2000), CAPPRE:ULCUL + (CAPPRM:ASME, CAPPRM:CRNASME))
1010	1625 2201 79	1	UNIT DECAL GA15+	(09/07/2018 - ...) IDRY:N + MODEL:GA15P_18 + (CAPPRE:IEC + (CAPPRM:AS1210, CAPPRM:ASME, CAPPRM:CE, CAPPRM:CEAD2000), CAPPRE:ULCUL + (CAPPRM:ASME, CAPPRM:CRNASME))
1010	1625 2201 77	1	UNIT DECAL GA11+	(09/07/2018 - ...) IDRY:N + MODEL:GA11P_18 + (CAPPRE:IEC + (CAPPRM:AS1210, CAPPRM:ASME, CAPPRM:CE, CAPPRM:CEAD2000), CAPPRE:ULCUL + (CAPPRM:ASME, CAPPRM:CRNASME))
1020		1	DATA PLATE	

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
 MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 IDRY:N - Integrated dryer:No
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
 IDRY:Y - Integrated dryer:Yes
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30




Ref	Part Number	Qty	Name	Validity
1040	1088 1001 01	2	WARNING MARK	(01/08/2017 - 13/03/2018) CAPPRE:IEC + CAPPRM:CE , CAPPRE:ULCUL + CAPPRM:ASME + IDRY:Y + MODEL:GA30_18 (14/03/2018 - 25/03/2018) CAPPRE:IEC + (CAPPRM:CE , CAPPRM:CEAD2000 + IDRY:Y + MODEL:GA26P_18 , IDRY:N + (CAPPRM:ASME + (MODEL:GA15P_18 , MODEL:GA22P_18) , CAPPRM:CEAD2000 + (MODEL:GA11P_18 , MODEL:GA18P_18))) , CAPPRE:ULCUL + (CAPPRM:ASME + (MODEL:GA30_18 , IDRY:N + MODEL:GA22P_18) , CAPPRM:CRNASME + IDRY:N + MODEL:GA18P_18) (26/03/2018 - 26/03/2018) CAPPRE:IEC + (CAPPRM:CE , CAPPRM:CEAD2000 + IDRY:Y + MODEL:GA26P_18) , CAPPRE:ULCUL + CAPPRM:ASME + MODEL:GA30_18 , IDRY:N + (CAPPRE:IEC + CAPPRM:CEAD2000 + (MODEL:GA11P_18 , MODEL:GA18P_18) , CAPPRE:ULCUL + CAPPRM:CRNASME + MODEL:GA18P_18 , CAPPRM:ASME + (MODEL:GA15P_18 , MODEL:GA22P_18 , CAPPRE:ULCUL + MODEL:GA26P_18)) (27/03/2018 - 28/03/2018) CAPPRE:IEC + (CAPPRM:CE , CAPPRM:CEAD2000 + IDRY:Y + MODEL:GA26P_18) , CAPPRE:ULCUL + CAPPRM:ASME + (MODEL:GA15P_18 , MODEL:GA30_18) , IDRY:N + (CAPPRE:IEC + (CAPPRM:ASME + (MODEL:GA15P_18 , MODEL:GA22P_18) , CAPPRM:CEAD2000 + (MODEL:GA11P_18 , MODEL:GA18P_18)) , CAPPRE:ULCUL + (CAPPRM:ASME + (MODEL:GA22P_18 , MODEL:GA26P_18) , CAPPRM:CRNASME + MODEL:GA18P_18)) (29/03/2018 - 29/03/2018) CAPPRE:IEC + (CAPPRM:CE , CAPPRM:CEAD2000 , IDRY:N + (CAPPRM:AS1210 , CAPPRM:ASME + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18)) , CAPPRE:ULCUL + (CAPPRM:CRNASME , CAPPRM:ASME + (IDRY:N , IDRY:Y + (MODEL:GA15P_18 , MODEL:GA30_18))) (30/03/2018 - ...) CAPPRE:IEC + (CAPPRM:AS1210 , CAPPRM:ASME , CAPPRM:CE , CAPPRM:CEAD2000) , CAPPRE:ULCUL + (CAPPRM:ASME , CAPPRM:CRNASME)
1050	1079 9932 38	1	DECAL	(01/08/2017 - 13/03/2018) CAPPRE:IEC + CAPPRM:CE , CAPPRE:ULCUL + CAPPRM:ASME + IDRY:Y + MODEL:GA30_18 (14/03/2018 - 25/03/2018) CAPPRE:IEC + (CAPPRM:CE , CAPPRM:CEAD2000 + IDRY:Y + MODEL:GA26P_18 , IDRY:N + (CAPPRM:ASME + (MODEL:GA15P_18 , MODEL:GA22P_18) , CAPPRM:CEAD2000 + (MODEL:GA11P_18 , MODEL:GA18P_18))) , CAPPRE:ULCUL + (CAPPRM:ASME + (MODEL:GA30_18 , IDRY:N + MODEL:GA22P_18) , CAPPRM:CRNASME + IDRY:N + MODEL:GA18P_18) (26/03/2018 - 26/03/2018) CAPPRE:IEC + (CAPPRM:CE , CAPPRM:CEAD2000 + IDRY:Y + MODEL:GA26P_18) , CAPPRE:ULCUL + CAPPRM:ASME + MODEL:GA30_18 , IDRY:N + (CAPPRE:IEC + CAPPRM:CEAD2000 + (MODEL:GA11P_18 , MODEL:GA18P_18) , CAPPRE:ULCUL + CAPPRM:CRNASME + MODEL:GA18P_18 , CAPPRM:ASME + (MODEL:GA15P_18 , MODEL:GA22P_18 , CAPPRE:ULCUL + MODEL:GA26P_18)) (27/03/2018 - 28/03/2018) CAPPRE:IEC + (CAPPRM:CE , CAPPRM:CEAD2000 + IDRY:Y + MODEL:GA26P_18) , CAPPRE:ULCUL + CAPPRM:ASME + (MODEL:GA15P_18 , MODEL:GA30_18) , IDRY:N + (CAPPRE:IEC + (CAPPRM:ASME + (MODEL:GA15P_18 , MODEL:GA22P_18) , CAPPRM:CEAD2000 + (MODEL:GA11P_18 , MODEL:GA18P_18)) , CAPPRE:ULCUL + (CAPPRM:ASME + (MODEL:GA22P_18 , MODEL:GA26P_18) , CAPPRM:CRNASME + MODEL:GA18P_18)) (29/03/2018 - 29/03/2018) CAPPRE:IEC + (CAPPRM:CE , CAPPRM:CEAD2000 , IDRY:N + (CAPPRM:AS1210 , CAPPRM:ASME + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18)) , CAPPRE:ULCUL + (CAPPRM:CRNASME , CAPPRM:ASME + (IDRY:N , IDRY:Y + (MODEL:GA15P_18 , MODEL:GA30_18))) (30/03/2018 - ...) CAPPRE:IEC + (CAPPRM:AS1210 , CAPPRM:ASME , CAPPRM:CE , CAPPRM:CEAD2000) , CAPPRE:ULCUL + (CAPPRM:ASME , CAPPRM:CRNASME)

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN
 (based on ASME)
 MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 IDRY:N - Integrated dryer:No
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE
 (based on AD2000)
 IDRY:Y - Integrated dryer:Yes
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30




Ref	Part Number	Qty	Name	Validity
1060	1629 0334 00	1	DECAL ROTO-XTEND DUTY FLUID	(26/03/2018 - 26/03/2018) CAPPRE:ULCUL + (CAPPRM:ASME + (IDRY:N + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) , IDRY:Y + MODEL:GA30_18) , CAPPRM:CRNASME + IDRY:N + MODEL:GA18P_18) (27/03/2018 - 28/03/2018) CAPPRE:ULCUL + (CAPPRM:ASME + (MODEL:GA15P_18 , MODEL:GA30_18 , IDRY:N + (MODEL:GA22P_18 , MODEL:GA26P_18)) , CAPPRM:CRNASME + IDRY:N + MODEL:GA18P_18) (29/03/2018 - 29/03/2018) CAPPRE:ULCUL + (CAPPRM:CRNASME , CAPPRM:ASME + (IDRY:N , IDRY:Y + (MODEL:GA15P_18 , MODEL:GA30_18))) (30/03/2018 - 15/04/2018) CAPPRE:ULCUL + (CAPPRM:ASME , CAPPRM:CRNASME)
1060	1629 0333 00	1	DECAL ROTOINJECT NDURANCE	(02/08/2017 - 13/03/2018) CAPPRE:IEC + CAPPRM:CE (14/03/2018 - 25/03/2018) CAPPRE:IEC + (CAPPRM:CE , CAPPRM:CEAD2000 + (IDRY:N + (MODEL:GA11P_18 , MODEL:GA18P_18) , IDRY:Y + MODEL:GA26P_18)) (26/03/2018 - 28/03/2018) CAPPRE:IEC + (CAPPRM:CE , CAPPRM:CEAD2000 + IDRY:Y + MODEL:GA26P_18 , IDRY:N + (CAPPRM:ASME + (MODEL:GA15P_18 , MODEL:GA22P_18) , CAPPRM:CEAD2000 + (MODEL:GA11P_18 , MODEL:GA18P_18))) (29/03/2018 - 29/03/2018) CAPPRE:IEC + (CAPPRM:CE , CAPPRM:CEAD2000 , IDRY:N + (CAPPRM:AS1210 , CAPPRM:ASME) + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18)) (30/03/2018 - 15/04/2018) CAPPRE:IEC + (CAPPRM:AS1210 , CAPPRM:ASME , CAPPRM:CE , CAPPRM:CEAD2000)
1070	1079 9904 99	1	WARNING LABEL	(26/03/2018 - 26/03/2018) CAPPRE:IEC + (CAPPRM:CE , CAPPRM:CEAD2000 + IDRY:Y + MODEL:GA26P_18) , CAPPRE:ULCUL + CAPPRM:ASME + MODEL:GA30_18 , IDRY:N + (CAPPRE:IEC + CAPPRM:CEAD2000 + (MODEL:GA11P_18 , MODEL:GA18P_18) , CAPPRE:ULCUL + CAPPRM:CRNASME + MODEL:GA18P_18 , CAPPRM:ASME + (MODEL:GA15P_18 , MODEL:GA22P_18 , CAPPRE:ULCUL + MODEL:GA26P_18)) (27/03/2018 - 28/03/2018) CAPPRE:IEC + (CAPPRM:CE , CAPPRM:CEAD2000 + IDRY:Y + MODEL:GA26P_18) , CAPPRE:ULCUL + CAPPRM:ASME + (MODEL:GA15P_18 , MODEL:GA30_18 , IDRY:N + (CAPPRE:IEC + (CAPPRM:ASME + (MODEL:GA15P_18 , MODEL:GA22P_18) , CAPPRM:CEAD2000 + (MODEL:GA11P_18 , MODEL:GA18P_18)) , CAPPRE:ULCUL + (CAPPRM:ASME + (MODEL:GA22P_18 , MODEL:GA26P_18) , CAPPRM:CRNASME + MODEL:GA18P_18)) (29/03/2018 - 29/03/2018) CAPPRE:IEC + (CAPPRM:CE , CAPPRM:CEAD2000 , IDRY:N + (CAPPRM:AS1210 , CAPPRM:ASME) + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18)) , CAPPRE:ULCUL + (CAPPRM:CRNASME , CAPPRM:ASME + (IDRY:N , IDRY:Y + (MODEL:GA15P_18 , MODEL:GA30_18))) (30/03/2018 - ...) CAPPRE:IEC + (CAPPRM:AS1210 , CAPPRM:ASME , CAPPRM:CE , CAPPRM:CEAD2000) , CAPPRE:ULCUL + (CAPPRM:ASME , CAPPRM:CRNASME)

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN
 (based on ASME)
 MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 IDRY:N - Integrated dryer:No
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE
 (based on AD2000)
 IDRY:Y - Integrated dryer:Yes
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30




Ref	Part Number	Qty	Name	Validity
1080	1079 9923 72	2	LABEL ELECTRICAL EARTHING	(26/03/2018 - 26/03/2018) CAPPRE:IEC + (CAPPRM:CE , CAPPRM:CEAD2000 + IDRY:Y + MODEL:GA26P_18) , CAPPRE:ULCUL + CAPPRM:ASME + MODEL:GA30_18 , IDRY:N + (CAPPRE:IEC + CAPPRM:CEAD2000 + (MODEL:GA11P_18 , MODEL:GA18P_18) , CAPPRE:ULCUL + CAPPRM:CRNASME + MODEL:GA18P_18 , CAPPRM:ASME + (MODEL:GA15P_18 , MODEL:GA22P_18 , CAPPRE:ULCUL + MODEL:GA26P_18)) (27/03/2018 - 28/03/2018) CAPPRE:IEC + (CAPPRM:CE , CAPPRM:CEAD2000 + IDRY:Y + MODEL:GA26P_18) , CAPPRE:ULCUL + CAPPRM:ASME + (MODEL:GA15P_18 , MODEL:GA30_18) , IDRY:N + (CAPPRE:IEC + (CAPPRM:ASME + (MODEL:GA15P_18 , MODEL:GA22P_18) , CAPPRM:CEAD2000 + (MODEL:GA11P_18 , MODEL:GA18P_18)) , CAPPRE:ULCUL + (CAPPRM:ASME + (MODEL:GA22P_18 , MODEL:GA26P_18) , CAPPRM:CRNASME + MODEL:GA18P_18)) (29/03/2018 - 29/03/2018) CAPPRE:IEC + (CAPPRM:CE , CAPPRM:CEAD2000 , IDRY:N + (CAPPRM:AS1210 , CAPPRM:ASME + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18)) , CAPPRE:ULCUL + (CAPPRM:CRNASME , CAPPRM:ASME + (IDRY:N , IDRY:Y + (MODEL:GA15P_18 , MODEL:GA30_18))) (30/03/2018 - ...) CAPPRE:IEC + (CAPPRM:AS1210 , CAPPRM:ASME , CAPPRM:CE , CAPPRM:CEAD2000) , CAPPRE:ULCUL + (CAPPRM:ASME , CAPPRM:CRNASME)
1090	1622 3274 02	1	QUICK START GUIDE	(26/03/2018 - 26/03/2018) CAPPRE:IEC + (CAPPRM:CE , CAPPRM:CEAD2000 + IDRY:Y + MODEL:GA26P_18) , CAPPRE:ULCUL + CAPPRM:ASME + MODEL:GA30_18 , IDRY:N + (CAPPRE:IEC + CAPPRM:CEAD2000 + (MODEL:GA11P_18 , MODEL:GA18P_18) , CAPPRE:ULCUL + CAPPRM:CRNASME + MODEL:GA18P_18 , CAPPRM:ASME + (MODEL:GA15P_18 , MODEL:GA22P_18 , CAPPRE:ULCUL + MODEL:GA26P_18)) (27/03/2018 - 28/03/2018) CAPPRE:IEC + (CAPPRM:CE , CAPPRM:CEAD2000 + IDRY:Y + MODEL:GA26P_18) , CAPPRE:ULCUL + CAPPRM:ASME + (MODEL:GA15P_18 , MODEL:GA30_18) , IDRY:N + (CAPPRE:IEC + (CAPPRM:ASME + (MODEL:GA15P_18 , MODEL:GA22P_18) , CAPPRM:CEAD2000 + (MODEL:GA11P_18 , MODEL:GA18P_18)) , CAPPRE:ULCUL + (CAPPRM:ASME + (MODEL:GA22P_18 , MODEL:GA26P_18) , CAPPRM:CRNASME + MODEL:GA18P_18)) (29/03/2018 - 29/03/2018) CAPPRE:IEC + (CAPPRM:CE , CAPPRM:CEAD2000 , IDRY:N + (CAPPRM:AS1210 , CAPPRM:ASME + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18)) , CAPPRE:ULCUL + (CAPPRM:CRNASME , CAPPRM:ASME + (IDRY:N , IDRY:Y + (MODEL:GA15P_18 , MODEL:GA30_18))) (30/03/2018 - ...) CAPPRE:IEC + (CAPPRM:AS1210 , CAPPRM:ASME , CAPPRM:CE , CAPPRM:CEAD2000) , CAPPRE:ULCUL + (CAPPRM:ASME , CAPPRM:CRNASME)
1100	1625 2201 43	1	DECAL	(26/03/2018 - 28/03/2018) MODEL:GA30_18 + (CAPPRE:IEC + CAPPRM:CE , CAPPRE:ULCUL + CAPPRM:ASME) (29/03/2018 - 29/03/2018) MODEL:GA30_18 + (CAPPRE:IEC + (CAPPRM:CE , CAPPRM:CEAD2000 , IDRY:N + (CAPPRM:AS1210 , CAPPRM:ASME)) , CAPPRE:ULCUL + (CAPPRM:ASME , CAPPRM:CRNASME)) (30/03/2018 - ...) MODEL:GA30_18 + (CAPPRE:IEC + (CAPPRM:AS1210 , CAPPRM:ASME , CAPPRM:CE , CAPPRM:CEAD2000) , CAPPRE:ULCUL + (CAPPRM:ASME , CAPPRM:CRNASME))

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
 MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 IDRY:N - Integrated dryer:No
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
 IDRY:Y - Integrated dryer:Yes
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30



Ref	Part Number	Qty	Name	Validity
1100	1625 2201 44	1	DECAL	(26/03/2018 - 26/03/2018) CAPPRE:IEC + ((CAPPRM:CE , CAPPRM:CEAD2000 + IDRY:N) + (MODEL:GA11P_18 , MODEL:GA18P_18) , CAPPRM:CE + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , CAPPRM:CEAD2000 + IDRY:Y + MODEL:GA26P_18) , IDRY:N + (CAPPRE:ULCUL + CAPPRM:CRNASME + MODEL:GA18P_18 , CAPPRM:ASME + (MODEL:GA15P_18 , MODEL:GA22P_18 , CAPPRE:ULCUL + MODEL:GA26P_18)) (27/03/2018 - 28/03/2018) CAPPRE:IEC + ((CAPPRM:CE , CAPPRM:ASME + IDRY:N) + (MODEL:GA15P_18 , MODEL:GA22P_18) , (CAPPRM:CE , CAPPRM:CEAD2000 + IDRY:N) + (MODEL:GA11P_18 , MODEL:GA18P_18) , MODEL:GA26P_18 + (CAPPRM:CE , CAPPRM:CEAD2000 + IDRY:Y)) , CAPPRE:ULCUL + (CAPPRM:ASME + (MODEL:GA15P_18 , IDRY:N + (MODEL:GA22P_18 , MODEL:GA26P_18)) , CAPPRM:CRNASME + IDRY:N + MODEL:GA18P_18) (29/03/2018 - 29/03/2018) (CAPPRE:IEC + (CAPPRM:CE , CAPPRM:CEAD2000) , CAPPRE:ULCUL + (CAPPRM:CRNASME , CAPPRM:ASME + IDRY:N)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , CAPPRE:IEC + IDRY:N + (CAPPRM:AS1210 , CAPPRM:ASME) + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , CAPPRE:ULCUL + CAPPRM:ASME + IDRY:Y + MODEL:GA15P_18 (30/03/2018 - ...) (CAPPRE:IEC + (CAPPRM:AS1210 , CAPPRM:ASME , CAPPRM:CE , CAPPRM:CEAD2000) , CAPPRE:ULCUL + (CAPPRM:ASME , CAPPRM:CRNASME)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)
1120	1622 7305 00	1	LABEL	(03/09/2018 - 30/10/2018) CAPPRE:ULCUL + (CAPPRM:CRNASME , CAPPRM:ASME + (IDRY:N , IDRY:Y + MODEL:GA30_18)) (31/10/2018 - ...) CAPPRE:ULCUL + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) , (CAPPRM:CRNASME , CAPPRM:ASME + IDRY:N) + (MODEL:GA11P_18 , MODEL:GA15P_18))
1120	2204 2199 00	1	DECAL	(25/10/2018 - ...) CAPPRE:ULCUL + (CAPPRM:ASME , CAPPRM:CRNASME) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA26P_18 , IDRY:Y + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18))

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN
 (based on ASME)
 MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 IDRY:N - Integrated dryer:No
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE
 (based on AD2000)
 IDRY:Y - Integrated dryer:Yes
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30

20.1 - Modulating control

FREQ:50HZ + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , FREQ:60HZ + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



20.1 - Modulating control

FREQ:50HZ + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , FREQ:60HZ + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

Ref	Part Number	Qty	Name	Validity
		1	STANDARD OPTION - MODULATING CONTROL	
	8092 2941 29	1	7.5BAR, 8.5BAR	(11/07/2018 - ...) FREQ:50HZ + (PRESS:7.5BAR , PRESS:8.5BAR , PRESS:8BAR)
	8092 2941 30	1	10BAR, 13BAR	(11/07/2018 - ...) FREQ:50HZ + (PRESS:10BAR , PRESS:13BAR)
	8092 2941 31	1	7.4BAR, 9.1BAR	(11/07/2018 - ...) FREQ:60HZ + (PRESS:7.4BAR , PRESS:9.1BAR)
	8092 2941 32	1	10.8BAR, 12.5BAR	(11/07/2018 - ...) FREQ:60HZ + (PRESS:10.8BAR , PRESS:12.5BAR)
1010	1622 8786 89	1	UNLOADER VALVE	(11/07/2018 - ...)
1020	0663 7142 00	1	O-RING	(11/07/2018 - ...)
1030	0300 0274 34	4	WASHER	(11/07/2018 - ...)
1040	0147 1325 03	4	HEXAGON BOLT	(11/07/2018 - ...)
1050	1613 7310 00	1	PLATE	(11/07/2018 - ...)
1060	0291 1110 00	1	LOCKNUT	(04/01/2019 - ...)
1060	0266 2110 00	1	NUT	(11/07/2018 - 03/01/2019)
1070	0301 2335 00	1	WASHER	(11/07/2018 - ...)
1080	1613 8722 81	1	ASSEMBLY	(11/07/2018 - ...)
1090	0301 2335 00	1	WASHER	(11/07/2018 - ...)
1100	0291 1110 00	1	LOCKNUT	(11/07/2018 - ...)
1110	0324 1000 28	1	SLEEVE	(11/07/2018 - ...)
1120	0246 1956 39	1	STUD	(11/07/2018 - ...)
2005	0583 8160 46	1	PIPE COUPLING	(11/07/2018 - ...)
2010	0070 6002 05	AR	TUBE	(11/07/2018 - ...)
2015	0583 8120 71	1	COUPLING	(11/07/2018 - ...)
2020	0070 6002 05	AR	TUBE	(11/07/2018 - ...)
2025	1613 6961 80	1	REGULATOR	(11/07/2018 - ...)
2030	1503 2564 10	1	NIPPLE	(11/07/2018 - ...)
2035	0560 4400 85	1	CROSS	(11/07/2018 - ...)
	⚡ Substituted by: 0560 4405 88 - CROSSPIPE (quantity: 1)			
2040	0583 8120 73	1	ELBOW	(11/07/2018 - ...)
2045	0584 9904 00	1	SLEEVE	(11/07/2018 - ...)
2050	0872 1001 12	1	PRESSURE GAUGE	(11/07/2018 - ...)
2055	0070 6002 68	AR	TUBE	(04/01/2019 - ...)
	⚡ Substituted by: 0070 7250 04 - TUBE ID4 OD6 BLACK (quantity: 1)			
2060	1625 7050 00	1	SUPPORT	(11/07/2018 - ...)
2065	0147 1963 08	1	HEXAGON BOLT	(11/07/2018 - ...)
2070	1503 2564 01	1	NIPPLE	(11/07/2018 - ...)
2075	1088 1001 01	1	WARNING MARK	(11/07/2018 - ...)
2080	0583 8100 76	1	COUPLING	(04/01/2019 - ...)
2085	0583 8100 21	1	STRAIGHT COUPLING	(11/07/2018 - ...)
2090	0070 6002 05	AR	TUBE	(11/07/2018 - ...)
2095	0583 8160 45	1	PIPE COUPLING	(11/07/2018 - ...)
2100	0583 8100 74	1	PIPE COUPLING	(11/07/2018 - ...)
2105	0070 6002 05	AR	TUBE	(11/07/2018 - ...)
2110	0583 8160 46	1	PIPE COUPLING	(11/07/2018 - ...)
2115	0070 6002 05	AR	TUBE	(11/07/2018 - ...)
2120	0583 8120 99	1	ELBOW	(11/07/2018 - ...)
2125	1088 1001 01	1	WARNING MARK	(11/07/2018 - ...)

Remarks:

7.4bar = 107PSI, 9.1bar = 132PSI, 10.8bar = 157bar, 12.5bar = 181PSI

Legend:


FREQ:50HZ - Frequency:50 Hz
PRESS:10BAR - Working pressure:10 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:8BAR - Working pressure:8 bar

FREQ:60HZ - Frequency:60 Hz
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.5BAR - Working pressure:7.5 bar
PRESS:9.1BAR - Working pressure:9.1 bar

PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:8.5BAR - Working pressure:8.5 bar

20.1 - Modulating control

FREQ:50HZ + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , FREQ:60HZ + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



20.1 - Modulating control

FREQ:50HZ + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , FREQ:60HZ + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

Ref	Part Number	Qty	Name	Validity
2130	0583 8100 74	1	PIPE COUPLING	(11/07/2018 - ...)
2135	0070 6002 05	AR	TUBE	(11/07/2018 - ...)
3010	1089 0621 09	1	SOLENOID VALVE	(11/07/2018 - ...) FREQ:50HZ + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)
3010	1089 0624 32	1	SOLENOID VALVE	(11/07/2018 - ...) FREQ:60HZ + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)
3020	1622 1295 07	1	CABLE	(23/07/2019 - ...)
3020	1622 1295 01	1	CABLE	(11/07/2018 - 22/07/2019)
3030	1088 0004 20	1	SPLITTER	(04/01/2019 - ...)
3050	1088 0150 53	1	CONNECTION HEAD	(11/07/2018 - ...)
3060	1089 0620 52	1	SOLENOID VALVE	(11/07/2018 - ...) FREQ:60HZ + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)
3060	1089 0621 20	1	SOLENOID VALVE	(11/07/2018 - ...) FREQ:50HZ + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)
4010	1613 6968 03	1	NOZZLE	(11/07/2018 - 18/03/2019) FREQ:50HZ + (PRESS:7.5BAR , PRESS:8.5BAR) (19/03/2019 - ...) FREQ:50HZ + (PRESS:7.5BAR , PRESS:8.5BAR) , FREQ:60HZ + (PRESS:7.4BAR , PRESS:9.1BAR)
4010	1613 6968 04	1	NOZZLE	(11/07/2018 - ...) FREQ:50HZ + (PRESS:10BAR , PRESS:13BAR) , FREQ:60HZ + (PRESS:10.8BAR , PRESS:12.5BAR)

Remarks:


7.4bar = 107PSI, 9.1bar = 132PSI, 10.8bar = 157bar, 12.5bar = 181PSI

Legend:

FREQ:50HZ - Frequency:50 Hz
PRESS:10BAR - Working pressure:10 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:8BAR - Working pressure:8 bar

FREQ:60HZ - Frequency:60 Hz
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.5BAR - Working pressure:7.5 bar
PRESS:9.1BAR - Working pressure:9.1 bar

PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:8.5BAR - Working pressure:8.5 bar



Ref	Part Number	Qty	Name	Validity	R.
	-	1	STANDARD OPTION - ENERGY RECOVERY		
	8092 2941 00	1	ROTO-XTEND DUTY FLUID	(11/07/2018 - ...) OILTYP:RXD	
	8092 2941 28	1	ROTO-INJECT FLUID	(11/07/2018 - ...) OILTYP:RIF	
1005	1625 7015 20	1	HEAT EXCHANGER	(11/07/2018 - ...)	
1010	0291 1110 00	4	LOCKNUT	(11/07/2018 - ...)	
1015	1625 2046 00	1	RELIEF VALVE	(11/07/2018 - ...)	
1020	1612 4230 00	1	THERMOSTAT 75#C	(11/07/2018 - ...)	
1025	0580 0017 21	1	NIPPLE	(11/07/2018 - ...)	
1030	0582 0000 64	1	PIPE FITTING	(11/07/2018 - ...)	
1035	0580 0017 36	1	NIPPLE	(11/07/2018 - ...)	
1040	0580 0017 36	1	NIPPLE	(11/07/2018 - ...)	
1045	1625 2202 46	1	HOSE	(11/07/2018 - ...)	
1050	0580 0017 36	1	NIPPLE	(11/07/2018 - ...)	
1055	1625 2202 50	1	HOSE	(11/07/2018 - ...)	
1060	0580 5100 68	1	PIPE FITTING	(11/07/2018 - ...)	
1065	0603 5105 03	1	NIPPLE	(11/07/2018 - ...)	
1070	0852 0010 36	1	BALL VALVE	(11/07/2018 - 18/03/2019)	
1070	0852 0012 11	1	BALL VALVE	(19/03/2019 - ...)	
1075	0580 0017 36	1	NIPPLE	(11/07/2018 - ...)	
1080	1625 4248 51	1	PIPE	(11/07/2018 - ...)	
1085	0346 1002 43	1	CLAMP	(11/07/2018 - ...)	
1090	1625 4243 11	1	BRACKET	(11/07/2018 - ...)	
1095	0215 0010 16	2	SCREW	(11/07/2018 - ...)	
1100	0291 1128 15	1	LOCK NUT	(11/07/2018 - ...)	
1105	1089 0574 70	1	TEMPERATURE SENSOR	(11/07/2018 - ...)	
1110	0580 0017 36	1	NIPPLE	(11/07/2018 - ...)	
1115	1625 4248 51	1	PIPE	(11/07/2018 - ...)	
1120	0346 1002 43	1	CLAMP	(11/07/2018 - ...)	
1125	1625 4243 11	1	BRACKET	(11/07/2018 - ...)	
1130	0215 0010 16	2	SCREW	(11/07/2018 - ...)	
1135	0291 1128 15	1	LOCKNUT	(11/07/2018 - ...)	
1140	1089 0574 70	1	TEMPERATURE SENSOR	(11/07/2018 - ...)	
1145	0395 1010 57	2	INSULATION	(11/07/2018 - 04/03/2019)	
1145	0395 1010 57	45	INSULATION	(05/03/2019 - ...)	
2010	0580 2014 38	2	ELBOW	(11/07/2018 - ...)	
2020	0852 0010 26	3	DRAIN VALVE	(11/07/2018 - ...)	
2030	0580 0018 41	2	NIPPLE	(11/07/2018 - ...)	
2040	0564 0000 25	2	TEE	(11/07/2018 - ...)	
2050	1625 4238 24	1	HOSE	(11/07/2018 - ...)	
3010	1625 7526 00	1	OIL FILTER	(11/07/2018 - ...) OILTYP:RIF	
	⚙ Substituted by: 2903 7526 00 - OIL FILTER SPARE 8000HRS (quantity: 1) ● Remarks: Always Roto-Xtend Duty Fluid and oil filter				
3020	1629 0334 00	1	DECAL ROTO-XTEND DUTY FLUID	(11/07/2018 - ...) OILTYP:RIF	


Legend:

OILTYP:RIF - Oil type:Roto inject fluid oil

OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid

20.3 - Dryer bypass ID 40 - (GA 11+, (GA 15+ - 12.5bar, 13bar))

IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR))



20.3 - Dryer bypass ID 40 - (GA 11+, (GA 15+ - 12.5bar, 13bar))

IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR))

Ref	Part Number	Qty	Name	Validity
	8092 2941 01	1	STANDARD OPTION - DRYER BYPASS	(11/07/2018 - ...)
1010	0582 0000 65	1	PIPE FITTING	(11/07/2018 - ...)
1020	1625 4838 10	1	PIPE	(11/07/2018 - ...)
1030	0852 0010 57	1	BALL VALVE	(11/07/2018 - ...)
1040	0580 0017 37	1	NIPPLE	(11/07/2018 - ...)
1050	1625 2203 28	1	PIPE	(11/07/2018 - ...)
1060	0580 0017 37	1	NIPPLE	(11/07/2018 - ...)
2010	0852 0011 02	1	BALL VALVE	(11/07/2018 - ...)

Remarks:

7.4bar = 107PSI, 9.1bar = 132PSI, 10.8bar = 157bar, 12.5bar = 181PSI

Legend:


IDRY:Y - Integrated dryer:Yes
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:8.5BAR - Working pressure:8.5 bar

MODEL:GA11P_18 - Model:GA 11+
PRESS:10BAR - Working pressure:10 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:9.1BAR - Working pressure:9.1 bar

MODEL:GA15P_18 - Model:GA 15+
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.5BAR - Working pressure:7.5 bar

20.4 - Dryer bypass ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar, 10bar, 10.8bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar))

IDRY:Y + ((MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:10BAR, PRESS:12.5BAR, PRESS:13BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:10.8BAR, PRESS:10BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR))



20.4 - Dryer bypass ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar, 10bar, 10.8bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar))

IDRY:Y + ((MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:10BAR, PRESS:12.5BAR, PRESS:13BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:10.8BAR, PRESS:10BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR))

Ref	Part Number	Qty	Name	Validity
	8092 2941 02	1	STANDARD OPTION - DRYER BYPASS	(11/07/2018 - ...)
1010	0582 0000 65	1	PIPE FITTING	(11/07/2018 - ...)
1020	1625 4838 10	1	PIPE	(11/07/2018 - ...)
1030	0852 0010 57	1	BALL VALVE	(11/07/2018 - ...)
1040	0580 0017 37	1	NIPPLE	(11/07/2018 - ...)
1050	1625 4821 20	1	PIPE	(11/07/2018 - ...)
2010	0852 0011 02	1	BALL VALVE	(11/07/2018 - ...)

Remarks:

7.4bar = 107PSI, 9.1bar = 132PSI, 10.8bar = 157bar, 12.5bar = 181PSI

Legend:

IDRY:Y - Integrated dryer:Yes

MODEL:GA22P_18 - Model:GA 22+

PRESS:10.8BAR - Working pressure:10.8 bar

PRESS:13BAR - Working pressure:13 bar

PRESS:8.5BAR - Working pressure:8.5 bar

MODEL:GA15P_18 - Model:GA 15+

MODEL:GA26P_18 - Model:GA 26+

PRESS:10BAR - Working pressure:10 bar

PRESS:7.4BAR - Working pressure:7.4 bar


PRESS:9.1BAR - Working pressure:9.1 bar

MODEL:GA18P_18 - Model:GA 18+

MODEL:GA30_18 - Model:GA 30

PRESS:12.5BAR - Working pressure:12.5 bar

PRESS:7.5BAR - Working pressure:7.5 bar



Ref	Part Number	Qty	Name	Validity
		1	STANDARD OPTION - FREEZE PROTECTION	
	8092 2941 04	1	PACK - ROTO-INJECT FLUID	(11/07/2018 - ...) IDRY:N + OILTYP:RIF
	8092 2941 09	1	PACK - ROTO-XTEND DUTY FLUID	(11/07/2018 - ...) IDRY:N + OILTYP:RXD
	8092 2941 06	1	FULL-FEATURE - ROTO-INJECT FLUID	(11/07/2018 - ...) IDRY:Y + OILTYP:RIF
	8092 2941 11	1	FULL-FEATURE - ROTO-XTEND DUTY FLUID	(11/07/2018 - ...) IDRY:Y + OILTYP:RXD
1020	1625 8614 26	1	INSULATION	(25/10/2018 - ...)
1030	1625 8614 25	1	INSULATION	(25/10/2018 - ...)
1035	1625 8614 35	1	INSULATION FREEZE	(15/05/2019 - ...) IDRY:Y
1040	1625 4281 01	1	AIR HEATER	(25/10/2018 - ...)
1045	0211 1323 03	2	SCREW	(19/03/2019 - ...)
1050	0395 1010 59	1	HOSE	(25/10/2018 - ...)
1080	1079 9924 46	2	WARNING LABEL	(15/05/2019 - ...)
2010	1625 2210 43	1	ELECTRICAL ASSEMBLY	(11/07/2018 - ...) IDRY:Y + OILTYP:RIF
	1625 2210 41			(11/07/2018 - ...) IDRY:N + OILTYP:RIF
	1625 2210 42			(11/07/2018 - ...) IDRY:N + OILTYP:RXD
	1625 2210 44			(11/07/2018 - ...) IDRY:Y + OILTYP:RXD
2040	1625 7523 06	1	RAIL	(31/01/2019 - ...)
2060	1088 1001 01	1	WARNING MARK	(31/01/2019 - ...)
2070	0698 5140 71	7	CABLE GLAND	(15/05/2019 - ...)
2080	1089 0555 08	1	DISPLAY	(31/01/2019 - ...)
2090	0697 9809 20	7	LOCKNUT	(15/05/2019 - ...)
2110	1088 0040 25	6	TERMINAL	(31/01/2019 - ...)
2120	1088 0031 80	2	CONTACT	(31/01/2019 - ...)
2130	1088 0031 81	2	END STOP BRACKET 6MM	(31/01/2019 - ...)
	↻ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)			
2140	0129 3270 42	2	RIVET	(31/01/2019 - ...)


Legend:

IDRY:N - Integrated dryer:No


IDRY:Y - Integrated dryer:Yes

OILTYP:RIF - Oil type:Roto inject fluid oil


OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid



Ref	Part Number	Qty	Name	Validity
	8092 2941 14	1	STANDARD OPTION - HEAVY DUTY INLET FILTER	
1010	1625 2203 39	1	PANEL	(11/07/2018 - ...)
1020	1615 7208 03	1	AIR FILTER	(11/07/2018 - ...)
	• 2914 9304 00	1	AIR FILTER ELEMENT	
1030	1626 1777 00	1	SUPPORT	(11/07/2018 - ...)
1040	0147 1327 03	2	HEXAGON BOLT	(11/07/2018 - ...)
1050	0291 1110 00	2	LOCKNUT	(11/07/2018 - ...)
1060	0347 6100 04	2	HOSE CLIP	(11/07/2018 - ...)
	↻ Substituted by:	0347 6116 00 - HOSE CLIP 77-89 (quantity: 1)		
1070	1625 4763 00	2	HOSE	(11/07/2018 - ...)
1080	1625 2203 41	1	DUCT HDF	(11/07/2018 - ...)
1090	0686 9099 05	2	PLUG	(11/07/2018 - ...)
	↻ Substituted by:	0697 9810 32 - PLUG M12 (quantity: 1)		
1100	0301 2335 00	4	WASHER	(04/01/2019 - ...)



Ref	Part Number	Qty	Name	Validity
	8092 2941 15	1	STANDARD OPTION - PRE-FILTER	
1010	1625 4279 01	1	PRE-FILTER	(25/10/2018 - ...)
1020	1625 4279 02	2	PREFILTER AIR INLET	(25/10/2018 - ...)
1030	1625 4279 03	1	PRE-FILTER	(25/10/2018 - ...)
1040	1625 4279 04	1	PRE-FILTER	(25/10/2018 - ...)
	9820 7071 24	1	KIT AIR PREFILTER	(11/07/2018 - ...)



Ref	Part Number	Qty	Name	Validity	R.
		1	STANDARD OPTION - TROPICAL THERMOSTAT		
	8092 2941 16	1	ROTO-INJECT FLUID	(11/07/2018 - ...) OILTYP:RIF	
	8092 2941 17	1	ROTO-XTEND DUTY FLUID	(11/07/2018 - ...) OILTYP:RXD	
1010	1622 7064 06	1	THERMOSTATIC VALVE 83#C	(11/07/2018 - ...)	
1020	1625 4850 00	1	DECAL WARNING	(11/07/2018 - ...)	
2010		1	OIL FILTER	(11/07/2018 - ...) OILTYP:RIF	
	Remarks: Service kits:		Always with Roto-Xtend Duty Fluid and oil filter 2901 9908 17 - AIR FILTER KIT - ROTO-XTEND DUTY FLUID		
2020	1629 0334 00	1	DECAL ROTO-XTEND DUTY FLUID	(11/07/2018 - ...) OILTYP:RIF	


Legend:

OILTYP:RIF - Oil type:Roto inject fluid oil

OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid

20.9 - DD Filter ID 40 - (GA 11+, (GA 15+ - 10bar, 10.8bar, 12.5bar, 13bar))

IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR))



20.9 - DD Filter ID 40 - (GA 11+, (GA 15+ - 10bar, 10.8bar, 12.5bar, 13bar))

IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR))

Ref	Part Number	Qty	Name	Validity
	8092 2941 19	1	STANDARD OPTION - DD FILTER	
1010	1625 8614 28	1	NIPPLE	(04/01/2019 - ...)
1020	1625 4248 35	1	PIPE	(11/07/2018 - ...)
1030	0580 0017 21	1	NIPPLE	(11/07/2018 - ...)
1040		1	FILTER DD50+	(11/07/2018 - ...)
1050	0291 1110 00	2	LOCK NUT	(04/01/2019 - ...)
1060	0215 0003 73	2	SCREW	(11/07/2018 - ...)
1070	1625 8614 29	1	SUPPORT	(04/01/2019 - ...)
1080	1079 2263 02	2	SCREW	(11/07/2018 - ...)
1090	1617 7082 02	1	COUPLING	(11/07/2018 - ...)
1100	0583 8100 69	1	PIPE FITTING	(11/07/2018 - ...)
1120	0603 5115 03	1	NIPPLE	(04/01/2019 - ...)

Remarks:

7.4bar = 107PSI, 9.1bar = 132PSI, 10.8bar = 157bar, 12.5bar = 181PSI


Legend:

IDRY:Y - Integrated dryer:Yes
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

MODEL:GA11P_18 - Model:GA 11+
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

MODEL:GA15P_18 - Model:GA 15+
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

20.10 - DD Filter ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar))
IDRY:Y + ((MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:10BAR, PRESS:12.5BAR, PRESS:13BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:10.8BAR, PRESS:10BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR))



20.10 - DD Filter ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar))
 IDRY:Y + ((MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR))

Ref	Part Number	Qty	Name	Validity
	8092 2941 20	1	STANDARD OPTION - DD FILTER	
1010	0580 0017 37	1	NIPPLE	(11/07/2018 - ...)
1020	1625 4821 15	1	PIPE	(11/07/2018 - ...)
1030	0580 0017 37	1	NIPPLE	(11/07/2018 - ...)
1040	0605 8701 51	1	BUSHING	(11/07/2018 - ...)
1050	1625 4259 25	1	WASHER	(11/07/2018 - ...)
1060	0663 2104 75	1	O-RING	(11/07/2018 - ...)
1070		1	FILTER DD 130+	(11/07/2018 - ...)
1080	0605 8527 03	1	BUSHING	(11/07/2018 - ...)
1090	0291 1110 00	2	LOCKNUT	(04/01/2019 - ...)
1100	0215 0003 73	2	SCREW	(11/07/2018 - ...)
1110	1625 4244 25	1	SUPPORT	(11/07/2018 - ...)
1120	1079 2263 02	2	SCREW	(11/07/2018 - ...)
1130	1617 7082 02	1	COUPLING	(11/07/2018 - ...)
1140	0583 8100 69	1	PIPE FITTING	(11/07/2018 - ...)

Remarks:

7.4bar = 107PSI, 9.1bar = 132PSI, 10.8bar = 157bar, 12.5bar = 181PSI

Legend:


IDRY:Y - Integrated dryer:Yes
 MODEL:GA22P_18 - Model:GA 22+
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

20.11 - DD filter - Parts DD 50+ - ID 40 - (GA 11+, (GA 15+ - 10bar, 10.8bar, 12.5bar, 13bar))

IDRY:Y + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8BAR , PRESS:8.5BAR + PRESS:9.1BAR))



20.11 - DD filter - Parts DD 50+ - ID 40 - (GA 11+, (GA 15+ - 10bar, 10.8bar, 12.5bar, 13bar))

IDRY:Y + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8BAR , PRESS:8.5BAR + PRESS:9.1BAR))

Ref	Part Number	Qty	Name	Validity
	8102 2608 93	1	FILTER DD 50+	
	• 2901 2003 03	1	ELEMENT KIT	
	↻ Substituted by:	2901 3000 04	FILTER KIT DD/DDP 50+ (quantity: 1)	
1010	• • -	1	FILTER ELEMENT	
1020	• • 0663 2111 29	1	O-RING	
1030	• • 0663 2109 64	2	O-RING	
	↻ Substituted by:	0663 2100 18	O-RING 28X2 (quantity: 1)	
1040	• • 0663 2110 26	1	O-RING	
	• 2901 0563 00	1	DRAIN VALVE KIT	
2010	• • -	1	DRAIN VALVE	
2020	• • 0663 2111 29	1	O-RING	
2030	• • 1617 7046 00	1	NUT	
3010	• -	1	HEAD	
3020	• -	1	BOWL	
3040	• 1624 1891 04	1	LABEL	
3050	• 1079 9926 35	2	LABEL	
3060	• 0690 1106 01	2	HOUSE MARK	
4010	• 1617 7082 01	1	MALE COUPLING	
4020	• 1617 7082 02	1	FEMALE COUPLING	
4030	• 1617 7082 03	1	HOSE CONNECTION	

Legend:


IDRY:Y - Integrated dryer:Yes
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

MODEL:GA11P_18 - Model:GA 11+
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:8BAR - Working pressure:8 bar

MODEL:GA15P_18 - Model:GA 15+
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

20.12 - DD filter - Parts DD 130+ - ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar))

IDRY:Y + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8BAR , PRESS:9.1BAR))



20.12 - DD filter - Parts DD 130+ - ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar))

IDRY:Y + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18, MODEL:GA15P_18 + (PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8BAR, PRESS:9.1BAR))

Ref	Part Number	Qty	Name	Validity
	8102 2602 08	1	FILTER DD 130+	
	• 2901 2003 05	1	ELEMENT KIT	
	⚙ Substituted by:	2901 3000 06	FILTER KIT DD/DDP 130+ (quantity: 1)	
1010	•• -	1	FILTER ELEMENT	
1020	•• 0663 2111 29	1	O-RING	
1030	•• 4090 0507 00	2	O-RING	
	⚙ Substituted by:	0663 2101 01	O-RING 40X2 (quantity: 1)	
1040	•• 0663 2110 31	1	O-RING	
	• 2901 0562 00	1	SIGHT GLASS KIT	
2050	•• -	1	SCREW	
2060	•• -	2	SEAL WASHER	
2070	•• 0663 9095 00	2	O-RING	
2080	•• -	1	SIGHT GLASS	
	• 2901 0563 00	1	DRAIN VALVE KIT	
3010	•• -	1	DRAIN VALVE	
3020	•• 0663 2111 29	1	O-RING	
3030	•• 1617 7046 00	1	NUT	
4010	• -	1	HEAD	
4020	• -	1	BOWL	
4040	• 1624 1892 04	1	LABEL	
4050	• 1079 9926 36	2	LABEL	
4060	• 0690 1101 23	2	HOUSE MARK	
5010	• 1617 7082 01	1	MALE COUPLING	
5020	• 1617 7082 02	1	FEMALE COUPLING	
5030	• 1617 7082 03	1	HOSE CONNECTION	

Legend:


IDRY:Y - Integrated dryer:Yes
 MODEL:GA22P_18 - Model:GA 22+
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 PRESS:7.5BAR - Working pressure:7.5 bar

MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 PRESS:8BAR - Working pressure:8 bar

20.13 - UD+ filter ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar)))

IDRY:Y + ((MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:10BAR, PRESS:12.5BAR, PRESS:13BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:10.8BAR, PRESS:10BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR))



20.13 - UD+ filter ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar)))

IDRY:Y + ((MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR))

Ref	Part Number	Qty	Name	Validity
	8092 2941 22	1	STANDARD OPTION - UD+ FILTER	
1010	0580 0017 37	1	NIPPLE	(03/09/2018 - ...)
1020	1625 4821 15	1	PIPE	(03/09/2018 - ...)
1030	0580 0017 37	1	NIPPLE	(03/09/2018 - ...)
1040	0605 8701 51	1	BUSHING	(03/09/2018 - ...)
1050	1625 4259 25	1	WASHER	(03/09/2018 - ...)
1060	0663 2104 75	1	O-RING	(03/09/2018 - ...)
1070		1	UD 140+ FILTER	(03/09/2018 - ...)
1080	0605 8527 03	1	BUSHING	(03/09/2018 - ...)
1090	0291 1110 00	2	LOCKNUT	(04/01/2019 - ...)
1100	0215 0003 73	2	SCREW	(03/09/2018 - ...)
1110	1625 4244 25	1	SUPPORT	(03/09/2018 - ...)
1120	1079 2263 02	2	SCREW	(03/09/2018 - ...)
1130	1617 7082 02	1	COUPLING	(03/09/2018 - ...)
1140	0583 8100 69	1	PIPE FITTING	(03/09/2018 - ...)
1150	1625 2500 00	1	DECAL	(03/09/2018 - ...)

Remarks:

7.4bar = 107PSI, 9.1bar = 132PSI, 10.8bar = 157bar, 12.5bar = 181PSI

Legend:


IDRY:Y - Integrated dryer:Yes
 MODEL:GA22P_18 - Model:GA 22+
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

20.14 - UD+ filter ID 40 - (GA 11+, (GA 15+ - 10bar, 10.8bar, 12.5bar, 13bar))

IDRY:Y + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR))



20.14 - UD+ filter ID 40 - (GA 11+, (GA 15+ - 10bar, 10.8bar, 12.5bar, 13bar))

IDRY:Y + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR))

Ref	Part Number	Qty	Name	Validity
	8092 2941 21	1	STANDARD OPTION - UD+ FILTER	
1010	1625 8614 28	1	NIPPLE	(04/01/2019 - ...) MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR)
1020	1625 4248 35	1	PIPE	(11/07/2018 - ...) MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR)
1030	0580 0017 21	1	NIPPLE	(11/07/2018 - ...) MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR)
1040		1	UD 45+ FILTER	(11/07/2018 - ...) MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR)
1050	0291 1110 00	2	LOCK NUT	(04/01/2019 - ...) MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR)
1060	0215 0003 73	2	SCREW	(11/07/2018 - ...) MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR)
1070	1625 8614 29	1	SUPPORT	(04/01/2019 - ...) MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR)
1080	1079 2263 02	2	SCREW	(11/07/2018 - ...) MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR)
1090	1617 7082 02	1	COUPLING	(11/07/2018 - ...) MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR)
1100	0583 8100 69	1	PIPE FITTING	(11/07/2018 - ...) MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR)
1110	1625 2500 00	1	DECAL	(11/07/2018 - ...) MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR)
1120	0603 5115 03	1	NIPPLE	(04/01/2019 - ...) MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR)

Remarks:

7.4bar = 107PSI, 9.1bar = 132PSI, 10.8bar = 157bar, 12.5bar = 181PSI

Legend:


IDRY:Y - Integrated dryer:Yes
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:8.5BAR - Working pressure:8.5 bar

MODEL:GA11P_18 - Model:GA 11+
PRESS:10BAR - Working pressure:10 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:9.1BAR - Working pressure:9.1 bar

MODEL:GA15P_18 - Model:GA 15+
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.5BAR - Working pressure:7.5 bar

20.15 - UD+ filter - Parts UD 45+ - ID 40 - (GA 11+, (GA 15+ - 10bar, 10.8bar, 12.5bar, 13bar))

IDRY:Y + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR))



20.15 - UD+ filter - Parts UD 45+ - ID 40 - (GA 11+, (GA 15+ - 10bar, 10.8bar, 12.5bar, 13bar))


IDRY:Y + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR))

Ref	Part Number	Qty	Name	Validity
	8102 2976 89	1	FILTER UD 45+	
	• 2901 2072 03	1	ELEMENT KIT	
	↻ Substituted by:	2901 3004 04	FILTER KIT UD 45+ (quantity: 1)	
1010	• 1629 0263 04	1	FILTER ELEMENT	
1020	• 0663 2110 26	1	O-RING	
1040	• 0663 2100 18	2	O-RING	
	• 2901 0563 00	1	DRAIN VALVE KIT	
2010	• 1617 7047 00	1	DRAIN VALVE	
	↻ Substituted by:	1624 1552 00	AUTOMATIC DRAIN (quantity: 1)	
2020	• 0663 2111 29	1	O-RING	
2030	• 1617 7046 00	1	NUT	
3010	• 1617 7183 00	1	HEAD	
3020	• 1617 7011 00	1	BOWL	
	• 1629 0267 00	1	DECAL HEAD	
4020	• 1629 0265 02	1	DECAL BOWL	
5010	• 1629 0298 04	1	DIFFERENTIAL PRESSURE INDICATOR	
	↻ Substituted by:	1624 1172 00	DIFF. PRESS. GAUGE (quantity: 1)	
6010	• 0690 1104 01	1	HOUSE MARK	

Legend:IDRY:Y - Integrated dryer:Yes
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:8.5BAR - Working pressure:8.5 barMODEL:GA11P_18 - Model:GA 11+
PRESS:10BAR - Working pressure:10 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:9.1BAR - Working pressure:9.1 barMODEL:GA15P_18 - Model:GA 15+
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.5BAR - Working pressure:7.5 bar

20.16 - UD+ filter - Parts UD 140+ - ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar)))

IDRY:Y + ((MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:8BAR , PRESS:8.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18))



20.16 - UD+ filter - Parts UD 140+ - ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar)))

IDRY:Y + ((MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:8BAR , PRESS:8.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18))


Ref	Part Number	Qty	Name	Validity
	8102 2977 21	1	FILTER UD 140+	
	• 2901 2072 06	1	ELEMENT KIT	
	⚡ Substituted by:	2901 3004 07	FILTER KIT UD 140+ (quantity: 1)	
1010	• • -	1	FILTER ELEMENT	
1020	• • 0663 2110 31	1	O-RING	
1040	• • 0663 2109 65	2	O-RING	
	• 2901 0563 00	1	DRAIN VALVE KIT	
2010	• • -	1	DRAIN VALVE	
2020	• • 0663 2111 29	1	O-RING 18X3.5	
2030	• • -	1	NUT	
3010	• -	1	HEAD	
3020	• -	1	BOWL	
	• 1629 0267 00	1	DECAL HEAD	
4020	• 1629 0266 03	1	DECAL BOWL	
5010	• 1629 0298 04	1	DIFFERENTIAL PRESSURE INDICATOR	
	⚡ Substituted by:	1624 1172 00	DIFF. PRESS. GAUGE (quantity: 1)	
6010	• 0690 1104 01	1	HOUSE MARK	

Legend:


IDRY:Y - Integrated dryer:Yes
 MODEL:GA22P_18 - Model:GA 22+
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:8BAR - Working pressure:8 bar

MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar
 PRESS:9.1BAR - Working pressure:9.1 bar



Ref	Part Number	Qty	Name	Validity	EL
	8092 2941 18	1	STANDARD OPTION - ES100 RELAY		
	1089 9438 86	1	CONTACTOR	(25/10/2018 - ...)	K21
	1089 9511 51	1	RELAY	(25/10/2018 - ...)	K04'
	~~1089 9511 13~~	1	CLIP	(25/10/2018 - ...)	K04'
	↻ Substituted by:	1089 9511 57	CLIP (quantity: 1)		
	~~1089 9511 12~~	1	SOCKET	(25/10/2018 - ...)	K04'
	↻ Substituted by:	1089 9511 15	SOCKET FOR RELAY (quantity: 1)		
	1088 0039 93	3	TERMINAL	(25/10/2018 - ...)	1X8
	1088 0039 95	1	PLATE	(05/03/2019 - ...)	1X8
	1089 9511 14	1	LABEL	(05/03/2019 - ...)	



Ref	Part Number	Qty	Name	Validity
1010	1622 6988 80	1	GEAR SET	(11/07/2018 - ...) FREQ:50HZ + MODEL:GA11P_18 + OILTYP:RIF + PRESS:7.5BAR + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN)
1010	1622 6988 84	1	GEAR SET	(11/07/2018 - ...) FREQ:50HZ + MODEL:GA11P_18 + OILTYP:RIF + PRESS:8.5BAR + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , FREQ:60HZ + (MODEL:GA15P_18 + PRESS:9.1BAR , MODEL:GA18P_18 + PRESS:12.5BAR) + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V))
1010	1622 6988 95	1	GEAR SET	(11/07/2018 - ...) FREQ:50HZ + MODEL:GA11P_18 + OILTYP:RIF + PRESS:10BAR + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN)
1010	1622 6988 70	1	GEAR SET	(11/07/2018 - ...) FREQ:60HZ + MODEL:GA11P_18 + PRESS:7.4BAR + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V))
1010	1622 6988 88	1	GEAR SET	(11/07/2018 - 17/03/2019) FREQ:60HZ + MODEL:GA11P_18 + PRESS:9.1BAR + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) (18/03/2019 - ...) MODEL:GA11P_18 + (FREQ:50HZ + IDRY:N + OILTYP:RIF + PRESS:13BAR + (MOVOL:230V , MOVOL:400V) , FREQ:60HZ + PRESS:9.1BAR + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)))
1010	1622 6988 89	1	GEAR SET	(11/07/2018 - ...) FREQ:60HZ + MODEL:GA11P_18 + PRESS:10.8BAR + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V))
1010	1622 6988 87	1	GEAR SET	(11/07/2018 - ...) FREQ:50HZ + MODEL:GA15P_18 + OILTYP:RIF + PRESS:7.5BAR + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , FREQ:60HZ + MODEL:GA22P_18 + PRESS:10.8BAR + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V))
1010	1622 6988 81	1	GEAR SET	(11/07/2018 - ...) FREQ:50HZ + MODEL:GA15P_18 + OILTYP:RIF + PRESS:8.5BAR + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , FREQ:60HZ + (MODEL:GA18P_18 + PRESS:9.1BAR , MODEL:GA22P_18 + PRESS:12.5BAR) + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V))
1010	1622 6988 74	1	GEAR SET	(11/07/2018 - ...) FREQ:50HZ + OILTYP:RIF + (MODEL:GA15P_18 + PRESS:10BAR , MODEL:GA18P_18 + PRESS:13BAR) + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN)
1010	1622 6988 77	1	GEAR SET	(11/07/2018 - ...) FREQ:50HZ + MODEL:GA15P_18 + OILTYP:RIF + PRESS:13BAR + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN)
1010	1622 6988 72	1	GEAR SET	(11/07/2018 - ...) FREQ:60HZ + (MODEL:GA15P_18 + PRESS:7.4BAR , MODEL:GA18P_18 + PRESS:10.8BAR) + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V))
1010	1622 6988 76	1	GEAR SET	(11/07/2018 - ...) FREQ:60HZ + MODEL:GA15P_18 + PRESS:10.8BAR + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V))
1010	1622 6988 79	1	GEAR SET	(11/07/2018 - ...) FREQ:60HZ + MODEL:GA15P_18 + PRESS:12.5BAR + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V))
1010	1622 6988 82	1	GEAR SET	(11/07/2018 - ...) FREQ:50HZ + OILTYP:RIF + (MODEL:GA18P_18 + PRESS:7.5BAR , MODEL:GA22P_18 + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN)
1010	1622 6988 86	1	GEAR SET	(11/07/2018 - ...) FREQ:50HZ + MODEL:GA18P_18 + OILTYP:RIF + PRESS:8.5BAR + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN)
1010	1622 6988 97	1	GEAR SET	(11/07/2018 - ...) FREQ:50HZ + MODEL:GA18P_18 + OILTYP:RIF + PRESS:10BAR + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN)

Remarks:

7.4bar - 107psig, 9.1bar - 132psig, 10.8bar - 157psig, 12.5bar - 181psig

Legend:

FREQ:50HZ - Frequency:50 Hz

IDRY:Y - Integrated dryer:Yes

MODEL:GA18P_18 - Model:GA 18+

MODEL:GA30_18 - Model:GA 30

MOVOL:230_460_V - Supply voltage:230-460 V

MOVOL:400V - Supply voltage:400 V

MOVOL:575V - Supply voltage:575 V

PRESS:10.8BAR - Working pressure:10.8 bar

PRESS:13BAR - Working pressure:13 bar

PRESS:8.5BAR - Working pressure:8.5 bar

FREQ:60HZ - Frequency:60 Hz

MODEL:GA11P_18 - Model:GA 11+

MODEL:GA22P_18 - Model:GA 22+

MOVOL:200230460V - Supply voltage:200-230-460 V

MOVOL:230V - Supply voltage:230 V

MOVOL:400VN - Supply voltage:400 V+N

OILTYP:RIF - Oil type:Roto inject fluid oil

PRESS:10BAR - Working pressure:10 bar

PRESS:7.4BAR - Working pressure:7.4 bar

PRESS:9.1BAR - Working pressure:9.1 bar

IDRY:N - Integrated dryer:No

MODEL:GA15P_18 - Model:GA 15+

MODEL:GA26P_18 - Model:GA 26+

MOVOL:200V - Supply voltage:200 V


MOVOL:380V - Supply voltage:380 V

MOVOL:460V - Supply voltage:460 V

OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid

PRESS:12.5BAR - Working pressure:12.5 bar

PRESS:7.5BAR - Working pressure:7.5 bar



Ref	Part Number	Qty	Name	Validity
1010	1622 6988 73	1	GEAR SET	(11/07/2018 - ...) FREQ:50HZ + MODEL:GA22P_18 + OILTYP:RIF + PRESS:13BAR + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , FREQ:60HZ + MODEL:GA18P_18 + PRESS:7.4BAR + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V))
1010	1622 6988 71	1	GEAR SET	(11/07/2018 - ...) FREQ:60HZ + MODEL:GA22P_18 + PRESS:7.4BAR + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V))
1010	1622 6988 67	1	GEAR SET	(11/07/2018 - ...) FREQ:60HZ + MODEL:GA22P_18 + PRESS:9.1BAR + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V))
1010	1622 6993 84	1	GEAR SET	(11/07/2018 - ...) FREQ:50HZ + MODEL:GA26P_18 + OILTYP:RIF + PRESS:7.5BAR + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN)
1010	1622 6993 73	1	GEAR SET	(11/07/2018 - ...) FREQ:50HZ + MODEL:GA26P_18 + OILTYP:RIF + PRESS:8.5BAR + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN)
1010	1622 6993 85	1	GEAR SET	(11/07/2018 - ...) FREQ:50HZ + OILTYP:RIF + (MODEL:GA26P_18 + PRESS:10BAR , MODEL:GA30_18 + PRESS:13BAR) + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN)
1010	1622 6993 77	1	GEAR SET	(11/07/2018 - ...) FREQ:60HZ + ((MODEL:GA26P_18 + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:12.5BAR) + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:460V , MOVOL:575V)) , MODEL:GA30_18 + OILTYP:RXD + PRESS:12.5BAR + (MOVOL:200V , MOVOL:230_460_V)) , MODEL:GA26P_18 + (FREQ:50HZ + OILTYP:RIF + PRESS:13BAR + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , FREQ:60HZ + MOVOL:200230460V + OILTYP:RXD + PRESS:10.8BAR)
1010	1622 6993 75	1	GEAR SET	(11/07/2018 - ...) FREQ:60HZ + ((MODEL:GA26P_18 + PRESS:9.1BAR , MODEL:GA30_18 + PRESS:10.8BAR) + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:460V , MOVOL:575V)) , OILTYP:RXD + (MODEL:GA26P_18 + MOVOL:200230460V + PRESS:9.1BAR , MODEL:GA30_18 + PRESS:10.8BAR + (MOVOL:200V , MOVOL:230_460_V)))
1010	1622 6993 79	1	GEAR SET	(11/07/2018 - ...) FREQ:60HZ + MODEL:GA26P_18 + PRESS:12.5BAR + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V))
1010	1622 6993 69	1	GEAR SET	(11/07/2018 - ...) FREQ:50HZ + MODEL:GA30_18 + OILTYP:RIF + PRESS:7.5BAR + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN)
1010	1622 6993 70	1	GEAR SET	(11/07/2018 - ...) FREQ:50HZ + MODEL:GA30_18 + OILTYP:RIF + PRESS:8.5BAR + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN)
1010	1622 6993 68	1	GEAR SET	(11/07/2018 - ...) FREQ:50HZ + MODEL:GA30_18 + OILTYP:RIF + PRESS:10BAR + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN)
	↻ Substituted by:	1622 6993 73 - GEAR SET 9313/9314 (quantity: 1)		
1010	1622 6993 76	1	GEAR SET	(11/07/2018 - ...) FREQ:60HZ + MODEL:GA30_18 + PRESS:7.4BAR + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V , MOVOL:575V))

Remarks:

7.4bar - 107psig, 9.1bar - 132psig, 10.8bar - 157psig, 12.5bar - 181psig

Legend:

FREQ:50HZ - Frequency:50 Hz

IDRY:Y - Integrated dryer:Yes

MODEL:GA18P_18 - Model:GA 18+

MODEL:GA30_18 - Model:GA 30

MOVOL:230_460_V - Supply voltage:230-460 V

MOVOL:400V - Supply voltage:400 V

MOVOL:575V - Supply voltage:575 V

PRESS:10.8BAR - Working pressure:10.8 bar

PRESS:13BAR - Working pressure:13 bar

PRESS:8.5BAR - Working pressure:8.5 bar

FREQ:60HZ - Frequency:60 Hz

MODEL:GA11P_18 - Model:GA 11+

MODEL:GA22P_18 - Model:GA 22+

MOVOL:200230460V - Supply voltage:200-230-460 V

MOVOL:230V - Supply voltage:230 V

MOVOL:400VN - Supply voltage:400 V+N

OILTYP:RIF - Oil type:Roto inject fluid oil

PRESS:10BAR - Working pressure:10 bar

PRESS:7.4BAR - Working pressure:7.4 bar

PRESS:9.1BAR - Working pressure:9.1 bar

IDRY:N - Integrated dryer:No

MODEL:GA15P_18 - Model:GA 15+

MODEL:GA26P_18 - Model:GA 26+

MOVOL:200V - Supply voltage:200 V

MOVOL:380V - Supply voltage:380 V

MOVOL:460V - Supply voltage:460 V


OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid

PRESS:12.5BAR - Working pressure:12.5 bar

PRESS:7.5BAR - Working pressure:7.5 bar

20.19 - HAV - Dryer connection

FREQ:50HZ + OILTYP:RIF + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V))



20.19 - HAV - Dryer connection

FREQ:50HZ + OILTYP:RIF + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V))

Ref	Part Number	Qty	Name	Validity
1010	0147 1963 08	1	HEXAGON BOLT	(11/07/2018 - 03/01/2019) IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) , FREQ:60HZ + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V)))) (04/01/2019 - 21/02/2019) IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V)))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)) (22/02/2019 - 17/03/2019) IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V)))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)) (18/03/2019 - 26/05/2019) IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V)))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)) (27/05/2019 - ...) IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + OILTYP:RXD + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V)))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR))

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
 IDRY:Y - Integrated dryer:Yes
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 FREQ:50HZ - Frequency:50 Hz
 MODEL:GA11P_18 - Model:GA 11+
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N
 OILTYP:RIF - Oil type:Roto inject fluid oil
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA15P_18 - Model:GA 15+
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V
 OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

20.19 - HAV - Dryer connection

FREQ:50HZ + OILTYP:RIF + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V))



20.19 - HAV - Dryer connection

FREQ:50HZ + OILTYP:RIF + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V))

Ref	Part Number	Qty	Name	Validity
1020	0580 0017 37	1	NIPPLE	(11/07/2018 - 03/01/2019) IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) , FREQ:60HZ + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V)))) (04/01/2019 - 21/02/2019) IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V)))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)) (22/02/2019 - 17/03/2019) IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V)))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)) (18/03/2019 - 26/05/2019) IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V)))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)) (27/05/2019 - ...) IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + OILTYP:RXD + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V)))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR))

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
 IDRY:Y - Integrated dryer:Yes
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 FREQ:50HZ - Frequency:50 Hz
 MODEL:GA11P_18 - Model:GA 11+
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N
 OILTYP:RIF - Oil type:Roto inject fluid oil
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA15P_18 - Model:GA 15+
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V
 OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

20.19 - HAV - Dryer connection

FREQ:50HZ + OILTYP:RIF + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V))



20.19 - HAV - Dryer connection

FREQ:50HZ + OILTYP:RIF + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V))

Ref	Part Number	Qty	Name	Validity
1030	1625 2202 52	1	HOSE	(11/07/2018 - 03/01/2019) IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) , FREQ:60HZ + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V)))) (04/01/2019 - 21/02/2019) IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V)))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)) (22/02/2019 - 17/03/2019) IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V)))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)) (18/03/2019 - 26/05/2019) IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V)))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)) (27/05/2019 - ...) IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + OILTYP:RXD + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V)))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR))

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
 IDRY:Y - Integrated dryer:Yes
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 FREQ:50HZ - Frequency:50 Hz
 MODEL:GA11P_18 - Model:GA 11+
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N
 OILTYP:RIF - Oil type:Roto inject fluid oil
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA15P_18 - Model:GA 15+
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V
 OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

20.19 - HAV - Dryer connection

FREQ:50HZ + OILTYP:RIF + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V))



20.19 - HAV - Dryer connection

FREQ:50HZ + OILTYP:RIF + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V))

Ref	Part Number	Qty	Name	Validity
1040	0580 0017 37	1	NIPPLE	(11/07/2018 - 03/01/2019) IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) , FREQ:60HZ + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V)))) (04/01/2019 - 21/02/2019) IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V)))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)) (22/02/2019 - 17/03/2019) IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V)))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)) (18/03/2019 - 26/05/2019) IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V)))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)) (27/05/2019 - ...) IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + OILTYP:RXD + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V)))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR))

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
 IDRY:Y - Integrated dryer:Yes
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 FREQ:50HZ - Frequency:50 Hz
 MODEL:GA11P_18 - Model:GA 11+
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N
 OILTYP:RIF - Oil type:Roto inject fluid oil
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA15P_18 - Model:GA 15+
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V
 OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

20.19 - HAV - Dryer connection

FREQ:50HZ + OILTYP:RIF + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V))



20.19 - HAV - Dryer connection

FREQ:50HZ + OILTYP:RIF + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V))

Ref	Part Number	Qty	Name	Validity
1050	0663 3130 00	1	O-RING	(11/07/2018 - 03/01/2019) IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) , FREQ:60HZ + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V))))

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN
 (based on ASME)
 IDRY:Y - Integrated dryer:Yes
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 FREQ:50HZ - Frequency:50 Hz
 MODEL:GA11P_18 - Model:GA 11+
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N
 OILTYP:RIF - Oil type:Roto inject fluid oil
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE
 (based on AD2000)
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA15P_18 - Model:GA 15+
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V
 OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

20.19 - HAV - Dryer connection

FREQ:50HZ + OILTYP:RIF + ((MODEL:GA11P_18, MODEL:GA15P_18) + (PRESS:10BAR, PRESS:13BAR), MODEL:GA11P_18 + (PRESS:7.5BAR, PRESS:8.5BAR)) + (MOVOL:230V, MOVOL:400V, MOVOL:400VN), FREQ:60HZ + ((MODEL:GA11P_18, MODEL:GA15P_18) + (PRESS:10.8BAR, PRESS:12.5BAR), MODEL:GA11P_18 + (PRESS:7.4BAR, PRESS:9.1BAR)) + (OILTYP:RIF + (MOVOL:230V, MOVOL:380V, MOVOL:460V), OILTYP:RXD + (MOVOL:200230460V, MOVOL:460V, MOVOL:575V))



20.19 - HAV - Dryer connection

FREQ:50HZ + OILTYP:RIF + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V))

Ref	Part Number	Qty	Name	Validity
1060	1625 4819 00	1	BUSHING	(11/07/2018 - 03/01/2019) IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) , FREQ:60HZ + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V)))) (04/01/2019 - 21/02/2019) IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V)))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)) (22/02/2019 - 17/03/2019) IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V)))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)) (18/03/2019 - 26/05/2019) IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V)))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)) (27/05/2019 - ...) IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + OILTYP:RXD + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V)))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR))

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
 IDRY:Y - Integrated dryer:Yes
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 FREQ:50HZ - Frequency:50 Hz
 MODEL:GA11P_18 - Model:GA 11+
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N
 OILTYP:RIF - Oil type:Roto inject fluid oil
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA15P_18 - Model:GA 15+
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V
 OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

20.19 - HAV - Dryer connection

FREQ:50HZ + OILTYP:RIF + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V))



20.19 - HAV - Dryer connection

FREQ:50HZ + OILTYP:RIF + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V))

Ref	Part Number	Qty	Name	Validity
1070	0070-6002-68	AR	TUBE 4X6	(11/07/2018 - 03/01/2019) IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) , FREQ:60HZ + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V)))) (04/01/2019 - 21/02/2019) IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V)))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)) (22/02/2019 - 17/03/2019) IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V)))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)) (18/03/2019 - 26/05/2019) IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V)))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)) (27/05/2019 - ...) IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + OILTYP:RXD + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V)))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR))
Substituted by: 0070 7250 04 - TUBE ID4 OD6 BLACK (quantity: 1)				

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
 IDRY:Y - Integrated dryer:Yes
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 FREQ:50HZ - Frequency:50 Hz
 MODEL:GA11P_18 - Model:GA 11+
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N
 OILTYP:RIF - Oil type:Roto inject fluid oil
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA15P_18 - Model:GA 15+
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V
 OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

20.19 - HAV - Dryer connection

FREQ:50HZ + OILTYP:RIF + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V))



20.19 - HAV - Dryer connection

FREQ:50HZ + OILTYP:RIF + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V))

Ref	Part Number	Qty	Name	Validity
1080	0852 0011 02	1	BALL VALVE	(11/07/2018 - 03/01/2019) IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) , FREQ:60HZ + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V))))
1090	1089 9610 42	1	TRANSFORMER	(11/07/2018 - 03/01/2019) IDRY:Y + (CAPPRE:IEC + CAPPRM:CE + FREQ:50HZ + MOVOL:230V + OILTYP:RIF + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) , FREQ:60HZ + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V + OILTYP:RIF , CAPPRE:ULCUL + OILTYP:RXD + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + MOVOL:575V)))) (04/01/2019 - 21/02/2019) IDRY:Y + (CAPPRE:IEC + CAPPRM:CE + FREQ:50HZ + MOVOL:230V + OILTYP:RIF + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V + OILTYP:RIF , CAPPRE:ULCUL + OILTYP:RXD + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)) (22/02/2019 - 17/03/2019) IDRY:Y + (CAPPRE:IEC + CAPPRM:CE + FREQ:50HZ + MOVOL:230V + OILTYP:RIF + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V + OILTYP:RIF , CAPPRE:ULCUL + OILTYP:RXD + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)) (18/03/2019 - 26/05/2019) FREQ:60HZ + IDRY:Y + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V + OILTYP:RIF , CAPPRE:ULCUL + OILTYP:RXD + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR) (27/05/2019 - ...) FREQ:60HZ + IDRY:Y + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V + OILTYP:RIF , CAPPRE:ULCUL + OILTYP:RXD + (CAPPRM:CRNASME + MOVOL:575V , MOVOL:200230460V + (CAPPRM:ASME , CAPPRM:CRNASME)))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)

Legend:


CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:ASME - Component approval mechanical:ASME
CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
IDRY:Y - Integrated dryer:Yes
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:400V - Supply voltage:400 V
MOVOL:575V - Supply voltage:575 V
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
CAPPRM:CE - Component approval mechanical:CE
FREQ:50HZ - Frequency:50 Hz
MODEL:GA11P_18 - Model:GA 11+
MOVOL:230V - Supply voltage:230 V
MOVOL:400VN - Supply voltage:400 V+N
OILTYP:RIF - Oil type:Roto inject fluid oil
PRESS:10BAR - Working pressure:10 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
FREQ:60HZ - Frequency:60 Hz
MODEL:GA15P_18 - Model:GA 15+
MOVOL:380V - Supply voltage:380 V
MOVOL:460V - Supply voltage:460 V
OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.5BAR - Working pressure:7.5 bar

20.20 - Thermistors & Anti-condensation heaters GA 11+, GA 15+, GA 18+, GA 22+

(CAPPRE:IEC + (FREQ:50HZ + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (MOVOL:230V , MOVOL:380V , MOVOL:460V)) , CAPPRE:ULCUL + FREQ:60HZ + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18)



20.20 - Thermistors & Anti-condensation heaters GA 11+, GA 15+, GA 18+, GA 22+

(CAPPRE:IEC + (FREQ:50HZ + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (MOVOL:230V , MOVOL:380V , MOVOL:460V)) , CAPPRE:ULCUL + FREQ:60HZ + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18)

Ref	Part Number	Qty	Name	Validity
1010	1625 2200 61	1	MOTOR	(11/07/2018 - ...) CAPPRE:IEC + FREQ:50HZ + MODEL:GA11P_18 + MOVOL:230V
	1625 2200 62			(11/07/2018 - ...) CAPPRE:IEC + FREQ:50HZ + MODEL:GA11P_18 + (MOVOL:400V , MOVOL:400VN)
	1625 2200 63			(11/07/2018 - ...) CAPPRE:IEC + FREQ:60HZ + MODEL:GA11P_18 + MOVOL:230V
	1625 2200 65			(11/07/2018 - ...) CAPPRE:IEC + FREQ:60HZ + MODEL:GA11P_18 + MOVOL:380V
	1625 2200 66			(11/07/2018 - ...) FREQ:60HZ + MODEL:GA11P_18 + MOVOL:460V
	1625 2200 68			(11/07/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA11P_18 + MOVOL:200230460V
	1625 2200 67			(11/07/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA11P_18 + MOVOL:575V
	1625 2200 69			(11/07/2018 - ...) CAPPRE:IEC + FREQ:50HZ + MODEL:GA15P_18 + MOVOL:230V
	1625 2200 70			(11/07/2018 - ...) CAPPRE:IEC + FREQ:50HZ + MODEL:GA15P_18 + (MOVOL:400V , MOVOL:400VN)
	1625 2200 71			(11/07/2018 - ...) CAPPRE:IEC + FREQ:60HZ + MODEL:GA15P_18 + MOVOL:230V
	1625 2200 73			(11/07/2018 - ...) CAPPRE:IEC + FREQ:60HZ + MODEL:GA15P_18 + MOVOL:380V
	1625 2200 74			(11/07/2018 - ...) FREQ:60HZ + MODEL:GA15P_18 + MOVOL:460V
	1625 2200 75			(11/07/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA15P_18 + MOVOL:575V
	1625 2200 76			(11/07/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA15P_18 + MOVOL:200230460V
	1625 2200 77			(11/07/2018 - ...) CAPPRE:IEC + FREQ:50HZ + MODEL:GA18P_18 + MOVOL:230V
	1625 2200 78			(11/07/2018 - ...) CAPPRE:IEC + FREQ:50HZ + MODEL:GA18P_18 + (MOVOL:400V , MOVOL:400VN)
	1625 2200 79			(11/07/2018 - ...) CAPPRE:IEC + FREQ:60HZ + MODEL:GA18P_18 + MOVOL:230V
	1625 2200 81			(11/07/2018 - ...) CAPPRE:IEC + FREQ:60HZ + MODEL:GA18P_18 + MOVOL:380V
	1625 2200 82			(11/07/2018 - ...) FREQ:60HZ + MODEL:GA18P_18 + MOVOL:460V
	1625 2200 83			(11/07/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA18P_18 + MOVOL:575V
	1625 2200 84			(11/07/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA18P_18 + MOVOL:200230460V
	1625 2200 85			(11/07/2018 - ...) CAPPRE:IEC + FREQ:50HZ + MODEL:GA22P_18 + MOVOL:230V
	1625 2200 86			(11/07/2018 - ...) CAPPRE:IEC + FREQ:50HZ + MODEL:GA22P_18 + (MOVOL:400V , MOVOL:400VN)
	1625 2200 87			(11/07/2018 - ...) CAPPRE:IEC + FREQ:60HZ + MODEL:GA22P_18 + MOVOL:230V
	1625 2200 89			(11/07/2018 - ...) CAPPRE:IEC + FREQ:60HZ + MODEL:GA22P_18 + MOVOL:380V
	1625 2200 90			(11/07/2018 - ...) FREQ:60HZ + MODEL:GA22P_18 + MOVOL:460V
	1625 2200 91			(11/07/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA22P_18 + MOVOL:575V
	1625 2200 92			(11/07/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA22P_18 + MOVOL:200230460V
•		1	MOTOR COMPONENTS	(11/07/2018 - ...)
2010	•• 0335 2160 00	1	CIRCLIP	
2020	•• 1622 6991 00	1	BUSHING	
2030	•• 0211 1326 03	4	SCREW	
2040	•• 1616 5742 00	1	SEAL RING	
⚙	Substituted by: 1616 5742 80 - LIP SEAL KIT (quantity: 1)			
2050	•• 0508 1100 78	1	ROLLER BEARING	

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA18P_18 - Model:GA 18+
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V

FREQ:50HZ - Frequency:50 Hz
 MODEL:GA15P_18 - Model:GA 15+
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V

20.20 - Thermistors & Anti-condensation heaters GA 11+, GA 15+, GA 18+, GA 22+

(CAPPRE:IEC + (FREQ:50HZ + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (MOVOL:230V , MOVOL:380V , MOVOL:460V)) ,
CAPPRE:ULCUL + FREQ:60HZ + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 ,
MODEL:GA22P_18)



20.20 - Thermistors & Anti-condensation heaters GA 11+, GA 15+, GA 18+, GA 22+

(CAPPRE:IEC + (FREQ:50HZ + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (MOVOL:230V , MOVOL:380V , MOVOL:460V)) , CAPPRE:ULCUL + FREQ:60HZ + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18)

Ref	Part Number	Qty	Name	Validity
2060	•• 1079 9931 92	1	DECAL ARROW	
2070	•• 1088 1001 01	1	WARNING MARK	
2080	•• 1622 3740 00	1	DRAIN NIPPLE	
	⚡ Substituted by:	1630 1318 00	DRAIN NIPPLE (quantity: 1)	
2090	•• 1625 7834 00	1	GEARBOX	
2110	•• 1613 6752 32	1	ANTI-VIBRATION PAD	
2120	•• 1622 7938 00	1	SPACER MOTOR	
2130	•• 0147 1371 03	1	HEXAGON BOLT	
	⚡ Substituted by:	0147 1964 69	HEX. BOLT M10X70XISO A2-70 (quantity: 1)	
	1089 9278 21	2	THERMISTOR RELAY	(25/10/2018 - 27/11/2019)
	1089 9278 22	2	THERMIST RELAY	(28/11/2019 - ...)
	1088 0039 95	1	PLATE	(25/10/2018 - ...)
	1625 7523 15	1	RAIL	(25/10/2018 - ...)
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(25/10/2018 - ...)
	⚡ Substituted by:	1089 0577 82	END RETAINER (quantity: 1)	
	1088 0039 94	2	TERMINAL	(25/10/2018 - ...)
	1088 0039 93	2	TERMINAL	(25/10/2018 - ...)

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA18P_18 - Model:GA 18+
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V

FREQ:50HZ - Frequency:50 Hz
 MODEL:GA15P_18 - Model:GA 15+
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V

20.21 - Thermistors & Anti-condensation heaters GA 26+, GA 30

(CAPPRE:IEC + (FREQ:50HZ + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (MOVOL:230V , MOVOL:380V , MOVOL:460V)) , CAPPRE:ULCUL + FREQ:60HZ + (MOVOL:460V , MOVOL:575V)) + (MODEL:GA26P_18 , MODEL:GA30_18) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V))



20.21 - Thermistors & Anti-condensation heaters GA 26+, GA 30

(CAPPRE:IEC + (FREQ:50HZ + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (MOVOL:230V , MOVOL:380V , MOVOL:460V)) , CAPPRE:ULCUL + FREQ:60HZ + (MOVOL:460V , MOVOL:575V)) + (MODEL:GA26P_18 , MODEL:GA30_18) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V))


Ref	Part Number	Qty	Name	Validity
1010	1625 2200 99	1	MOTOR	(11/07/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA26P_18 + MOVOL:575V
	1625 2200 93			(11/07/2018 - ...) CAPPRE:IEC + FREQ:50HZ + MODEL:GA26P_18 + MOVOL:230V
	1625 2200 94			(11/07/2018 - ...) CAPPRE:IEC + FREQ:50HZ + MODEL:GA26P_18 + (MOVOL:400V , MOVOL:400VN)
	1625 2200 95			(11/07/2018 - ...) CAPPRE:IEC + FREQ:60HZ + MODEL:GA26P_18 + MOVOL:230V
	1625 2200 97			(11/07/2018 - ...) CAPPRE:IEC + FREQ:60HZ + MODEL:GA26P_18 + MOVOL:380V
	1625 2200 98			(11/07/2018 - ...) FREQ:60HZ + MODEL:GA26P_18 + MOVOL:460V
	1625 2201 00			(11/07/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA26P_18 + MOVOL:200230460V
	1625 2200 12			(11/07/2018 - ...) CAPPRE:IEC + FREQ:50HZ + MODEL:GA30_18 + MOVOL:230V
	1625 2200 13			(11/07/2018 - ...) CAPPRE:IEC + FREQ:50HZ + MODEL:GA30_18 + (MOVOL:400V , MOVOL:400VN)
	1625 2200 14			(11/07/2018 - ...) CAPPRE:IEC + FREQ:60HZ + MODEL:GA30_18 + MOVOL:230V
	1625 2200 15			(11/07/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA30_18 + MOVOL:200V
	1625 2200 16			(11/07/2018 - ...) CAPPRE:IEC + FREQ:60HZ + MODEL:GA30_18 + MOVOL:380V
	1625 2200 17			(11/07/2018 - ...) FREQ:60HZ + MODEL:GA30_18 + MOVOL:460V
	1625 2200 18			(11/07/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA30_18 + MOVOL:575V
	1625 2200 19			(11/07/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA30_18 + MOVOL:230_460_V
	•	1	MOTOR COMPONENTS	(11/07/2018 - ...)
2010	•• 0335 2160 00	1	CIRCLIP	
2020	•• 1622 6991 00	1	BUSHING	
2030	•• 1616 5742 00	1	SEAL RING	
	⚙ Substituted by:	1616 5742 80	LIP SEAL KIT (quantity: 1)	
2040	•• 0508 1100 78	1	BEARING ROLLER	
2060	•• 1079 9931 92	1	DECAL ARROW	
2070	•• 1088 1001 01	1	WARNING MARK	
2080	•• 1622 3740 00	1	DRAIN NIPPLE	
	⚙ Substituted by:	1630 1318 00	DRAIN NIPPLE (quantity: 1)	
2090	•• 0211 1401 03	4	SCREW	
2100	•• 1625 2201 01	1	GEAR BOX	
2110	•• 1613 6752 33	1	ANTI-VIBRATION PAD	
2120	•• 1622 6949 00	1	SPACER MOTOR	
2130	•• 0147 1365 03	1	HEXAGON BOLT	
	1089 9278 21	2	THERMISTOR RELAY	(25/10/2018 - 27/11/2019)
	1089 9278 22	2	THERMIST RELAY	(28/11/2019 - ...)
	1088 0039 95	1	PLATE	(25/10/2018 - ...)
	1625 7523 15	1	RAIL	(25/10/2018 - ...)
	1088 0031 81	2	END STOP BRACKET 6MM	(25/10/2018 - ...)
	⚙ Substituted by:	1089 0577 82	END RETAINER (quantity: 1)	
	1088 0039 94	2	TERMINAL	(25/10/2018 - ...)
	1088 0039 93	2	TERMINAL	(25/10/2018 - ...)

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 FREQ:60HZ - Frequency:60 Hz
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:200V - Supply voltage:200 V
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V

FREQ:50HZ - Frequency:50 Hz
 MODEL:GA30_18 - Model:GA 30
 MOVOL:230_460_V - Supply voltage:230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V




Ref	Part Number	Qty	Name	Validity	EL
	1900 2333 03	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...) FREQ:50HZ	SD
	9828 5323 20	-	ASSEMBLY DRAWING	(11/07/2018 - ...) FREQ:50HZ	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...) FREQ:50HZ	WH
	1625 2201 40	1	WIRE HARNESS	(11/07/2018 - ...) FREQ:50HZ	WH
	1625 3906 31	1	DATALABEL	(11/07/2018 - ...) FREQ:50HZ	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:50HZ	
	~~1088 0031 81~~	1	END STOP BRACKET	(11/07/2018 - ...) FREQ:50HZ	
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 58	3	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	1X0
	1089 9366 71	3	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 50	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	1X3 motor
	1089 9427 60	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:50HZ	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...) FREQ:50HZ	
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9438 76	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K21
	1089 9438 76	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K23
	1089 9438 68	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K22
	1089 9267 79	1	OVERLOAD RELAY	(11/07/2018 - ...) FREQ:50HZ	F21
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K23
	1089 9514 59	1	TRANSFORMER	(11/07/2018 - ...) FREQ:50HZ	T1
	1089 9168 24	2	FUSE LINK	(11/07/2018 - ...) FREQ:50HZ	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...) FREQ:50HZ	F1-F2
	1625 4306 00	1	FUSE LABEL	(11/07/2018 - ...) FREQ:50HZ	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 65	1	RELAY OVERLOAD	(11/07/2018 - ...) FREQ:50HZ	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...) FREQ:50HZ	F15 support
	1089 9168 85	3	FUSE	(11/07/2018 - ...) FREQ:50HZ	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...) FREQ:50HZ	F10-F11-F12
	1625 4306 02	1	FUSE LABEL	(11/07/2018 - ...) FREQ:50HZ	F10-F11-F12
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...) FREQ:50HZ	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K5
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...) FREQ:50HZ	K25
	1089 9168 36	1	FUSE LINK	(11/07/2018 - ...) FREQ:50HZ	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...) FREQ:50HZ	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1x4:2 bottom / 1x4:12 top				
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1x4:2 bottom / 1x4:13 top				

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MODEL:GA15P_18 - Model:GA 15+

FREQ:50HZ - Frequency:50 Hz
 MOVOL:400V - Supply voltage:400 V

MODEL:GA11P_18 - Model:GA 11+
 OEM:N - OEM:N




Ref	Part Number	Qty	Name	Validity	EL
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	FREQ:50HZ
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	FREQ:50HZ
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	FREQ:50HZ
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	FREQ:50HZ
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	FREQ:50HZ
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	FREQ:50HZ
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR	(11/07/2018 - ...)	FREQ:50HZ 1X5
	1088 0021 41	3	TERMINAL	(11/07/2018 - ...)	FREQ:50HZ 1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	TERMINAL	(11/07/2018 - ...)	FREQ:50HZ 1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	FREQ:50HZ
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...)	FREQ:50HZ
	1088 0031 26	1	CONNECTOR	(11/07/2018 - ...)	FREQ:50HZ 2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...)	FREQ:50HZ 2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...)	FREQ:50HZ 2X28
	1088 0031 81	2	END STOP BRACKET	(11/07/2018 - ...)	FREQ:50HZ
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	FREQ:50HZ
	Electrical legend:	airinlet bottom			
	1089 9556 93	1	CUBICLE FAN	(11/07/2018 - 04/03/2019)	FREQ:50HZ
	Electrical legend:	airoutlet top			
	0697 9809 20	3	LOCK NUT	(11/07/2018 - ...)	FREQ:50HZ WH
	0698 5148 82	1	PLUG	(11/07/2018 - ...)	FREQ:50HZ A1
2730	0697 9811 15	1	PLUG	(11/07/2018 - ...)	FREQ:50HZ M1 cable 2
2735	0989 3700 46	1	NUT	(11/07/2018 - ...)	FREQ:50HZ M1 cable 2
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019)	FREQ:50HZ ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019)	FREQ:50HZ ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	FREQ:50HZ TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...)	FREQ:50HZ TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...)	FREQ:50HZ PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...)	FREQ:50HZ PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...)	FREQ:50HZ PT20
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FREQ:50HZ FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...)	FREQ:50HZ FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	FREQ:50HZ TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...)	FREQ:50HZ TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...)	FREQ:50HZ TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...)	FREQ:50HZ A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...)	FREQ:50HZ A1
	1625 8614 04	1	CUBICLE	(11/07/2018 - ...)	FREQ:50HZ MSA
	• 1613 8339 01	1	LOCK		
3010	• 1625 8614 01	1	CUBICLE DOOR		
3020	• 1625 8614 02	1	CUBICLE		
3040	• 1637 0000 72	1	DECAL BP		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9931 46	1	DECAL WARNING		
3140	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MODEL:GA15P_18 - Model:GA 15+

FREQ:50HZ - Frequency:50 Hz
 MOVOL:400V - Supply voltage:400 V

MODEL:GA11P_18 - Model:GA 11+
 OEM:N - OEM:N




Ref	Part Number	Qty	Name	Validity	EL
3150	• 1079 9901 68	1	WARNING LABEL		
3160	• 1079 9932 01	1	DECAL		
3170	• 1079 9932 15	1	DECAL		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...) FREQ:50HZ	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MODEL:GA15P_18 - Model:GA 15+

FREQ:50HZ - Frequency:50 Hz
 MOVOL:400V - Supply voltage:400 V

MODEL:GA11P_18 - Model:GA 11+
 OEM:N - OEM:N




Ref	Part Number	Qty	Name	Validity	EL
	1900 2333 04	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...) FREQ:50HZ	SD
	9828 5323 20	-	ASSEMBLY DRAWING	(11/07/2018 - ...) FREQ:50HZ	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...) FREQ:50HZ	WH
	1625 2201 40	1	WIRE HARNESS	(11/07/2018 - ...) FREQ:50HZ	WH
	1625 3906 31	1	DATA LABEL	(11/07/2018 - ...) FREQ:50HZ	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:50HZ	
	~~1088 0031 81~~	1	END STOP BRACKET	(11/07/2018 - ...) FREQ:50HZ	
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 61	3	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	1X0
	1089 9366 22	3	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 60	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	1X3 motor
	1089 9427 63	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:50HZ	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...) FREQ:50HZ	
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9623 52	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K21
	1089 9623 52	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K23
	1089 9438 76	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K22
	1089 9205 16	1	OVERLOAD RELAY	(11/07/2018 - ...) FREQ:50HZ	F21
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K23
	1089 9514 60	1	TRANSFORMER	(11/07/2018 - ...) FREQ:50HZ	T1
	1089 9168 26	2	FUSE LINK	(11/07/2018 - ...) FREQ:50HZ	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...) FREQ:50HZ	F1-F2
	1625 4303 49	1	FUSE LABEL	(11/07/2018 - ...) FREQ:50HZ	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 66	1	OVERLOAD RELAY	(11/07/2018 - ...) FREQ:50HZ	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...) FREQ:50HZ	F15 support
	1089 9168 34	3	FUSE LINK	(11/07/2018 - ...) FREQ:50HZ	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...) FREQ:50HZ	F10-F11-F12
	1625 4306 03	1	FUSE LABEL	(11/07/2018 - ...) FREQ:50HZ	F10-F11-F12
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...) FREQ:50HZ	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K5
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...) FREQ:50HZ	K25
	1089 9168 36	1	FUSE LINK	(11/07/2018 - ...) FREQ:50HZ	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...) FREQ:50HZ	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1x4:2 bottom / 1x4:12 top				
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1x4:2 bottom / 1x4:13 top				

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MODEL:GA22P_18 - Model:GA 22+

FREQ:50HZ - Frequency:50 Hz
 MOVOL:400V - Supply voltage:400 V

MODEL:GA18P_18 - Model:GA 18+
 OEM:N - OEM:N




Ref	Part Number	Qty	Name	Validity	EL
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	FREQ:50HZ
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	FREQ:50HZ
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	FREQ:50HZ
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	FREQ:50HZ
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	FREQ:50HZ
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	FREQ:50HZ
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR	(11/07/2018 - ...)	FREQ:50HZ 1X5
	1088 0021 41	3	TERMINAL	(11/07/2018 - ...)	FREQ:50HZ 1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	TERMINAL	(11/07/2018 - ...)	FREQ:50HZ 1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	FREQ:50HZ
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...)	FREQ:50HZ
	1088 0031 26	1	CONNECTOR	(11/07/2018 - ...)	FREQ:50HZ 2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...)	FREQ:50HZ 2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...)	FREQ:50HZ 2X28
	1088 0031 81	2	END STOP BRACKET	(11/07/2018 - ...)	FREQ:50HZ
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	FREQ:50HZ
	Electrical legend:	airinlet bottom			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	FREQ:50HZ
	Electrical legend:	airoutlet top			
2730	0697 9811 15	1	PLUG	(11/07/2018 - ...)	FREQ:50HZ M1 cable 2
2735	0989 3700 46	1	NUT	(11/07/2018 - ...)	FREQ:50HZ M1 cable 2
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019)	FREQ:50HZ ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019)	FREQ:50HZ ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	FREQ:50HZ TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...)	FREQ:50HZ TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...)	FREQ:50HZ PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...)	FREQ:50HZ PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...)	FREQ:50HZ PT20
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FREQ:50HZ FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...)	FREQ:50HZ FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	FREQ:50HZ TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...)	FREQ:50HZ TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...)	FREQ:50HZ TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...)	FREQ:50HZ A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...)	FREQ:50HZ A1
	0698 5148 82	1	PLUG	(11/07/2018 - ...)	FREQ:50HZ A1
	1625 8614 04	1	CUBICLE	(11/07/2018 - ...)	FREQ:50HZ MSA
3010	• 1625 8614 01	1	CUBICLE DOOR		
3020	• 1625 8614 02	1	CUBICLE		
3040	• 1637 0000 72	1	DECAL BP		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9931 46	1	DECAL WARNING		
3140	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3150	• 1079 9901 68	1	WARNING LABEL		
3160	• 1079 9932 01	1	DECAL		

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MODEL:GA22P_18 - Model:GA 22+

FREQ:50HZ - Frequency:50 Hz
 MOVOL:400V - Supply voltage:400 V

MODEL:GA18P_18 - Model:GA 18+
 OEM:N - OEM:N




Ref	Part Number	Qty	Name	Validity	EL
3170	• 1079 9932 15	1	DECAL		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...) FREQ:50HZ	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MODEL:GA22P_18 - Model:GA 22+

FREQ:50HZ - Frequency:50 Hz
 MOVOL:400V - Supply voltage:400 V

MODEL:GA18P_18 - Model:GA 18+
 OEM:N - OEM:N




Ref	Part Number	Qty	Name	Validity	EL
	1900 2333 04	1	CUBILCE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...) FREQ:50HZ	SD
	9828 5323 20	-	ASSEMBLY DRAWING	(11/07/2018 - ...) FREQ:50HZ	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...) FREQ:50HZ	WH
	1625 2201 40	1	WIRE HARNESS	(11/07/2018 - ...) FREQ:50HZ	WH
	1625 3906 31	1	DATA LABEL	(11/07/2018 - ...) FREQ:50HZ	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:50HZ	
	~~1088 0031 81~~	1	END STOP BRACKET	(11/07/2018 - ...) FREQ:50HZ	
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 61	3	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	1X0
	1089 9366 22	3	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 60	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	1X3 motor
	1089 9427 63	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:50HZ	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...) FREQ:50HZ	
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9623 52	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K21
	1089 9623 52	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K23
	1089 9438 76	1	CONTACTOR -	(11/07/2018 - ...) FREQ:50HZ	K22
	1089 9205 16	1	OVERLOAD RELAY	(11/07/2018 - ...) FREQ:50HZ	F21
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K23
	1089 9514 60	1	TRANSFORMER	(11/07/2018 - ...) FREQ:50HZ	T1
	1089 9168 26	2	FUSE LINK	(11/07/2018 - ...) FREQ:50HZ	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...) FREQ:50HZ	F1-F2
	1625 4303 49	1	FUSE LABEL	(11/07/2018 - ...) FREQ:50HZ	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 66	1	OVERLOAD RELAY	(11/07/2018 - ...) FREQ:50HZ	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...) FREQ:50HZ	F15 support
	1089 9168 34	3	FUSE LINK 6A	(11/07/2018 - ...) FREQ:50HZ	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...) FREQ:50HZ	F10-F11-F12
	1625 4306 03	1	FUSE LABEL	(11/07/2018 - ...) FREQ:50HZ	F10-F11-F12
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...) FREQ:50HZ	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K5
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...) FREQ:50HZ	K25
	1089 9168 36	1	FUSE LINK	(11/07/2018 - ...) FREQ:50HZ	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...) FREQ:50HZ	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1x4:2 bottom / 1x4:12 top				
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1x4:2 bottom / 1x4:13 top				

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MODEL:GA30_18 - Model:GA 30

FREQ:50HZ - Frequency:50 Hz
 MOVOL:400V - Supply voltage:400 V

MODEL:GA26P_18 - Model:GA 26+
 OEM:N - OEM:N




Ref	Part Number	Qty	Name	Validity	EL
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR	(11/07/2018 - ...) FREQ:50HZ	1X5
	1088 0021 41	3	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:50HZ	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...) FREQ:50HZ	
	1088 0031 26	1	CONNECTOR	(11/07/2018 - ...) FREQ:50HZ	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...) FREQ:50HZ	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...) FREQ:50HZ	2X28
	1088 0031 81	2	END STOP BRACKET	(11/07/2018 - ...) FREQ:50HZ	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019) FREQ:50HZ	
	Electrical legend:	airinlet bottom			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019) FREQ:50HZ	
	Electrical legend:	airoutlet top			
2730	0697 9811 15	1	PLUG	(11/07/2018 - ...) FREQ:50HZ	M1 cable 2
2735	0989 3700 46	1	NUT	(11/07/2018 - ...) FREQ:50HZ	M1 cable 2
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019) FREQ:50HZ	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019) FREQ:50HZ	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...) FREQ:50HZ	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...) FREQ:50HZ	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...) FREQ:50HZ	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...) FREQ:50HZ	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...) FREQ:50HZ	PT20
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...) FREQ:50HZ	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...) FREQ:50HZ	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...) FREQ:50HZ	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...) FREQ:50HZ	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...) FREQ:50HZ	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...) FREQ:50HZ	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...) FREQ:50HZ	A1
	0698 5148 82	1	PLUG	(11/07/2018 - ...) FREQ:50HZ	A1
	1625 8614 04	1	CUBICLE	(11/07/2018 - ...) FREQ:50HZ	MSA
3010	• 1625 8614 01	1	CUBICLE DOOR		
3020	• 1625 8614 02	1	CUBICLE		
3040	• 1637 0000 72	1	DECAL BP		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9931 46	1	DECAL WARNING		
3140	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3150	• 1079 9901 68	1	WARNING LABEL		
3160	• 1079 9932 01	1	DECAL		

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MODEL:GA30_18 - Model:GA 30

FREQ:50HZ - Frequency:50 Hz
 MOVOL:400V - Supply voltage:400 V

MODEL:GA26P_18 - Model:GA 26+
 OEM:N - OEM:N




Ref	Part Number	Qty	Name	Validity	EL
3170	• 1079 9932 15	1	DECAL		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...) FREQ:50HZ	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MODEL:GA30_18 - Model:GA 30

FREQ:50HZ - Frequency:50 Hz
 MOVOL:400V - Supply voltage:400 V

MODEL:GA26P_18 - Model:GA 26+
 OEM:N - OEM:N




Ref	Part Number	Qty	Name	Validity	EL
	1900 2333 00	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY	(11/07/2018 - ...)	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 3906 31	1	CUBICLE DATALABEL	(11/07/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	1	END STOP BRACKET	(11/07/2018 - ...)	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 61	3	TERMINAL	(11/07/2018 - ...)	1X0
	1089 9366 22	3	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 60	1	TERMINAL	(11/07/2018 - ...)	1X3 motor
	1089 9427 63	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9623 53	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9623 53	1	CONTACTOR	(11/07/2018 - ...)	K23
	1089 9438 79	1	CONTACTOR	(11/07/2018 - ...)	K22
	1089 9205 16	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...)	K23
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1088 0061 65	1	END PLATE	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0061 63	6	TERMINAL BLOCK	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0040 30	1	END PLATE	(11/07/2018 - ...)	1X1:T4..T9
	1088 0061 14	3	TERMINAL	(11/07/2018 - ...)	1X1:T4..T9
	1089 9514 60	1	TRANSFORMER	(11/07/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK	(11/07/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(11/07/2018 - ...)	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 65	1	RELAY OVERLOAD	(11/07/2018 - ...)	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...)	F15 support
	1089 9168 85	3	FUSE	(11/07/2018 - ...)	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...)	F10-F11-F12
	1625 4306 02	1	FUSE LABEL	(11/07/2018 - ...)	F10-F11-F12
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...)	K25

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MOVOL:230V - Supply voltage:230 V

MODEL:GA11P_18 - Model:GA 11+
 OEM:N - OEM:N

MODEL:GA15P_18 - Model:GA 15+




Ref	Part Number	Qty	Name	Validity	EL
	1089 9168 36	1	FUSE LINK 1A	(11/07/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR	(11/07/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(11/07/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	TERMINAL	(11/07/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...)	
	1088 0031 26	1	CONNECTOR	(11/07/2018 - ...)	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...)	2X28
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airinlet bottom			
	1089 9556 93	1	CUBICLE FAN	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airoutlet top			
	0697 9809 20	3	LOCK NUT	(11/07/2018 - ...)	WH
2730	0697 9811 15	1	PLUG M40	(11/07/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT M40	(11/07/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG M16	(11/07/2018 - 04/03/2019)	ANTENNA
2745	0989 3700 42	1	NUT M16	(11/07/2018 - 04/03/2019)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...)	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...)	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...)	PT20
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...)	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...)	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...)	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...)	A1
	0698 5148 82	1	PLUG	(11/07/2018 - ...)	A1

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MOVOL:230V - Supply voltage:230 V

MODEL:GA11P_18 - Model:GA 11+
 OEM:N - OEM:N

MODEL:GA15P_18 - Model:GA 15+




Ref	Part Number	Qty	Name	Validity	EL
	1625 8614 04	1	CUBICLE	(11/07/2018 - ...)	MSA
3010	• 1625 8614 01	1	CUBICLE DOOR		
3020	• 1625 8614 02	1	CUBICLE		
3040	• 1637 0000 72	1	DECAL BP		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9931 46	1	DECAL WARNING		
3140	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3150	• 1079 9901 68	1	WARNING LABEL		
3160	• 1079 9932 01	1	DECAL		
3170	• 1079 9932 15	1	DECAL		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...)	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MOVOL:230V - Supply voltage:230 V

MODEL:GA11P_18 - Model:GA 11+
 OEM:N - OEM:N

MODEL:GA15P_18 - Model:GA 15+




Ref	Part Number	Qty	Name	Validity	EL
	1900 2333 01	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...)	SD
	9828 5323 20	-	ASSEMBLY DRAWING	(11/07/2018 - ...)	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS SENSORS	(11/07/2018 - ...)	WH
	1625 3906 31	1	CUBICLE DATALABEL	(11/07/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	1	END STOP BRACKET	(11/07/2018 - ...)	
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9366 72	3	TERMINAL	(11/07/2018 - ...)	1X0
	1089 9366 73	3	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 63	1	TERMINAL	(11/07/2018 - ...)	1X3 motor
	1088 0027 27	1	TERMINAL BLOCK	(11/07/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9321 74	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9321 74	1	CONTACTOR	(11/07/2018 - ...)	K23
	1089 9623 51	1	CONTACTOR	(11/07/2018 - ...)	K22
	1089 9205 17	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21
	1089 9205 19	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21: loose
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...)	K23
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1088 0061 65	1	END PLATE	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0061 63	6	TERMINAL BLOCK	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0040 30	1	END PLATE	(11/07/2018 - ...)	1X1:T4..T9
	1088 0061 14	3	TERMINAL	(11/07/2018 - ...)	1X1:T4..T9
	1089 9514 60	1	TRANSFORMER	(11/07/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK	(11/07/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(11/07/2018 - ...)	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 66	1	OVERLOAD RELAY	(11/07/2018 - ...)	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...)	F15 support
	1089 9168 34	3	FUSE LINK	(11/07/2018 - ...)	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...)	F10-F11-F12
	1625 4306 03	1	FUSE LABEL	(11/07/2018 - ...)	F10-F11-F12
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...)	K5

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MOVOL:230V - Supply voltage:230 V

MODEL:GA18P_18 - Model:GA 18+
 OEM:N - OEM:N

MODEL:GA22P_18 - Model:GA 22+




Ref	Part Number	Qty	Name	Validity	EL
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK	(11/07/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR	(11/07/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(11/07/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	TERMINAL	(11/07/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...)	
	1088 0031 26	1	CONNECTOR	(11/07/2018 - ...)	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...)	2X28
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airinlet bottom			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airoutlet top			
	0697 9809 20	3	LOCK NUT	(11/07/2018 - ...)	WH
2730	0697 9811 15	1	PLUG	(11/07/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(11/07/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019)	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...)	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...)	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...)	PT20
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...)	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...)	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...)	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...)	A1

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MOVOL:230V - Supply voltage:230 V

MODEL:GA18P_18 - Model:GA 18+
 OEM:N - OEM:N

MODEL:GA22P_18 - Model:GA 22+




Ref	Part Number	Qty	Name	Validity	EL
	0698 5148 82	1	PLUG	(11/07/2018 - ...)	A1
	1625 8614 04	1	CUBICLE	(11/07/2018 - ...)	MSA
3010	• 1625 8614 01	1	CUBICLE DOOR		
3020	• 1625 8614 02	1	CUBICLE		
3040	• 1637 0000 72	1	DECAL BP		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9931 46	1	DECAL WARNING		
3140	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3150	• 1079 9901 68	1	WARNING LABEL		
3160	• 1079 9932 01	1	DECAL		
3170	• 1079 9932 15	1	DECAL		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...)	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MOVOL:230V - Supply voltage:230 V

MODEL:GA18P_18 - Model:GA 18+
 OEM:N - OEM:N

MODEL:GA22P_18 - Model:GA 22+




Ref	Part Number	Qty	Name	Validity	EL
	1900 2333 02	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...)	SD
	9828 5323 20	-	ASSEMBLY DRAWING	(11/07/2018 - ...)	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 3906 31	1	DATA LABEL	(11/07/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	1	END STOP BRACKET	(11/07/2018 - ...)	
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9366 72	3	TERMINAL	(11/07/2018 - ...)	1X0
	1089 9366 73	3	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 63	1	TERMINAL	(11/07/2018 - ...)	1X3 motor
	1088 0027 27	1	TERMINAL BLOCK	(11/07/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9321 75	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9321 75	1	CONTACTOR	(11/07/2018 - ...)	K23
	1089 9623 52	1	CONTACTOR	(11/07/2018 - ...)	K22
	1089 9205 17	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21
	1089 9205 19	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21: loose
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...)	K23
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1088 0061 65	1	END PLATE	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0061 63	6	TERMINAL BLOCK	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0040 30	1	END PLATE	(11/07/2018 - ...)	1X1:T4..T9
	1088 0061 14	3	TERMINAL	(11/07/2018 - ...)	1X1:T4..T9
	1089 9514 60	1	TRANSFORMER	(11/07/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK 4A	(11/07/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(11/07/2018 - ...)	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 66	1	OVERLOAD RELAY	(11/07/2018 - ...)	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...)	F15 support
	1089 9168 34	3	FUSE LINK 6A	(11/07/2018 - ...)	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...)	F10-F11-F12
	1625 4306 03	1	FUSE LABEL	(11/07/2018 - ...)	F10-F11-F12
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...)	K15
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MOVOL:230V - Supply voltage:230 V

MODEL:GA26P_18 - Model:GA 26+
 OEM:N - OEM:N

MODEL:GA30_18 - Model:GA 30




Ref	Part Number	Qty	Name	Validity	EL
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(11/07/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR	(11/07/2018 - ...)	1X5
	1088 0038 25	3	TERMINAL	(11/07/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0038 66	1	END PLATE	(11/07/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...)	
	1088 0031 26	1	CONNECTOR 6-POLE	(11/07/2018 - ...)	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...)	2X28
	1088 0031 81	2	END STOP BRACKET 6MM	(11/07/2018 - ...)	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airinlet bottom			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airoutlet top			
	0697 9809 20	3	LOCK NUT	(11/07/2018 - ...)	WH
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019)	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...)	PT20
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCK NUT M20	(19/09/2018 - ...)	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT M12	(11/07/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...)	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...)	A1
	1625 8614 04	1	CUBICLE	(11/07/2018 - ...)	MSA
3010	• 1625 8614 01	1	CUBICLE DOOR		
3020	• 1625 8614 02	1	CUBICLE		
3040	• 1637 0000 72	1	DECAL BP		

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MOVOL:230V - Supply voltage:230 V

MODEL:GA26P_18 - Model:GA 26+
 OEM:N - OEM:N

MODEL:GA30_18 - Model:GA 30



20.27 - Nema 4x GA 26+, GA 30 - 230V IEC


CAPPRE:IEC + MOVOL:230V + OEM:N + (MODEL:GA26P_18 , MODEL:GA30_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9931 46	1	DECAL WARNING		
3140	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3150	• 1079 9901 68	1	WARNING LABEL		
3160	• 1079 9932 01	1	DECAL		
3170	• 1079 9932 15	1	DECAL		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...)	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:CAPPRE:IEC - Component approval electrical:IEC
MOVOL:230V - Supply voltage:230 VMODEL:GA26P_18 - Model:GA 26+
OEM:N - OEM:N

MODEL:GA30_18 - Model:GA 30





20.28 - Nema 4x GA 11+, GA15+ - 380V-460V/60Hz

FREQ:60HZ + OEM:N + (MODEL:GA11P_18, MODEL:GA15P_18) + (MOVOL:460V, CAPPRE:IEC + MOVOL:380V)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1900 2333 03	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY	(11/07/2018 - ...)	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 3906 31	1	CUBICLE DATALABEL	(11/07/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	1	END STOP BRACKET	(11/07/2018 - ...)	
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 58	3	TERMINAL	(11/07/2018 - ...)	1X0
	1089 9366 71	3	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 50	1	TERMINAL	(11/07/2018 - ...)	1X3 motor
	1089 9427 60	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9438 76	1	CONTACTOR -	(11/07/2018 - ...)	K21
	1089 9438 76	1	CONTACTOR -	(11/07/2018 - ...)	K23
	1089 9438 68	1	CONTACTOR	(11/07/2018 - ...)	K22
	1089 9267 79	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...)	K23
	1089 9514 59	1	TRANSFORMER	(11/07/2018 - ...)	T1
	1089 9168 24	2	FUSE LINK 2A	(11/07/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...)	F1-F2
	1625 4306 00	1	FUSE LABEL	(11/07/2018 - ...)	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 65	1	RELAY OVERLOAD	(11/07/2018 - ...)	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...)	F15 support
	1089 9168 85	3	FUSE	(11/07/2018 - ...)	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...)	F10-F11-F12
	1625 4306 02	1	FUSE LABEL	(11/07/2018 - ...)	F10-F11-F12
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(11/07/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:12 top				
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	

Legend:CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA15P_18 - Model:GA 15+
OEM:N - OEM:NFREQ:60HZ - Frequency:60 Hz
MOVOL:380V - Supply voltage:380 VMODEL:GA11P_18 - Model:GA 11+
MOVOL:460V - Supply voltage:460 V





20.28 - Nema 4x GA 11+, GA15+ - 380V-460V/60Hz

FREQ:60HZ + OEM:N + (MODEL:GA11P_18, MODEL:GA15P_18) + (MOVOL:460V, CAPPRE:IEC + MOVOL:380V)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR	(11/07/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(11/07/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	TERMINAL	(11/07/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...)	
	1088 0031 26	1	CONNECTOR	(11/07/2018 - ...)	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...)	2X28
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airinlet bottom			
	1089 9556 93	1	CUBICLE FAN	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airoutlet top			
	0697 9809 20	3	LOCK NUT	(11/07/2018 - ...)	WH
2730	0697 9811 15	1	PLUG	(11/07/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(11/07/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019)	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...)	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...)	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...)	PT20
	0698 5140 71	1	CABLE GLAND	(11/07/2018 - 18/09/2018)	FAN
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 20	1	LOCK NUT	(11/07/2018 - 18/09/2018)	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...)	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...)	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...)	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...)	A1
	0698 5148 82	1	PLUG	(11/07/2018 - ...)	A1
	1625 8614 04	1	CUBICLE	(11/07/2018 - ...)	MSA
3010	• 1625 8614 01	1	CUBICLE DOOR		
3020	• 1625 8614 02	1	CUBICLE		
3040	• 1637 0000 72	1	DECAL BP		
3120	• 1622 0000 20	2	DECAL SYMBOLS		

Legend:CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA15P_18 - Model:GA 15+
OEM:N - OEM:NFREQ:60HZ - Frequency:60 Hz
MOVOL:380V - Supply voltage:380 VMODEL:GA11P_18 - Model:GA 11+
MOVOL:460V - Supply voltage:460 V



20.28 - Nema 4x GA 11+, GA15+ - 380V-460V/60Hz

FREQ:60HZ + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
3130	• 1079 9931 46	1	DECAL WARNING		
3140	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3150	• 1079 9901 68	1	WARNING LABEL		
3160	• 1079 9932 01	1	DECAL		
3170	• 1079 9932 15	1	DECAL		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...)	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:

CAPPRE:IEC - Component approval electrical:IEC

MODEL:GA15P_18 - Model:GA 15+

OEM:N - OEM:N

FREQ:60HZ - Frequency:60 Hz


MOVOL:380V - Supply voltage:380 V

MODEL:GA11P_18 - Model:GA 11+

MOVOL:460V - Supply voltage:460 V

20.29 - Nema 4x GA 18+, GA12+, GA 26+, GA 30 - 380V-460V/60Hz

FREQ:60HZ + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)



20.29 - Nema 4x GA 18+, GA12+, GA 26+, GA 30 - 380V-460V/60Hz

FREQ:60HZ + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)


Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1900 2333 04	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY	(11/07/2018 - ...)	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 3906 31	1	DATA LABEL	(11/07/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	1	END STOP BRACKET	(11/07/2018 - ...)	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 61	3	TERMINAL	(11/07/2018 - ...)	1X0
	1089 9366 22	3	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 60	1	TERMINAL	(11/07/2018 - ...)	1X3 motor
	1089 9427 63	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9623 52	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9623 52	1	CONTACTOR	(11/07/2018 - ...)	K23
	1089 9438 76	1	CONTACTOR -	(11/07/2018 - ...)	K22
	1089 9205 16	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...)	K23
	1089 9514 60	1	TRANSFORMER	(11/07/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK	(11/07/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(11/07/2018 - ...)	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 66	1	OVERLOAD RELAY	(11/07/2018 - ...)	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...)	F15 support
	1089 9168 34	3	FUSE LINK	(11/07/2018 - ...)	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...)	F10-F11-F12
	1625 4306 03	1	FUSE LABEL	(11/07/2018 - ...)	F10-F11-F12
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(11/07/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:12 top				

Legend:CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA22P_18 - Model:GA 22+
MOVOL:380V - Supply voltage:380 VFREQ:60HZ - Frequency:60 Hz
MODEL:GA26P_18 - Model:GA 26+
MOVOL:460V - Supply voltage:460 VMODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
OEM:N - OEM:N

20.29 - Nema 4x GA 18+, GA12+, GA 26+, GA 30 - 380V-460V/60Hz

FREQ:60HZ + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)




20.29 - Nema 4x GA 18+, GA12+, GA 26+, GA 30 - 380V-460V/60Hz

FREQ:60HZ + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)


Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR	(11/07/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(11/07/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	TERMINAL	(11/07/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...)	
	1088 0031 26	1	CONNECTOR	(11/07/2018 - ...)	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...)	2X28
	1088 0031 81	2	END STOP BRACKET	(11/07/2018 - ...)	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airinlet bottom			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airoutlet top			
2730	0697 9811 15	1	PLUG	(11/07/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(11/07/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019)	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...)	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...)	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...)	PT20
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...)	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...)	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...)	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...)	A1
	0698 5148 82	1	PLUG	(11/07/2018 - ...)	A1
	1625 8614 04	1	CUBICLE	(11/07/2018 - ...)	MSA
3010	• 1625 8614 01	1	CUBICLE DOOR		
3020	• 1625 8614 02	1	CUBICLE		
3040	• 1637 0000 72	1	DECAL BP		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9931 46	1	DECAL WARNING		

Legend:CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA22P_18 - Model:GA 22+
MOVOL:380V - Supply voltage:380 VFREQ:60HZ - Frequency:60 Hz
MODEL:GA26P_18 - Model:GA 26+
MOVOL:460V - Supply voltage:460 VMODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
OEM:N - OEM:N

20.29 - Nema 4x GA 18+, GA12+, GA 26+, GA 30 - 380V-460V/60Hz

FREQ:60HZ + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)



20.29 - Nema 4x GA 18+, GA12+, GA 26+, GA 30 - 380V-460V/60Hz

FREQ:60HZ + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)


Ref	Part Number	Qty	Name	Validity	EL
3140	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3150	• 1079 9901 68	1	WARNING LABEL		
3160	• 1079 9932 01	1	DECAL		
3170	• 1079 9932 15	1	DECAL		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...)	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:380V - Supply voltage:380 V

FREQ:60HZ - Frequency:60 Hz
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:460V - Supply voltage:460 V

MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 OEM:N - OEM:N



20.30 - Nema 4x GA 11+, GA 15+ - 575V/60Hz UL-cUL

CAPPRE:ULCUL + MOVOL:575V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco


Ref	Part Number	Qty	Name	Validity	EL
	1900 2333 03	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...) FREQ:60HZ	SD
	9828 5323 20	-	CUBICLE ASSEMBLY	(11/07/2018 - ...) FREQ:60HZ	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...) FREQ:60HZ	WH
	1625 2201 40	1	WIRE HARNESS	(11/07/2018 - ...) FREQ:60HZ	WH
	1625 3906 31	1	CUBICLE DATALABEL	(11/07/2018 - ...) FREQ:60HZ	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:60HZ	
	~~1088 0031 81~~	1	END STOP BRACKET	(11/07/2018 - ...) FREQ:60HZ	
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 58	3	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	1X0
	1089 9366 71	3	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 50	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	1X3 motor
	1089 9427 60	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:60HZ	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...) FREQ:60HZ	
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9438 76	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K21
	1089 9438 76	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K23
	1089 9438 68	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K22
	1089 9267 79	1	OVERLOAD RELAY	(11/07/2018 - ...) FREQ:60HZ	F21
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K23
	1089 9514 59	1	TRANSFORMER	(11/07/2018 - ...) FREQ:60HZ	T1
	1089 9168 24	2	FUSE LINK 2A	(11/07/2018 - ...) FREQ:60HZ	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...) FREQ:60HZ	F1-F2
	1625 4306 00	1	FUSE LABEL	(11/07/2018 - ...) FREQ:60HZ	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 65	1	RELAY OVERLOAD	(11/07/2018 - ...) FREQ:60HZ	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...) FREQ:60HZ	F15 support
	1089 9168 85	3	FUSE	(11/07/2018 - ...) FREQ:60HZ	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...) FREQ:60HZ	F10-F11-F12
	1625 4306 02	1	FUSE LABEL	(11/07/2018 - ...) FREQ:60HZ	F10-F11-F12
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...) FREQ:60HZ	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K5
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...) FREQ:60HZ	K25
	1089 9168 36	1	FUSE LINK	(11/07/2018 - ...) FREQ:60HZ	F3 (UL)
	1089 0612 01	1	FUSE HOLDER 3NW7013	(11/07/2018 - ...) FREQ:60HZ	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: 1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: 1x4:2 bottom / 1x4:12 top				
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: 1x4:2 bottom / 1x4:13 top				


Legend:

CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA15P_18 - Model:GA 15+

FREQ:60HZ - Frequency:60 Hz
MOVOL:575V - Supply voltage:575 V

MODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N







20.30 - Nema 4x GA 11+, GA 15+ - 575V/60Hz UL-cUL

CAPPRE:ULCUL + MOVOL:575V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR	(11/07/2018 - ...) FREQ:60HZ	1X5
	1088 0021 41	3	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:60HZ	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...) FREQ:60HZ	
	1088 0031 26	1	CONNECTOR	(11/07/2018 - ...) FREQ:60HZ	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...) FREQ:60HZ	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...) FREQ:60HZ	2X28
	1088 0031 81	2	END STOP BRACKET 6MM	(11/07/2018 - ...) FREQ:60HZ	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019) FREQ:60HZ	
	Electrical legend:	airinlet bottom			
	1089 9556 93	1	CUBICLE FAN	(11/07/2018 - 04/03/2019) FREQ:60HZ	
	Electrical legend:	airoutlet top			
	0697 9809 20	3	LOCK NUT	(11/07/2018 - ...) FREQ:60HZ	WH
2730	0697 9811 15	1	PLUG	(11/07/2018 - ...) FREQ:60HZ	M1 cable 2
2735	0989 3700 46	1	NUT	(11/07/2018 - ...) FREQ:60HZ	M1 cable 2
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019) FREQ:60HZ	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019) FREQ:60HZ	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...) FREQ:60HZ	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...) FREQ:60HZ	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...) FREQ:60HZ	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...) FREQ:60HZ	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...) FREQ:60HZ	PT20
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...) FREQ:60HZ	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...) FREQ:60HZ	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...) FREQ:60HZ	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...) FREQ:60HZ	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...) FREQ:60HZ	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...) FREQ:60HZ	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...) FREQ:60HZ	A1
	0698 5148 82	1	PLUG	(11/07/2018 - ...) FREQ:60HZ	A1
	1625 8614 04	1	CUBICLE	(11/07/2018 - ...) FREQ:60HZ	MSA
3010	• 1625 8614 01	1	CUBICLE DOOR		
3020	• 1625 8614 02	1	CUBICLE		
3040	• 1637 0000 72	1	DECAL BP		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9931 46	1	DECAL WARNING		
3140	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3150	• 1079 9901 68	1	WARNING LABEL		

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA15P_18 - Model:GA 15+FREQ:60HZ - Frequency:60 Hz
MOVOL:575V - Supply voltage:575 VMODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N




20.30 - Nema 4x GA 11+, GA 15+ - 575V/60Hz UL-cUL

CAPPRE:ULCUL + MOVOL:575V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)



Ref	Part Number	Qty	Name	Validity	EL
3160	• 1079 9932 01	1	DECAL INSTRUCT.		
3170	• 1079 9932 15	1	DECAL INSTRUCT.		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...) FREQ:60HZ	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA15P_18 - Model:GA 15+FREQ:60HZ - Frequency:60 Hz
MOVOL:575V - Supply voltage:575 VMODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N




20.31 - Nema 4x GA 18+, GA 22+, GA 26+, GA 30 - 575V/60Hz UL-cUL

CAPPRE:ULCUL + MOVOL:575V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1900 2333 04	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...) FREQ:60HZ	SD
	9828 5323 20	-	CUBICLE ASSEMBLY	(11/07/2018 - ...) FREQ:60HZ	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...) FREQ:60HZ	WH
	1625 2201 40	1	WIRE HARNESS	(11/07/2018 - ...) FREQ:60HZ	WH
	1625 3906 31	1	CUBICLE DATALABEL	(11/07/2018 - ...) FREQ:60HZ	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:60HZ	
	1088 0031 81	1	END STOP BRACKET	(11/07/2018 - ...) FREQ:60HZ	
⚡ Substituted by:	1089 0577 82	END RETAINER (quantity: 1)			
	1089 9427 61	3	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	1X0
	1089 9366 22	3	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
Electrical legend:	1X0:L1-L3 (to 1X2)				
	1089 9427 60	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	1X3 motor
	1089 9427 63	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
Electrical legend:	1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:60HZ	
	1088 0031 81	2	END STOP BRACKET	(11/07/2018 - ...) FREQ:60HZ	
⚡ Substituted by:	1089 0577 82	END RETAINER (quantity: 1)			
	1089 9623 52	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K21
	1089 9623 52	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K23
	1089 9438 76	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K22
	1089 9205 16	1	OVERLOAD RELAY	(11/07/2018 - ...) FREQ:60HZ	F21
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K23
	1089 9514 60	1	TRANSFORMER	(11/07/2018 - ...) FREQ:60HZ	T1
	1089 9168 26	2	FUSE LINK 4A	(11/07/2018 - ...) FREQ:60HZ	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...) FREQ:60HZ	F1-F2
	1625 4303 49	1	FUSE LABEL	(11/07/2018 - ...) FREQ:60HZ	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
Electrical legend:	1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...) FREQ:60HZ	
Electrical legend:	1X1:Y (end plate)				
	1089 9267 66	1	OVERLOAD RELAY	(11/07/2018 - ...) FREQ:60HZ	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...) FREQ:60HZ	F15 support
	1089 9168 34	3	FUSE LINK 6A	(11/07/2018 - ...) FREQ:60HZ	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...) FREQ:60HZ	F10-F11-F12
	1625 4306 03	1	FUSE LABEL	(11/07/2018 - ...) FREQ:60HZ	F10-F11-F12
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...) FREQ:60HZ	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...) FREQ:60HZ	
Electrical legend:	S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...) FREQ:60HZ	
Electrical legend:	S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K5
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...) FREQ:60HZ	K25
	1089 9168 36	1	FUSE LINK 1A	(11/07/2018 - ...) FREQ:60HZ	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...) FREQ:60HZ	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
Electrical legend:	1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
Electrical legend:	1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
Electrical legend:	1x4:2 bottom / 1x4:12 top				

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA22P_18 - Model:GA 22+
MOVOL:575V - Supply voltage:575 VFREQ:60HZ - Frequency:60 Hz
MODEL:GA26P_18 - Model:GA 26+
OEM:N - OEM:NMODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30




20.31 - Nema 4x GA 18+, GA 22+, GA 26+, GA 30 - 575V/60Hz UL-cUL

CAPPRE:ULCUL + MOVOL:575V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(11/07/2018 - ...) FREQ:60HZ	1X5
	1088 0021 41	3	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:60HZ	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...) FREQ:60HZ	
	1088 0031 26	1	CONNECTOR 6-POLE	(11/07/2018 - ...) FREQ:60HZ	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...) FREQ:60HZ	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...) FREQ:60HZ	2X28
	1088 0031 81	2	END STOP BRACKET 6MM	(11/07/2018 - ...) FREQ:60HZ	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019) FREQ:60HZ	
	Electrical legend:	airinlet bottom			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019) FREQ:60HZ	
	Electrical legend:	airoutlet top			
2730	0697 9811 15	1	PLUG	(11/07/2018 - ...) FREQ:60HZ	M1 cable 2
2735	0989 3700 46	1	NUT	(11/07/2018 - ...) FREQ:60HZ	M1 cable 2
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019) FREQ:60HZ	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019) FREQ:60HZ	ANTENNA
2750	0698 5140 70	1	CABLE GLAND)	(11/07/2018 - ...) FREQ:60HZ	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...) FREQ:60HZ	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...) FREQ:60HZ	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...) FREQ:60HZ	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...) FREQ:60HZ	PT20
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...) FREQ:60HZ	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...) FREQ:60HZ	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...) FREQ:60HZ	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...) FREQ:60HZ	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...) FREQ:60HZ	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...) FREQ:60HZ	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...) FREQ:60HZ	A1
	0698 5148 82	1	PLUG	(11/07/2018 - ...) FREQ:60HZ	A1
	1625 8614 04	1	CUBICLE	(11/07/2018 - ...) FREQ:60HZ	MSA
3010	• 1625 8614 01	1	CUBICLE DOOR		
3020	• 1625 8614 02	1	CUBICLE		
3040	• 1637 0000 72	1	DECAL BP		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9931 46	1	DECAL WARNING		
3140	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA22P_18 - Model:GA 22+
MOVOL:575V - Supply voltage:575 VFREQ:60HZ - Frequency:60 Hz
MODEL:GA26P_18 - Model:GA 26+
OEM:N - OEM:NMODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30



20.31 - Nema 4x GA 18+, GA 22+, GA 26+, GA 30 - 575V/60Hz UL-cUL

CAPPRE:ULCUL + MOVOL:575V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
3150	• 1079 9901 68	1	WARNING LABEL		
3160	• 1079 9932 01	1	DECAL		
3170	• 1079 9932 15	1	DECAL		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...) FREQ:60HZ	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:

CAPPRE:ULCUL - Component approval electrical:UL/cUL

MODEL:GA22P_18 - Model:GA 22+

MOVOL:575V - Supply voltage:575 V


FREQ:60HZ - Frequency:60 Hz

MODEL:GA26P_18 - Model:GA 26+

OEM:N - OEM:N

MODEL:GA18P_18 - Model:GA 18+

MODEL:GA30_18 - Model:GA 30



20.32 - Nema 4x GA 11+, GA 15+ TRI UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1900 2333 00	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY	(11/07/2018 - ...)	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 3906 31	1	DATA LABEL	(11/07/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	1	END STOP BRACKET	(11/07/2018 - ...)	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 61	3	TERMINAL	(11/07/2018 - ...)	1X0
	1089 9366 22	3	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 60	1	TERMINAL	(11/07/2018 - ...)	1X3 motor
	1089 9427 63	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9623 53	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9623 53	1	CONTACTOR	(11/07/2018 - ...)	K23
	1089 9438 79	1	CONTACTOR -	(11/07/2018 - ...)	K22
	1089 9205 16	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...)	K23
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1088 0061 65	1	END PLATE	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0061 63	6	TERMINAL BLOCK	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0040 30	1	END PLATE	(11/07/2018 - ...)	1X1:T4..T9
	1088 0061 14	3	TERMINAL	(11/07/2018 - ...)	1X1:T4..T9
	1089 9514 60	1	TRANSFORMER	(11/07/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK 4A	(11/07/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(11/07/2018 - ...)	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 65	1	RELAY OVERLOAD	(11/07/2018 - ...)	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...)	F15 support
	1089 9168 85	3	FUSE	(11/07/2018 - ...)	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...)	F10-F11-F12
	1625 4306 02	1	FUSE LABEL	(11/07/2018 - ...)	F10-F11-F12
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...)	K25

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA15P_18 - Model:GA 15+FREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 VMODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

20.32 - Nema 4x GA 11+, GA 15+ TRI UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco


Ref	Part Number	Qty	Name	Validity	EL
	1089 9168 36	1	FUSE LINK 1A	(11/07/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR	(11/07/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(11/07/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	TERMINAL	(11/07/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...)	
	1088 0031 26	1	CONNECTOR	(11/07/2018 - ...)	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...)	2X28
	1088 0031 81	2	END STOP BRACKET	(11/07/2018 - ...)	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER 150X28	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airinlet bottom			
	1089 9556 93	1	CUBCILE FAN	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airoutlet top			
	0697 9809 20	3	LOCK NUT	(11/07/2018 - ...)	WH
2730	0697 9811 15	1	PLUG	(11/07/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(11/07/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019)	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...)	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...)	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...)	PT20
	0698 5140 71	1	CABLE GLAND	(11/07/2018 - 18/09/2018)	FAN
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 20	1	LOCK NUT	(11/07/2018 - 18/09/2018)	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...)	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...)	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...)	A1


Legend:

CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA15P_18 - Model:GA 15+

FREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 V

MODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N






20.32 - Nema 4x GA 11+, GA 15+ TRI UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...)	A1
	0698 5148 82	1	PLUG	(11/07/2018 - ...)	A1
	1625 8614 04	1	CUBICLE	(11/07/2018 - ...)	MSA
3010	• 1625 8614 01	1	CUBICLE DOOR		
3020	• 1625 8614 02	1	CUBICLE		
3040	• 1637 0000 72	1	DECAL BP		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9931 46	1	DECAL WARNING		
3140	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3150	• 1079 9901 68	1	WARNING LABEL		
3160	• 1079 9932 01	1	DECAL INSTRUCT.		
3170	• 1079 9932 15	1	DECAL INSTRUCT.		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...)	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA15P_18 - Model:GA 15+FREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 VMODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N




20.33 - Nema 4x GA 18+, GA 22+ TRI UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1900 2333 01	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY	(11/07/2018 - ...)	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 3906 31	1	DATA LABEL	(11/07/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	1	END STOP BRACKET	(11/07/2018 - ...)	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9366 72	3	TERMINAL	(11/07/2018 - ...)	1X0
	1089 9366 73	3	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 63	1	TERMINAL	(11/07/2018 - ...)	1X3 motor
	1088 0027 27	1	TERMINAL BLOCK	(11/07/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9321 74	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9321 74	1	CONTACTOR	(11/07/2018 - ...)	K23
	1089 9623 51	1	CONTACTOR	(11/07/2018 - ...)	K22
	1089 9205 17	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21
	1089 9205 19	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21: loose
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...)	K23
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(11/07/2018 - ...)	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1088 0061 65	1	END PLATE	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0061 63	6	TERMINAL BLOCK	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0040 30	1	END PLATE	(11/07/2018 - ...)	1X1:T4..T9
	1088 0061 14	3	TERMINAL	(11/07/2018 - ...)	1X1:T4..T9
	1089 9514 60	1	TRANSFORMER	(11/07/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK 4A	(11/07/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(11/07/2018 - ...)	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 66	1	OVERLOAD RELAY	(11/07/2018 - ...)	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...)	F15 support
	1089 9168 34	3	FUSE LINK 6A	(11/07/2018 - ...)	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...)	F10-F11-F12
	1625 4306 03	1	FUSE LABEL	(11/07/2018 - ...)	F10-F11-F12
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...)	K5

Legend:CAPPRE:ULCUL - Component approval electrical:UL/CUL
MODEL:GA22P_18 - Model:GA 22+FREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 VMODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N



20.33 - Nema 4x GA 18+, GA 22+ TRI UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(11/07/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR	(11/07/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(11/07/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	TERMINAL	(11/07/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...)	
	1088 0031 26	1	CONNECTOR	(11/07/2018 - ...)	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...)	2X28
	1088 0031 81	2	END STOP BRACKET	(11/07/2018 - ...)	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airinlet bottom			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airoutlet top			
	0697 9809 20	3	LOCK NUT	(11/07/2018 - ...)	WH
2730	0697 9811 15	1	PLUG	(11/07/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(11/07/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019)	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...)	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...)	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...)	PT20
	0698 5140 71	1	CABLE GLAND	(11/07/2018 - 18/09/2018)	FAN
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 20	1	LOCK NUT	(11/07/2018 - 18/09/2018)	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...)	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...)	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...)	TT90 (LAT)

Legend:


CAPPRE:ULCUL - Component approval electrical:UL/CUL
MODEL:GA22P_18 - Model:GA 22+

FREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 V

MODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N

20.33 - Nema 4x GA 18+, GA 22+ TRI UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)



20.33 - Nema 4x GA 18+, GA 22+ TRI UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)


Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...)	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...)	A1
	0698 5148 82	1	PLUG	(11/07/2018 - ...)	A1
	1625 8614 04	1	CUBICLE	(11/07/2018 - ...)	MSA
3010	• 1625 8614 01	1	CUBICLE DOOR		
3020	• 1625 8614 02	1	CUBICLE		
3040	• 1637 0000 72	1	DECAL BP		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9931 46	1	DECAL WARNING		
3140	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3150	• 1079 9901 68	1	WARNING LABEL		
3160	• 1079 9932 01	1	DECAL		
3170	• 1079 9932 15	1	DECAL		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...)	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA22P_18 - Model:GA 22+FREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 VMODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N

20.34 - Nema 4x GA 26+, GA 30 DUO & TRY UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + OEM:N + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + MOVOL:230_460_V)



20.34 - Nema 4x GA 26+, GA 30 DUO & TRY UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + OEM:N + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + MOVOL:230_460_V)


Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1900 2333 02	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY	(11/07/2018 - ...)	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 3906 31	1	CUBICLE DATA LABEL	(11/07/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	1	END STOP BRACKET	(11/07/2018 - ...)	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9366 72	3	TERMINAL	(11/07/2018 - ...)	1X0
	1089 9366 73	3	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 63	1	TERMINAL	(11/07/2018 - ...)	1X3 motor
	1088 0027 27	1	TERMINAL BLOCK	(11/07/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9321 75	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9321 75	1	CONTACTOR	(11/07/2018 - ...)	K23
	1089 9623 52	1	CONTACTOR	(11/07/2018 - ...)	K22
	1089 9205 17	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21
	1089 9205 19	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21: loose
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...)	K23
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1088 0061 65	1	END PLATE	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0061 63	6	TERMINAL BLOCK	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0040 30	1	END PLATE	(11/07/2018 - ...)	1X1:T4..T9
	1088 0061 14	3	TERMINAL	(11/07/2018 - ...)	1X1:T4..T9
	1089 9514 60	1	TRANSFORMER	(11/07/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK 4A	(11/07/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(11/07/2018 - ...)	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 66	1	OVERLOAD RELAY	(11/07/2018 - ...)	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...)	F15 support
	1089 9168 34	3	FUSE LINK 6A	(11/07/2018 - ...)	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...)	F10-F11-F12
	1625 4306 03	1	FUSE LABEL	(11/07/2018 - ...)	F10-F11-F12
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...)	K15
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				

Legend:CAPPRE:ULCUL - Component approval electrical:UL/CUL
MODEL:GA30_18 - Model:GA 30
OEM:N - OEM:NFREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 VMODEL:GA26P_18 - Model:GA 26+
MOVOL:230_460_V - Supply voltage:230-460 V

20.34 - Nema 4x GA 26+, GA 30 DUO & TRY UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + OEM:N + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + MOVOL:230_460_V)



20.34 - Nema 4x GA 26+, GA 30 DUO & TRY UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + OEM:N + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + MOVOL:230_460_V)

Atlas Copco


Ref	Part Number	Qty	Name	Validity	EL
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(11/07/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(11/07/2018 - ...)	1X5
	1088 0038 25	3	TERMINAL	(11/07/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0038 66	1	END PLATE	(11/07/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...)	
	1088 0031 26	1	CONNECTOR 6-POLE	(11/07/2018 - ...)	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...)	2X28
	1088 0031 81	2	END STOP BRACKET	(11/07/2018 - ...)	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airinlet bottom			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airoutlet top			
	0697 9809 20	3	LOCK NUT	(11/07/2018 - ...)	WH
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019)	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...)	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...)	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...)	PT20
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...)	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...)	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...)	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...)	A1

Legend:

CAPPRE:ULCUL - Component approval electrical:UL/CUL
MODEL:GA30_18 - Model:GA 30
OEM:N - OEM:N


FREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 V

MODEL:GA26P_18 - Model:GA 26+
MOVOL:230_460_V - Supply voltage:230-460 V



20.34 - Nema 4x GA 26+, GA 30 DUO & TRY UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + OEM:N + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + MOVOL:230_460_V)



20.34 - Nema 4x GA 26+, GA 30 DUO & TRY UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + OEM:N + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + MOVOL:230_460_V)

Atlas Copco


Ref	Part Number	Qty	Name	Validity	EL
	1625 8614 04	1	CUBICLE	(11/07/2018 - ...)	MSA
3010	• 1625 8614 01	1	CUBICLE DOOR		
3020	• 1625 8614 02	1	CUBICLE		
3040	• 1637 0000 72	1	DECAL BP		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9931 46	1	DECAL WARNING		
3140	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3150	• 1079 9901 68	1	WARNING LABEL		
3160	• 1079 9932 01	1	DECAL		
3170	• 1079 9932 15	1	DECAL		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...)	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 MODEL:GA30_18 - Model:GA 30
 OEM:N - OEM:N

FREQ:60HZ - Frequency:60 Hz
 MOVOL:200230460V - Supply voltage:200-230-460 V

MODEL:GA26P_18 - Model:GA 26+
 MOVOL:230_460_V - Supply voltage:230-460 V



20.35 - Nema 4x GA 30 - 200V/60Hz UL-cUL


CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA30_18 + MOVOL:200V + OEM:N

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1900 2333 02	1	CUBILCE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...)	SD
	9828 5323 20	0	CUBICLE ASSEMBLY	(11/07/2018 - ...)	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS SENSORS	(11/07/2018 - ...)	WH
	1625 3906 31	1	CUBICLE DATALABEL	(11/07/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	1	END STOP BRACKET 6MM	(11/07/2018 - ...)	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9366 72	3	TERMINAL	(11/07/2018 - ...)	1X0
	1089 9366 73	3	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 63	1	TERMINAL	(11/07/2018 - ...)	1X3 motor
	1088 0027 27	1	TERMINAL BLOCK	(11/07/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9321 75	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9321 75	1	CONTACTOR	(11/07/2018 - ...)	K23
	1089 9623 52	1	CONTACTOR	(11/07/2018 - ...)	K22
	1089 9205 17	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21
	1089 9205 19	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21: loose
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...)	K23
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1088 0061 65	1	END PLATE	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0061 63	6	TERMINAL BLOCK	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0040 30	1	END PLATE	(11/07/2018 - ...)	1X1:T4..T9
	1088 0061 14	3	TERMINAL	(11/07/2018 - ...)	1X1:T4..T9
	1089 9514 60	1	TRANSFORMER	(11/07/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK	(11/07/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(11/07/2018 - ...)	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 66	1	OVERLOAD RELAY	(11/07/2018 - ...)	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...)	F15 support
	1089 9168 34	3	FUSE LINK 6A	(11/07/2018 - ...)	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...)	F10-F11-F12
	1625 4306 03	1	FUSE LABEL	(11/07/2018 - ...)	F10-F11-F12
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...)	K15
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MOVOL:200V - Supply voltage:200 VFREQ:60HZ - Frequency:60 Hz
OEM:N - OEM:N

MODEL:GA30_18 - Model:GA 30



20.35 - Nema 4x GA 30 - 200V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA30_18 + MOVOL:200V + OEM:N


Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(11/07/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(11/07/2018 - ...)	1X5
	1088 0038 25	3	TERMINAL	(11/07/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0038 66	1	END PLATE	(11/07/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...)	
	1088 0031 26	1	CONNECTOR 6-POLE	(11/07/2018 - ...)	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...)	2X28
	1088-0031-81	2	END STOP BRACKET	(11/07/2018 - ...)	
	⚡ Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airinlet bottom			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airoutlet top			
	0697 9809 20	3	LOCK NUT	(11/07/2018 - ...)	WH
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019)	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...)	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...)	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...)	PT20
	0698 5140 71	1	CABLE GLAND	(11/07/2018 - 18/09/2018)	FAN
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 20	1	LOCK NUT	(11/07/2018 - 18/09/2018)	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...)	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...)	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...)	A1

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MOVOL:200V - Supply voltage:200 VFREQ:60HZ - Frequency:60 Hz
OEM:N - OEM:N

MODEL:GA30_18 - Model:GA 30






20.35 - Nema 4x GA 30 - 200V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA30_18 + MOVOL:200V + OEM:N

Ref	Part Number	Qty	Name	Validity	EL
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...)	A1
	0698 5148 82	1	PLUG	(11/07/2018 - ...)	A1
	1625 8614 04	1	CUBICLE	(11/07/2018 - ...)	MSA
3010	• 1625 8614 01	1	CUBICLE DOOR		
3020	• 1625 8614 02	1	CUBICLE		
3040	• 1637 0000 72	1	DECAL BP		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9931 46	1	DECAL WARNING		
3140	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3150	• 1079 9901 68	1	WARNING LABEL		
3160	• 1079 9932 01	1	DECAL		
3170	• 1079 9932 15	1	DECAL		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...)	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MOVOL:200V - Supply voltage:200 VFREQ:60HZ - Frequency:60 Hz
OEM:N - OEM:N

MODEL:GA30_18 - Model:GA 30



20.36 - Nema 4 G11+, GA 15+ - 400V IEC

CAPPRE:IEC + MOVOL:400V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco


Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 98	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...) FREQ:50HZ	SD
	9828 5323 20	-	CUBICLE ASSEMBLY	(11/07/2018 - ...) FREQ:50HZ	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...) FREQ:50HZ	WH
	1625 2201 40	1	WIRE HARNESS	(11/07/2018 - ...) FREQ:50HZ	WH
	1625 3906 31	1	DATA LABEL	(11/07/2018 - ...) FREQ:50HZ	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:50HZ	
	~~1088 0031 81~~	1	END STOP BRACKET	(11/07/2018 - ...) FREQ:50HZ	
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 58	3	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	1X0
	1089 9366 71	3	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 50	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	1X3 motor
	1089 9427 60	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:50HZ	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...) FREQ:50HZ	
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9438 76	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K21
	1089 9438 76	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K23
	1089 9438 68	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K22
	1089 9267 79	1	OVERLOAD RELAY	(11/07/2018 - ...) FREQ:50HZ	F21
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K23
	1089 9514 59	1	TRANSFORMER	(11/07/2018 - ...) FREQ:50HZ	T1
	1089 9168 24	2	FUSE LINK	(11/07/2018 - ...) FREQ:50HZ	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...) FREQ:50HZ	F1-F2
	1625 4306 00	1	FUSE LABEL	(11/07/2018 - ...) FREQ:50HZ	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 65	1	RELAY OVERLOAD	(11/07/2018 - ...) FREQ:50HZ	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...) FREQ:50HZ	F15 support
	1089 9168 85	3	FUSE	(11/07/2018 - ...) FREQ:50HZ	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...) FREQ:50HZ	F10-F11-F12
	1625 4306 02	1	FUSE LABEL	(11/07/2018 - ...) FREQ:50HZ	F10-F11-F12
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...) FREQ:50HZ	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K5
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...) FREQ:50HZ	K25
	1089 9168 36	1	FUSE LINK 1A	(11/07/2018 - ...) FREQ:50HZ	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...) FREQ:50HZ	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1x4:2 bottom / 1x4:12 top				
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1x4:2 bottom / 1x4:13 top				


Legend:

CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA15P_18 - Model:GA 15+

FREQ:50HZ - Frequency:50 Hz
MOVOL:400V - Supply voltage:400 V

MODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N






Ref	Part Number	Qty	Name	Validity	EL
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR	(11/07/2018 - ...) FREQ:50HZ	1X5
	1088 0021 41	3	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:50HZ	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...) FREQ:50HZ	
	1088 0031 26	1	CONNECTOR	(11/07/2018 - ...) FREQ:50HZ	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...) FREQ:50HZ	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...) FREQ:50HZ	2X28
	1088 0031 81	2	END STOP BRACKET	(11/07/2018 - ...) FREQ:50HZ	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019) FREQ:50HZ	
	Electrical legend:	airinlet bottom			
	1089 9556 93	1	CUBICLE FAN	(11/07/2018 - 04/03/2019) FREQ:50HZ	
	Electrical legend:	airoutlet top			
	0697 9809 20	3	LOCK NUT	(11/07/2018 - ...) FREQ:50HZ	WH
2730	0697 9811 15	1	PLUG	(11/07/2018 - ...) FREQ:50HZ	M1 cable 2
2735	0989 3700 46	1	NUT	(11/07/2018 - ...) FREQ:50HZ	M1 cable 2
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019) FREQ:50HZ	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019) FREQ:50HZ	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...) FREQ:50HZ	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...) FREQ:50HZ	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...) FREQ:50HZ	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...) FREQ:50HZ	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...) FREQ:50HZ	PT20
	0698 5140 71	1	CABLE GLAND	(11/07/2018 - 18/09/2018) FREQ:50HZ	FAN
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...) FREQ:50HZ	FAN
	0697 9809 20	1	LOCK NUT	(11/07/2018 - 18/09/2018) FREQ:50HZ	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...) FREQ:50HZ	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...) FREQ:50HZ	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...) FREQ:50HZ	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...) FREQ:50HZ	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...) FREQ:50HZ	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...) FREQ:50HZ	A1
	0698 5148 82	1	PLUG	(11/07/2018 - ...) FREQ:50HZ	A1
	1625 8614 07	1	CUBICLE NEMA4	(11/07/2018 - ...) FREQ:50HZ	MSA
3010	• 1625 8614 06	1	CUBICLE		
3050	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3060	• 1079 9932 01	1	DECAL		
3070	• 1079 9932 15	1	DECAL		
3090	• 1637 0000 72	1	DECAL BP		

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MODEL:GA15P_18 - Model:GA 15+

FREQ:50HZ - Frequency:50 Hz
 MOVOL:400V - Supply voltage:400 V

MODEL:GA11P_18 - Model:GA 11+
 OEM:N - OEM:N




20.36 - Nema 4 G11+, GA 15+ - 400V IEC

CAPPRE:IEC + MOVOL:400V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
3100	• 1079 9931 46	1	DECAL WARNING		
3110	• 1622 0000 20	2	DECAL SYMBOLS		
3120	• 1079 9901 68	1	WARNING LABEL		
3150	• 1625 8614 05	1	DOOR		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...) FREQ:50HZ	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA15P_18 - Model:GA 15+FREQ:50HZ - Frequency:50 Hz
MOVOL:400V - Supply voltage:400 VMODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N




Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 99	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...) FREQ:50HZ	SD
	9828 5323 20	-	CUBICLE ASSEMBLY	(11/07/2018 - ...) FREQ:50HZ	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...) FREQ:50HZ	WH
	1625 2201 40	1	WIRE HARNESS	(11/07/2018 - ...) FREQ:50HZ	WH
	1625 3906 31	1	CUBICLE DATALABEL	(11/07/2018 - ...) FREQ:50HZ	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:50HZ	
	~~1088 0031 81~~	1	END STOP BRACKET	(11/07/2018 - ...) FREQ:50HZ	
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 61	3	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	1X0
	1089 9366 22	3	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 60	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	1X3 motor
	1089 9427 63	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:50HZ	
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(11/07/2018 - ...) FREQ:50HZ	
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9623 52	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K21
	1089 9623 52	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K23
	1089 9438 76	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K22
	1089 9205 16	1	OVERLOAD RELAY	(11/07/2018 - ...) FREQ:50HZ	F21
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K23
	1089 9514 60	1	TRANSFORMER	(11/07/2018 - ...) FREQ:50HZ	T1
	1089 9168 26	2	FUSE LINK	(11/07/2018 - ...) FREQ:50HZ	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...) FREQ:50HZ	F1-F2
	1625 4303 49	1	FUSE LABEL	(11/07/2018 - ...) FREQ:50HZ	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 66	1	OVERLOAD RELAY	(11/07/2018 - ...) FREQ:50HZ	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...) FREQ:50HZ	F15 support
	1089 9168 34	3	FUSE LINK 6A	(11/07/2018 - ...) FREQ:50HZ	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...) FREQ:50HZ	F10-F11-F12
	1625 4306 03	1	FUSE LABEL	(11/07/2018 - ...) FREQ:50HZ	F10-F11-F12
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...) FREQ:50HZ	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K5
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...) FREQ:50HZ	K25
	1089 9168 36	1	FUSE LINK 1A	(11/07/2018 - ...) FREQ:50HZ	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...) FREQ:50HZ	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1x4:2 bottom / 1x4:12 top				
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1x4:2 bottom / 1x4:13 top				

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MODEL:GA22P_18 - Model:GA 22+

FREQ:50HZ - Frequency:50 Hz
 MOVOL:400V - Supply voltage:400 V

MODEL:GA18P_18 - Model:GA 18+
 OEM:N - OEM:N




Ref	Part Number	Qty	Name	Validity	EL
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	FREQ:50HZ
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	FREQ:50HZ
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	FREQ:50HZ
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	FREQ:50HZ
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	FREQ:50HZ
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	FREQ:50HZ
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(11/07/2018 - ...)	FREQ:50HZ 1X5
	1088 0021 41	3	TERMINAL	(11/07/2018 - ...)	FREQ:50HZ 1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	TERMINAL	(11/07/2018 - ...)	FREQ:50HZ 1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	FREQ:50HZ
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...)	FREQ:50HZ
	1088 0031 26	1	CONNECTOR 6-POLE	(11/07/2018 - ...)	FREQ:50HZ 2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...)	FREQ:50HZ 2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...)	FREQ:50HZ 2X28
	1088 0031 81	2	END STOP BRACKET 6MM	(11/07/2018 - ...)	FREQ:50HZ
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	FREQ:50HZ
	Electrical legend:	airinlet bottom			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	FREQ:50HZ
	Electrical legend:	airoutlet top			
2730	0697 9811 15	1	PLUG	(11/07/2018 - ...)	FREQ:50HZ M1 cable 2
2735	0989 3700 46	1	NUT	(11/07/2018 - ...)	FREQ:50HZ M1 cable 2
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019)	FREQ:50HZ ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019)	FREQ:50HZ ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	FREQ:50HZ TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...)	FREQ:50HZ TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...)	FREQ:50HZ PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...)	FREQ:50HZ PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...)	FREQ:50HZ PT20
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FREQ:50HZ FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...)	FREQ:50HZ FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	FREQ:50HZ TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...)	FREQ:50HZ TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...)	FREQ:50HZ TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...)	FREQ:50HZ A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...)	FREQ:50HZ A1
	0698 5148 82	1	PLUG	(11/07/2018 - ...)	FREQ:50HZ A1
	1625 8614 07	1	CUBICLE NEMA4	(11/07/2018 - ...)	FREQ:50HZ MSA
3010	• 1625 8614 06	1	CUBICLE		
3050	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3060	• 1079 9932 01	1	DECAL INSTRUCT.		
3070	• 1079 9932 15	1	DECAL INSTRUCT.		
3090	• 1637 0000 72	1	DECAL BP		
3100	• 1079 9931 46	1	DECAL WARNING		
3110	• 1622 0000 20	2	DECAL SYMBOLS		
3120	• 1079 9901 68	1	WARNING LABEL		

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MODEL:GA22P_18 - Model:GA 22+

FREQ:50HZ - Frequency:50 Hz
 MOVOL:400V - Supply voltage:400 V

MODEL:GA18P_18 - Model:GA 18+
 OEM:N - OEM:N




Ref	Part Number	Qty	Name	Validity	EL
3150	• 1625 8614 05	1	DOOR		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...) FREQ:50HZ	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MODEL:GA22P_18 - Model:GA 22+

FREQ:50HZ - Frequency:50 Hz
 MOVOL:400V - Supply voltage:400 V

MODEL:GA18P_18 - Model:GA 18+
 OEM:N - OEM:N




Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 99	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...) FREQ:50HZ	SD
	9828 5323 20	-	CUBICLE ASSEMBLY	(11/07/2018 - ...) FREQ:50HZ	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...) FREQ:50HZ	WH
	1625 2201 40	1	WIRE HARNESS SENSORS	(11/07/2018 - ...) FREQ:50HZ	WH
	1625 3906 31	1	DATA LABEL	(11/07/2018 - ...) FREQ:50HZ	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:50HZ	
	~~1088 0031 81~~	1	END STOP BRACKET	(11/07/2018 - ...) FREQ:50HZ	
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 61	3	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	1X0
	1089 9366 22	3	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 60	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	1X3 motor
	1089 9427 63	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:50HZ	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...) FREQ:50HZ	
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9623 52	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K21
	1089 9623 52	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K23
	1089 9438 76	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K22
	1089 9205 16	1	OVERLOAD RELAY	(11/07/2018 - ...) FREQ:50HZ	F21
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K23
	1089 9514 60	1	TRANSFORMER	(11/07/2018 - ...) FREQ:50HZ	T1
	1089 9168 26	2	FUSE LINK 4A	(11/07/2018 - ...) FREQ:50HZ	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...) FREQ:50HZ	F1-F2
	1625 4303 49	1	FUSE LABEL	(11/07/2018 - ...) FREQ:50HZ	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 66	1	OVERLOAD RELAY	(11/07/2018 - ...) FREQ:50HZ	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...) FREQ:50HZ	F15 support
	1089 9168 34	3	FUSE LINK 6A	(11/07/2018 - ...) FREQ:50HZ	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...) FREQ:50HZ	F10-F11-F12
	1625 4306 03	1	FUSE LABEL	(11/07/2018 - ...) FREQ:50HZ	F10-F11-F12
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...) FREQ:50HZ	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K5
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...) FREQ:50HZ	K25
	1089 9168 36	1	FUSE LINK 1A	(11/07/2018 - ...) FREQ:50HZ	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...) FREQ:50HZ	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1x4:2 bottom / 1x4:12 top				
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1x4:2 bottom / 1x4:13 top				

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MODEL:GA30_18 - Model:GA 30

FREQ:50HZ - Frequency:50 Hz
 MOVOL:400V - Supply voltage:400 V

MODEL:GA26P_18 - Model:GA 26+
 OEM:N - OEM:N




Ref	Part Number	Qty	Name	Validity	EL
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(11/07/2018 - ...) FREQ:50HZ	1X5
	1088 0021 41	3	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:50HZ	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...) FREQ:50HZ	
	1088 0031 26	1	CONNECTOR 6-POLE	(11/07/2018 - ...) FREQ:50HZ	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...) FREQ:50HZ	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...) FREQ:50HZ	2X28
	1088 0031 81	2	END STOP BRACKET	(11/07/2018 - ...) FREQ:50HZ	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019) FREQ:50HZ	
	Electrical legend:	airinlet bottom			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019) FREQ:50HZ	
	Electrical legend:	airoutlet top			
2730	0697 9811 15	1	PLUG	(11/07/2018 - ...) FREQ:50HZ	M1 cable 2
2735	0989 3700 46	1	NUT	(11/07/2018 - ...) FREQ:50HZ	M1 cable 2
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019) FREQ:50HZ	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019) FREQ:50HZ	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...) FREQ:50HZ	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...) FREQ:50HZ	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...) FREQ:50HZ	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...) FREQ:50HZ	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...) FREQ:50HZ	PT20
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...) FREQ:50HZ	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...) FREQ:50HZ	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...) FREQ:50HZ	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...) FREQ:50HZ	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...) FREQ:50HZ	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...) FREQ:50HZ	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...) FREQ:50HZ	A1
	0698 5148 82	1	PLUG	(11/07/2018 - ...) FREQ:50HZ	A1
	1625 8614 07	1	CUBICLE NEMA4	(11/07/2018 - ...) FREQ:50HZ	MSA
3010	• 1625 8614 06	1	CUBICLE		
3050	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3060	• 1079 9932 01	1	DECAL		
3070	• 1079 9932 15	1	DECAL		
3090	• 1637 0000 72	1	DECAL BP		
3100	• 1079 9931 46	1	DECAL WARNING		
3110	• 1622 0000 20	2	DECAL SYMBOLS		
3120	• 1079 9901 68	1	WARNING LABEL		

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MODEL:GA30_18 - Model:GA 30

FREQ:50HZ - Frequency:50 Hz
 MOVOL:400V - Supply voltage:400 V

MODEL:GA26P_18 - Model:GA 26+
 OEM:N - OEM:N




Ref	Part Number	Qty	Name	Validity	EL
3150	• 1625 8614 05	1	DOOR		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...) FREQ:50HZ	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MODEL:GA30_18 - Model:GA 30

FREQ:50HZ - Frequency:50 Hz
 MOVOL:400V - Supply voltage:400 V

MODEL:GA26P_18 - Model:GA 26+
 OEM:N - OEM:N



20.39 - Nema 4 GA 11+, GA 15+ -230V IEC


CAPPRE:IEC + MOVOL:230V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 95	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...)	SD
	9828 5323 20	0	CUBICLE ASSEMBLY	(11/07/2018 - ...)	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 3906 31	1	CUBICLE DATALABEL	(11/07/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	1	END STOP BRACKET	(11/07/2018 - ...)	
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 61	3	TERMINAL	(11/07/2018 - ...)	1X0
	1089 9366 22	3	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 60	1	TERMINAL	(11/07/2018 - ...)	1X3 motor
	1089 9427 63	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9623 53	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9623 53	1	CONTACTOR	(11/07/2018 - ...)	K23
	1089 9438 79	1	CONTACTOR	(11/07/2018 - ...)	K22
	1089 9205 16	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...)	K23
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1088 0061 65	1	END PLATE	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0061 63	6	TERMINAL BLOCK	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0040 30	1	END PLATE	(11/07/2018 - ...)	1X1:T4..T9
	1088 0061 14	3	TERMINAL	(11/07/2018 - ...)	1X1:T4..T9
	1089 9514 60	1	TRANSFORMER	(11/07/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK 4A	(11/07/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(11/07/2018 - ...)	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 65	1	RELAY OVERLOAD	(11/07/2018 - ...)	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...)	F15 support
	1089 9168 85	3	FUSE	(11/07/2018 - ...)	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...)	F10-F11-F12
	1625 4306 02	1	FUSE LABEL	(11/07/2018 - ...)	F10-F11-F12
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...)	K25

Legend:CAPPRE:IEC - Component approval electrical:IEC
MOVOL:230V - Supply voltage:230 VMODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

MODEL:GA15P_18 - Model:GA 15+



20.39 - Nema 4 GA 11+, GA 15+ -230V IEC

CAPPRE:IEC + MOVOL:230V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)


Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1089 9168 36	1	FUSE LINK 1A	(11/07/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR	(11/07/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(11/07/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	TERMINAL	(11/07/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...)	
	1088 0031 26	1	CONNECTOR 6-POLE	(11/07/2018 - ...)	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...)	2X28
	1088 0031 81	2	END STOP BRACKET	(11/07/2018 - ...)	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airinlet bottom			
	1089 9556 93	1	CUBCILE FAN	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airoutlet top			
	0697 9809 20	3	LOCK NUT	(11/07/2018 - ...)	WH
2730	0697 9811 15	1	PLUG	(11/07/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(11/07/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019)	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...)	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...)	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...)	PT20
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...)	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...)	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...)	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...)	A1
	0698 5148 82	1	PLUG	(11/07/2018 - ...)	A1

Legend:CAPPRE:IEC - Component approval electrical:IEC
MOVOL:230V - Supply voltage:230 VMODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

MODEL:GA15P_18 - Model:GA 15+





20.39 - Nema 4 GA 11+, GA 15+ -230V IEC


CAPPRE:IEC + MOVOL:230V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1625 8614 07	1	CUBICLE NEMA4	(11/07/2018 - ...)	MSA
3010	• 1625 8614 06	1	CUBICLE		
3050	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3060	• 1079 9932 01	1	DECAL		
3070	• 1079 9932 15	1	DECAL		
3090	• 1637 0000 72	1	DECAL BP		
3100	• 1079 9931 46	1	DECAL WARNING		
3110	• 1622 0000 20	2	DECAL SYMBOLS		
3120	• 1079 9901 68	1	WARNING LABEL		
3150	• 1625 8614 05	1	DOOR		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...)	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:CAPPRE:IEC - Component approval electrical:IEC
MOVOL:230V - Supply voltage:230 VMODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

MODEL:GA15P_18 - Model:GA 15+




Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 96	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...)	SD
	9828 5323 20	0	CUBICLE ASSEMBLY	(11/07/2018 - ...)	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 3906 31	1	DATALABEL	(11/07/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	1	END STOP BRACKET 6MM	(11/07/2018 - ...)	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9366 72	3	TERMINAL	(11/07/2018 - ...)	1X0
	1089 9366 73	3	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 63	1	TERMINAL	(11/07/2018 - ...)	1X3 motor
	1088 0027 27	1	TERMINAL BLOCK	(11/07/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(11/07/2018 - ...)	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9321 74	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9321 74	1	CONTACTOR	(11/07/2018 - ...)	K23
	1089 9623 51	1	CONTACTOR	(11/07/2018 - ...)	K22
	1089 9205 17	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21
	1089 9205 19	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21: loose
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...)	K23
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1088 0061 65	1	END PLATE	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0061 63	6	TERMINAL BLOCK	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0040 30	1	END PLATE	(11/07/2018 - ...)	1X1:T4..T9
	1088 0061 14	3	TERMINAL	(11/07/2018 - ...)	1X1:T4..T9
	1089 9514 60	1	TRANSFORMER	(11/07/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK 4A	(11/07/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(11/07/2018 - ...)	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 66	1	OVERLOAD RELAY	(11/07/2018 - ...)	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...)	F15 support
	1089 9168 34	3	FUSE LINK 6A	(11/07/2018 - ...)	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...)	F10-F11-F12
	1625 4306 03	1	FUSE LABEL	(11/07/2018 - ...)	F10-F11-F12
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...)	K5

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MOVOL:230V - Supply voltage:230 V

MODEL:GA18P_18 - Model:GA 18+
 OEM:N - OEM:N

MODEL:GA22P_18 - Model:GA 22+




Ref	Part Number	Qty	Name	Validity	EL
	1089 9461 07	1	PHASE SEQ RELAY 3X160/690V	(11/07/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(11/07/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(11/07/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(11/07/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	TERMINAL	(11/07/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...)	
	1088 0031 26	1	CONNECTOR 6-POLE	(11/07/2018 - ...)	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...)	2X28
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airinlet bottom			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airoutlet top			
	0697 9809 20	3	LOCK NUT	(11/07/2018 - ...)	WH
2730	0697 9811 15	1	PLUG	(11/07/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(11/07/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019)	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...)	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...)	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...)	PT20
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...)	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...)	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...)	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...)	A1

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MOVOL:230V - Supply voltage:230 V

MODEL:GA18P_18 - Model:GA 18+
 OEM:N - OEM:N

MODEL:GA22P_18 - Model:GA 22+




Ref	Part Number	Qty	Name	Validity	EL
	0698 5148 82	1	PLUG	(11/07/2018 - ...)	A1
	1625 8614 07	1	CUBICLE NEMA4	(11/07/2018 - ...)	MSA
3010	• 1625 8614 06	1	CUBICLE		
3050	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3060	• 1079 9932 01	1	DECAL		
3070	• 1079 9932 15	1	DECAL		
3090	• 1637 0000 72	1	DECAL BP		
3100	• 1079 9931 46	1	DECAL WARNING		
3110	• 1622 0000 20	2	DECAL SYMBOLS		
3120	• 1079 9901 68	1	WARNING LABEL		
3150	• 1625 8614 05	1	DOOR		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...)	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MOVOL:230V - Supply voltage:230 V

MODEL:GA18P_18 - Model:GA 18+
 OEM:N - OEM:N

MODEL:GA22P_18 - Model:GA 22+




Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 97	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...)	SD
	9828 5323 20	0	CUBICLE ASSEMBLY	(11/07/2018 - ...)	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 3906 31	1	CUBICLE DATALABEL	(11/07/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	1	END STOP BRACKET	(11/07/2018 - ...)	
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9366 72	3	TERMINAL	(11/07/2018 - ...)	1X0
	1089 9366 73	3	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 63	1	TERMINAL	(11/07/2018 - ...)	1X3 motor
	1088 0027 27	1	TERMINAL BLOCK	(11/07/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(11/07/2018 - ...)	
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9321 75	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9321 75	1	CONTACTOR	(11/07/2018 - ...)	K23
	1089 9623 52	1	CONTACTOR	(11/07/2018 - ...)	K22
	1089 9205 17	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21
	1089 9205 19	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21: loose
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...)	K23
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1088 0061 65	1	END PLATE	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0061 63	6	TERMINAL BLOCK	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0040 30	1	END PLATE	(11/07/2018 - ...)	1X1:T4..T9
	1088 0061 14	3	TERMINAL	(11/07/2018 - ...)	1X1:T4..T9
	1089 9514 60	1	TRANSFORMER	(11/07/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK 4A	(11/07/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(11/07/2018 - ...)	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 66	1	OVERLOAD RELAY	(11/07/2018 - ...)	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...)	F15 support
	1089 9168 34	3	FUSE LINK	(11/07/2018 - ...)	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...)	F10-F11-F12
	1625 4306 03	1	FUSE LABEL	(11/07/2018 - ...)	F10-F11-F12
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...)	K15
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MOVOL:230V - Supply voltage:230 V

MODEL:GA26P_18 - Model:GA 26+
 OEM:N - OEM:N

MODEL:GA30_18 - Model:GA 30




Ref	Part Number	Qty	Name	Validity	EL
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(11/07/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(11/07/2018 - ...)	1X5
	1088 0038 25	3	TERMINAL	(11/07/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0038 66	1	END PLATE	(11/07/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...)	
	1088 0031 26	1	CONNECTOR 6-POLE	(11/07/2018 - ...)	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...)	2X28
	1088 0031 81	2	END STOP BRACKET 6MM	(11/07/2018 - ...)	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airinlet bottom			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airoutlet top			
	0697 9809 20	3	LOCK NUT	(11/07/2018 - ...)	WH
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019)	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...)	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...)	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...)	PT20
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...)	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...)	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...)	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...)	A1
	0698 5148 82	1	PLUG	(11/07/2018 - ...)	A1

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MOVOL:230V - Supply voltage:230 V

MODEL:GA26P_18 - Model:GA 26+
 OEM:N - OEM:N

MODEL:GA30_18 - Model:GA 30



Ref	Part Number	Qty	Name	Validity	EL
	1625 8614 07	1	CUBICLE NEMA4	(11/07/2018 - ...)	MSA
3010	• 1625 8614 06	1	CUBICLE		
3050	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3060	• 1079 9932 01	1	DECAL INSTRUCT.		
3070	• 1079 9932 15	1	DECAL INSTRUCT.		
3090	• 1637 0000 72	1	DECAL BP		
3100	• 1079 9931 46	1	DECAL WARNING		
3110	• 1622 0000 20	2	DECAL SYMBOLS		
3120	• 1079 9901 68	1	WARNING LABEL		
3150	• 1625 8614 05	1	DOOR		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...)	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MOVOL:230V - Supply voltage:230 V

MODEL:GA26P_18 - Model:GA 26+
 OEM:N - OEM:N


MODEL:GA30_18 - Model:GA 30


20.42 - Nema 4 GA 11+, GA15+ -380-460V

FREQ:60HZ + OEM:N + (MODEL:GA11P_18, MODEL:GA15P_18) + (MOVOL:460V, CAPPRE:IEC + MOVOL:380V)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 98	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY	(11/07/2018 - ...)	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 3906 31	1	CUBICLE DATALABEL	(11/07/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	1	END STOP BRACKET	(11/07/2018 - ...)	
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 58	3	TERMINAL	(11/07/2018 - ...)	1X0
	1089 9366 71	3	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 50	1	TERMINAL	(11/07/2018 - ...)	1X3 motor
	1089 9427 60	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(11/07/2018 - ...)	
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9438 76	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9438 76	1	CONTACTOR	(11/07/2018 - ...)	K23
	1089 9438 68	1	CONTACTOR	(11/07/2018 - ...)	K22
	1089 9267 79	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...)	K23
	1089 9514 59	1	TRANSFORMER	(11/07/2018 - ...)	T1
	1089 9168 24	2	FUSE LINK 2A	(11/07/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...)	F1-F2
	1625 4306 00	1	FUSE LABEL	(11/07/2018 - ...)	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 65	1	RELAY OVERLOAD	(11/07/2018 - ...)	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...)	F15 support
	1089 9168 85	3	FUSE	(11/07/2018 - ...)	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...)	F10-F11-F12
	1625 4306 02	1	FUSE LABEL	(11/07/2018 - ...)	F10-F11-F12
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(11/07/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:12 top				
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	


Legend:CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA15P_18 - Model:GA 15+
OEM:N - OEM:NFREQ:60HZ - Frequency:60 Hz
MOVOL:380V - Supply voltage:380 VMODEL:GA11P_18 - Model:GA 11+
MOVOL:460V - Supply voltage:460 V




20.42 - Nema 4 GA 11+, GA15+ -380-460V

FREQ:60HZ + OEM:N + (MODEL:GA11P_18, MODEL:GA15P_18) + (MOVOL:460V, CAPPRE:IEC + MOVOL:380V)

Ref	Part Number	Qty	Name	Validity	EL
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(11/07/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(11/07/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	TERMINAL	(11/07/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...)	
	1088 0031 26	1	CONNECTOR 6-POLE	(11/07/2018 - ...)	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...)	2X28
	1088 0031 81	2	END STOP BRACKET	(11/07/2018 - ...)	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airinlet bottom			
	1089 9556 93	1	CUBICLE FAN	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airoutlet top			
	0697 9809 20	3	LOCK NUT	(11/07/2018 - ...)	WH
2730	0697 9811 15	1	PLUG	(11/07/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(11/07/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019)	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...)	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...)	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...)	PT20
	0698 5140 71	1	CABLE GLAND	(11/07/2018 - 18/09/2018)	FAN
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 20	1	LOCK NUT	(11/07/2018 - 18/09/2018)	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...)	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...)	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...)	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...)	A1
	0698 5148 82	1	PLUG	(11/07/2018 - ...)	A1
	1625 8614 07	1	CUBICLE NEMA4	(11/07/2018 - ...)	MSA
3010	• 1625 8614 06	1	CUBICLE		
3050	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3060	• 1079 9932 01	1	DECAL		
3070	• 1079 9932 15	1	DECAL		

Legend:CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA15P_18 - Model:GA 15+
OEM:N - OEM:NFREQ:60HZ - Frequency:60 Hz
MOVOL:380V - Supply voltage:380 VMODEL:GA11P_18 - Model:GA 11+
MOVOL:460V - Supply voltage:460 V



20.42 - Nema 4 GA 11+, GA15+ -380-460V

FREQ:60HZ + OEM:N + (MODEL:GA11P_18, MODEL:GA15P_18) + (MOVOL:460V, CAPPRE:IEC + MOVOL:380V)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
3090	• 1637 0000 72	1	DECAL BP		
3100	• 1079 9931 46	1	DECAL WARNING		
3110	• 1622 0000 20	2	DECAL SYMBOLS		
3120	• 1079 9901 68	1	WARNING LABEL		
3150	• 1625 8614 05	1	DOOR		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...)	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA15P_18 - Model:GA 15+
OEM:N - OEM:N

FREQ:60HZ - Frequency:60 Hz
MOVOL:380V - Supply voltage:380 V

MODEL:GA11P_18 - Model:GA 11+
MOVOL:460V - Supply voltage:460 V

20.43 - Nema 4 GA 18+, GA 22+, GA 26+, GA 30 - 380-460V

FREQ:60HZ + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)



20.43 - Nema 4 GA 18+, GA 22+, GA 26+, GA 30 - 380-460V


FREQ:60HZ + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 99	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY	(11/07/2018 - ...)	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS SENSORS	(11/07/2018 - ...)	WH
	1625 3906 31	1	CUBICLE DATALABEL	(11/07/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	1	END STOP BRACKET 6MM	(11/07/2018 - ...)	
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 61	3	TERMINAL	(11/07/2018 - ...)	1X0
	1089 9366 22	3	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 60	1	TERMINAL	(11/07/2018 - ...)	1X3 motor
	1089 9427 63	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9623 52	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9623 52	1	CONTACTOR	(11/07/2018 - ...)	K23
	1089 9438 76	1	CONTACTOR	(11/07/2018 - ...)	K22
	1089 9205 16	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...)	K23
	1089 9514 60	1	TRANSFORMER	(11/07/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK 4A	(11/07/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(11/07/2018 - ...)	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 66	1	OVERLOAD RELAY	(11/07/2018 - ...)	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...)	F15 support
	1089 9168 34	3	FUSE LINK 6A	(11/07/2018 - ...)	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...)	F10-F11-F12
	1625 4306 03	1	FUSE LABEL	(11/07/2018 - ...)	F10-F11-F12
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(11/07/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:12 top				

Legend:CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA22P_18 - Model:GA 22+
MOVOL:380V - Supply voltage:380 VFREQ:60HZ - Frequency:60 Hz
MODEL:GA26P_18 - Model:GA 26+
MOVOL:460V - Supply voltage:460 VMODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
OEM:N - OEM:N

20.43 - Nema 4 GA 18+, GA 22+, GA 26+, GA 30 - 380-460V

FREQ:60HZ + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)



20.43 - Nema 4 GA 18+, GA 22+, GA 26+, GA 30 - 380-460V


FREQ:60HZ + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)

Ref	Part Number	Qty	Name	Validity	EL
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(11/07/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(11/07/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	TERMINAL	(11/07/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...)	
	1088 0031 26	1	CONNECTOR 6-POLE	(11/07/2018 - ...)	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...)	2X28
	1088 0031 81	2	END STOP BRACKET	(11/07/2018 - ...)	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airinlet bottom			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airoutlet top			
2730	0697 9811 15	1	PLUG	(11/07/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(11/07/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019)	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...)	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...)	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...)	PT20
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...)	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...)	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...)	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...)	A1
	0698 5148 82	1	PLUG	(11/07/2018 - ...)	A1
	1625 8614 07	1	CUBICLE NEMA4	(11/07/2018 - ...)	MSA
3010	• 1625 8614 06	1	CUBICLE		
3050	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3060	• 1079 9932 01	1	DECAL INSTRUCT.		
3070	• 1079 9932 15	1	DECAL INSTRUCT.		
3090	• 1637 0000 72	1	DECAL BP		

Legend:CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA22P_18 - Model:GA 22+
MOVOL:380V - Supply voltage:380 VFREQ:60HZ - Frequency:60 Hz
MODEL:GA26P_18 - Model:GA 26+
MOVOL:460V - Supply voltage:460 VMODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
OEM:N - OEM:N

20.43 - Nema 4 GA 18+, GA 22+, GA 26+, GA 30 - 380-460V

FREQ:60HZ + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)




20.43 - Nema 4 GA 18+, GA 22+, GA 26+, GA 30 - 380-460V

FREQ:60HZ + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)



Ref	Part Number	Qty	Name	Validity	EL
3100	• 1079 9931 46	1	DECAL WARNING		
3110	• 1622 0000 20	2	DECAL SYMBOLS		
3120	• 1079 9901 68	1	WARNING LABEL		
3150	• 1625 8614 05	1	DOOR		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...)	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA22P_18 - Model:GA 22+
MOVOL:380V - Supply voltage:380 VFREQ:60HZ - Frequency:60 Hz
MODEL:GA26P_18 - Model:GA 26+
MOVOL:460V - Supply voltage:460 VMODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
OEM:N - OEM:N



20.44 - Nema 4 GA 11+, GA 15+ - 575V/60Hz UL-cUL

CAPPRE:ULCUL + MOVOL:575V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 98	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...) FREQ:60HZ	SD
	9828 5323 20	-	CUBICLE ASSEMBLY	(11/07/2018 - ...) FREQ:60HZ	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...) FREQ:60HZ	WH
	1625 2201 40	1	WIRE HARNESS SENSORS	(11/07/2018 - ...) FREQ:60HZ	WH
	1625 3906 31	1	CUBICLE DATALABEL	(11/07/2018 - ...) FREQ:60HZ	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:60HZ	
	~~1088 0031 81~~	1	END STOP BRACKET	(11/07/2018 - ...) FREQ:60HZ	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 58	3	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	1X0
	1089 9366 71	3	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 50	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	1X3 motor
	1089 9427 60	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:60HZ	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...) FREQ:60HZ	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9438 76	1	CONTACTOR -	(11/07/2018 - ...) FREQ:60HZ	K21
	1089 9438 76	1	CONTACTOR -	(11/07/2018 - ...) FREQ:60HZ	K23
	1089 9438 68	1	CONTACTOR -	(11/07/2018 - ...) FREQ:60HZ	K22
	1089 9267 79	1	OVERLOAD RELAY	(11/07/2018 - ...) FREQ:60HZ	F21
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K23
	1089 9514 59	1	TRANSFORMER	(11/07/2018 - ...) FREQ:60HZ	T1
	1089 9168 24	2	FUSE LINK 2A	(11/07/2018 - ...) FREQ:60HZ	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...) FREQ:60HZ	F1-F2
	1625 4306 00	1	FUSE LABEL	(11/07/2018 - ...) FREQ:60HZ	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 65	1	RELAY OVERLOAD	(11/07/2018 - ...) FREQ:60HZ	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...) FREQ:60HZ	F15 support
	1089 9168 85	3	FUSE	(11/07/2018 - ...) FREQ:60HZ	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...) FREQ:60HZ	F10-F11-F12
	1625 4306 02	1	FUSE LABEL	(11/07/2018 - ...) FREQ:60HZ	F10-F11-F12
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...) FREQ:60HZ	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K5
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...) FREQ:60HZ	K25
	1089 9168 36	1	FUSE LINK 1A	(11/07/2018 - ...) FREQ:60HZ	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...) FREQ:60HZ	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: 1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: 1x4:2 bottom / 1x4:12 top				
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: 1x4:2 bottom / 1x4:13 top				


Legend:

CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA15P_18 - Model:GA 15+

FREQ:60HZ - Frequency:60 Hz
MOVOL:575V - Supply voltage:575 V

MODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N





20.44 - Nema 4 GA 11+, GA 15+ - 575V/60Hz UL-cUL

CAPPRE:ULCUL + MOVOL:575V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco


Ref	Part Number	Qty	Name	Validity	EL
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(11/07/2018 - ...) FREQ:60HZ	1X5
	1088 0021 41	3	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:60HZ	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...) FREQ:60HZ	
	1088 0031 26	1	CONNECTOR 6-POLE	(11/07/2018 - ...) FREQ:60HZ	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...) FREQ:60HZ	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...) FREQ:60HZ	2X28
	1088 0031 81	2	END STOP BRACKET	(11/07/2018 - ...) FREQ:60HZ	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019) FREQ:60HZ	
	Electrical legend:	airinlet bottom			
	1089 9556 93	1	CUBICLE FAN	(11/07/2018 - 04/03/2019) FREQ:60HZ	
	Electrical legend:	airoutlet top			
	0697 9809 20	3	LOCK NUT	(11/07/2018 - ...) FREQ:60HZ	WH
2730	0697 9811 15	1	PLUG	(11/07/2018 - ...) FREQ:60HZ	M1 cable 2
2735	0989 3700 46	1	NUT	(11/07/2018 - ...) FREQ:60HZ	M1 cable 2
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019) FREQ:60HZ	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019) FREQ:60HZ	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...) FREQ:60HZ	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...) FREQ:60HZ	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...) FREQ:60HZ	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...) FREQ:60HZ	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...) FREQ:60HZ	PT20
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...) FREQ:60HZ	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...) FREQ:60HZ	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...) FREQ:60HZ	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...) FREQ:60HZ	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...) FREQ:60HZ	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...) FREQ:60HZ	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...) FREQ:60HZ	A1
	0698 5148 82	1	PLUG	(11/07/2018 - ...) FREQ:60HZ	A1
	1625 8614 07	1	CUBICLE NEMA4	(11/07/2018 - ...) FREQ:60HZ	MSA
3010	• 1625 8614 06	1	CUBICLE		
3050	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3060	• 1079 9932 01	1	DECAL		
3070	• 1079 9932 15	1	DECAL		
3090	• 1637 0000 72	1	DECAL BP		
3100	• 1079 9931 46	1	DECAL WARNING		
3110	• 1622 0000 20	2	DECAL SYMBOLS		


Legend:

CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA15P_18 - Model:GA 15+

FREQ:60HZ - Frequency:60 Hz
MOVOL:575V - Supply voltage:575 V

MODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N






20.44 - Nema 4 GA 11+, GA 15+ - 575V/60Hz UL-cUL

CAPPRE:ULCUL + MOVOL:575V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)



Ref	Part Number	Qty	Name	Validity	EL
3120	• 1079 9901 68	1	WARNING LABEL		
3150	• 1625 8614 05	1	DOOR		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...) FREQ:60HZ	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA15P_18 - Model:GA 15+FREQ:60HZ - Frequency:60 Hz
MOVOL:575V - Supply voltage:575 VMODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N



20.45 - Nema 4 GA 18+, GA 22+, GA 26+, GA 30 - 575V/60Hz UL-cUL

CAPPRE:ULCUL + MOVOL:575V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 99	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM 11+-30	(11/07/2018 - ...) FREQ:60HZ	SD
	9828 5323 20	0	CUBICLE ASSEMBLY	(11/07/2018 - ...) FREQ:60HZ	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...) FREQ:60HZ	WH
	1625 2201 40	1	WIRE HARNESS SENSORS 11+-30	(11/07/2018 - ...) FREQ:60HZ	WH
	1625 3906 31	1	CUBICLE DATALABEL UL/CUL	(11/07/2018 - ...) FREQ:60HZ	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:60HZ	
	1088-0031-81	1	END STOP BRACKET 6MM	(11/07/2018 - ...) FREQ:60HZ	
	⚡ Substituted by:	1089 0577 82	END RETAINER (quantity: 1)		
	1089 9427 61	3	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	1X0
	1089 9366 22	3	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1X0:L1-L3 (to 1X2)			
	1089 9427 60	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	1X3 motor
	1089 9427 63	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1X0:PE customer			
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:60HZ	
	1088-0031-81	2	END STOP BRACKET 6MM	(11/07/2018 - ...) FREQ:60HZ	
	⚡ Substituted by:	1089 0577 82	END RETAINER (quantity: 1)		
	1089 9623 52	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K21
	1089 9623 52	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K23
	1089 9438 76	1	CONTACTOR -	(11/07/2018 - ...) FREQ:60HZ	K22
	1089 9205 16	1	OVERLOAD RELAY	(11/07/2018 - ...) FREQ:60HZ	F21
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K23
	1089 9514 60	1	TRANSFORMER	(11/07/2018 - ...) FREQ:60HZ	T1
	1089 9168 26	2	FUSE LINK 4A	(11/07/2018 - ...) FREQ:60HZ	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...) FREQ:60HZ	F1-F2
	1625 4303 49	1	FUSE LABEL	(11/07/2018 - ...) FREQ:60HZ	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1X1:Y (terminal)			
	1089 9427 48	1	PLATE END	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1X1:Y (end plate)			
	1089 9267 66	1	OVERLOAD RELAY	(11/07/2018 - ...) FREQ:60HZ	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...) FREQ:60HZ	F15 support
	1089 9168 34	3	FUSE LINK 6A	(11/07/2018 - ...) FREQ:60HZ	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...) FREQ:60HZ	F10-F11-F12
	1625 4306 03	1	FUSE LABEL	(11/07/2018 - ...) FREQ:60HZ	F10-F11-F12
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...) FREQ:60HZ	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	S3 (contacts)			
	1089 9482 95	1	HOLDER	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	S3 (holder for contacts)			
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K5
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...) FREQ:60HZ	K25
	1089 9168 36	1	FUSE LINK 1A	(11/07/2018 - ...) FREQ:60HZ	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...) FREQ:60HZ	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			

Legend:

CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA22P_18 - Model:GA 22+
MOVOL:575V - Supply voltage:575 V

FREQ:60HZ - Frequency:60 Hz
MODEL:GA26P_18 - Model:GA 26+
OEM:N - OEM:N

MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30


20.45 - Nema 4 GA 18+, GA 22+, GA 26+, GA 30 - 575V/60Hz UL-cUL

CAPPRE:ULCUL + MOVOL:575V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(11/07/2018 - ...) FREQ:60HZ	1X5
	1088 0021 41	3	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:60HZ	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...) FREQ:60HZ	
	1088 0031 26	1	CONNECTOR 6-POLE	(11/07/2018 - ...) FREQ:60HZ	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...) FREQ:60HZ	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...) FREQ:60HZ	2X28
	1088 0031 81	2	END STOP BRACKET 6MM	(11/07/2018 - ...) FREQ:60HZ	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019) FREQ:60HZ	
	Electrical legend:	airinlet bottom			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019) FREQ:60HZ	
	Electrical legend:	airoutlet top			
2730	0697 9811 15	1	PLUG	(11/07/2018 - ...) FREQ:60HZ + (MODEL:GA18P_18 , MODEL:GA22P_18)	M1 cable 2
2735	0989 3700 46	1	NUT	(11/07/2018 - ...) FREQ:60HZ + (MODEL:GA18P_18 , MODEL:GA22P_18)	M1 cable 2
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019) FREQ:60HZ + (MODEL:GA18P_18 , MODEL:GA22P_18)	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019) FREQ:60HZ + (MODEL:GA18P_18 , MODEL:GA22P_18)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...) FREQ:60HZ + (MODEL:GA18P_18 , MODEL:GA22P_18)	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...) FREQ:60HZ + (MODEL:GA18P_18 , MODEL:GA22P_18)	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...) FREQ:60HZ + (MODEL:GA18P_18 , MODEL:GA22P_18)	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...) FREQ:60HZ + (MODEL:GA18P_18 , MODEL:GA22P_18)	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...) FREQ:60HZ + (MODEL:GA18P_18 , MODEL:GA22P_18)	PT20
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...) FREQ:60HZ + (MODEL:GA18P_18 , MODEL:GA22P_18)	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...) FREQ:60HZ + (MODEL:GA18P_18 , MODEL:GA22P_18)	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...) FREQ:60HZ + (MODEL:GA18P_18 , MODEL:GA22P_18)	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...) FREQ:60HZ + (MODEL:GA18P_18 , MODEL:GA22P_18)	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...) FREQ:60HZ + (MODEL:GA18P_18 , MODEL:GA22P_18)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...) FREQ:60HZ + (MODEL:GA18P_18 , MODEL:GA22P_18)	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...) FREQ:60HZ + (MODEL:GA18P_18 , MODEL:GA22P_18)	A1
	0698 5148 82	1	PLUG	(11/07/2018 - ...) FREQ:60HZ + (MODEL:GA18P_18 , MODEL:GA22P_18)	A1

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA22P_18 - Model:GA 22+
MOVOL:575V - Supply voltage:575 VFREQ:60HZ - Frequency:60 Hz
MODEL:GA26P_18 - Model:GA 26+
OEM:N - OEM:NMODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30



Ref	Part Number	Qty	Name	Validity	EL
	1625 8614 07	1	CUBICLE NEMA4	(11/07/2018 - ...) FREQ:60HZ	MSA
3010	• 1625 8614 06	1	CUBICLE		
3050	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3060	• 1079 9932 01	1	DECAL		
3070	• 1079 9932 15	1	DECAL		
3090	• 1637 0000 72	1	DECAL BP		
3100	• 1079 9931 46	1	DECAL WARNING		
3110	• 1622 0000 20	2	DECAL SYMBOLS		
3120	• 1079 9901 68	1	WARNING LABEL		
3150	• 1625 8614 05	1	DOOR		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...) FREQ:60HZ	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:


CAPPRE:ULCUL - Component approval electrical:UL/cUL
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:575V - Supply voltage:575 V

FREQ:60HZ - Frequency:60 Hz
 MODEL:GA26P_18 - Model:GA 26+
 OEM:N - OEM:N

MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30

20.46 - Nema 4 GA 11+, GA 15+ TRI UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)



20.46 - Nema 4 GA 11+, GA 15+ TRI UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)


Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 95	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY	(11/07/2018 - ...)	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS SENSORS	(11/07/2018 - ...)	WH
	1625 3906 31	1	CUBICLE DATALABEL	(11/07/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	1	END STOP BRACKET 6MM	(11/07/2018 - ...)	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 61	3	TERMINAL	(11/07/2018 - ...)	1X0
	1089 9366 22	3	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 60	1	TERMINAL	(11/07/2018 - ...)	1X3 motor
	1089 9427 63	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(11/07/2018 - ...)	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9623 53	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9623 53	1	CONTACTOR	(11/07/2018 - ...)	K23
	1089 9438 79	1	CONTACTOR -	(11/07/2018 - ...)	K22
	1089 9205 16	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...)	K23
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(11/07/2018 - ...)	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1088 0061 65	1	END PLATE	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0061 63	6	TERMINAL BLOCK	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0040 30	1	END PLATE	(11/07/2018 - ...)	1X1:T4..T9
	1088 0061 14	3	TERMINAL	(11/07/2018 - ...)	1X1:T4..T9
	1089 9514 60	1	TRANSFORMER	(11/07/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK 4A	(11/07/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(11/07/2018 - ...)	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 65	1	RELAY OVERLOAD	(11/07/2018 - ...)	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...)	F15 support
	1089 9168 85	3	FUSE	(11/07/2018 - ...)	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...)	F10-F11-F12
	1625 4306 02	1	FUSE LABEL	(11/07/2018 - ...)	F10-F11-F12
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...)	K25

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA15P_18 - Model:GA 15+FREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 VMODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

20.46 - Nema 4 GA 11+, GA 15+ TRI UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)




20.46 - Nema 4 GA 11+, GA 15+ TRI UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)


Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1089 9168 36	1	FUSE LINK 1A	(11/07/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(11/07/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(11/07/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	TERMINAL	(11/07/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...)	
	1088 0031 26	1	CONNECTOR 6-POLE	(11/07/2018 - ...)	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...)	2X28
	1088 0031 81	2	END STOP BRACKET 6MM	(11/07/2018 - ...)	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airinlet bottom			
	1089 9556 93	1	CUBCILE FAN	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airoutlet top			
	0697 9809 20	3	LOCK NUT	(11/07/2018 - ...)	WH
2730	0697 9811 15	1	PLUG	(11/07/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(11/07/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019)	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...)	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...)	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...)	PT20
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...)	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...)	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...)	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...)	A1
	0698 5148 82	1	PLUG	(11/07/2018 - ...)	A1

Legend:CAPPRE:ULCUL - Component approval electrical:UL/CUL
MODEL:GA15P_18 - Model:GA 15+FREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 VMODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

20.46 - Nema 4 GA 11+, GA 15+ TRI UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)




20.46 - Nema 4 GA 11+, GA 15+ TRI UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1625 8614 07	1	CUBICLE NEMA4	(11/07/2018 - ...)	MSA
3010	• 1625 8614 06	1	CUBICLE		
3050	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3060	• 1079 9932 01	1	DECAL		
3070	• 1079 9932 15	1	DECAL		
3090	• 1637 0000 72	1	DECAL BP		
3100	• 1079 9931 46	1	DECAL WARNING		
3110	• 1622 0000 20	2	DECAL SYMBOLS		
3120	• 1079 9901 68	1	WARNING LABEL		
3150	• 1625 8614 05	1	DOOR		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...)	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA15P_18 - Model:GA 15+FREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 VMODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N




20.47 - Nema 4 GA 18+, GA 22+ TRI UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 96	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...)	SD
	9828 5323 20	0	CUBICLE ASSEMBLY	(11/07/2018 - ...)	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS SENSORS	(11/07/2018 - ...)	WH
	1625 3906 31	1	CUBICLE DATALABEL	(11/07/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	1	END STOP BRACKET	(11/07/2018 - ...)	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9366 72	3	TERMINAL	(11/07/2018 - ...)	1X0
	1089 9366 73	3	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 63	1	TERMINAL	(11/07/2018 - ...)	1X3 motor
	1088 0027 27	1	TERMINAL BLOCK	(11/07/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(11/07/2018 - ...)	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9321 74	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9321 74	1	CONTACTOR	(11/07/2018 - ...)	K23
	1089 9623 51	1	CONTACTOR	(11/07/2018 - ...)	K22
	1089 9205 17	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21
	1089 9205 19	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21: loose
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...)	K23
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(11/07/2018 - ...)	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1088 0061 65	1	END PLATE	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0061 63	6	TERMINAL BLOCK	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0040 30	1	END PLATE	(11/07/2018 - ...)	1X1:T4..T9
	1088 0061 14	3	TERMINAL	(11/07/2018 - ...)	1X1:T4..T9
	1089 9514 60	1	TRANSFORMER	(11/07/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK 4A	(11/07/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(11/07/2018 - ...)	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 66	1	OVERLOAD RELAY	(11/07/2018 - ...)	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...)	F15 support
	1089 9168 34	3	FUSE LINK 6A	(11/07/2018 - ...)	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...)	F10-F11-F12
	1625 4306 03	1	FUSE LABEL	(11/07/2018 - ...)	F10-F11-F12
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...)	K5

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA22P_18 - Model:GA 22+FREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 VMODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N




20.47 - Nema 4 GA 18+, GA 22+ TRI UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(11/07/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(11/07/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(11/07/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	TERMINAL	(11/07/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...)	
	1088 0031 26	1	CONNECTOR 6-POLE	(11/07/2018 - ...)	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...)	2X28
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(11/07/2018 - ...)	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airinlet bottom			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airoutlet top			
	0697 9809 20	3	LOCK NUT	(11/07/2018 - ...)	WH
2730	0697 9811 15	1	PLUG	(11/07/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(11/07/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019)	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...)	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...)	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...)	PT20
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...)	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...)	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...)	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...)	A1

Legend:CAPPRE:ULCUL - Component approval electrical:UL/CUL
MODEL:GA22P_18 - Model:GA 22+FREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 VMODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N




20.47 - Nema 4 GA 18+, GA 22+ TRI UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	0698 5148 82	1	PLUG	(11/07/2018 - ...)	A1
	1625 8614 07	1	CUBICLE NEMA4	(11/07/2018 - ...)	MSA
3010	• 1625 8614 06	1	CUBICLE		
3050	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3060	• 1079 9932 01	1	DECAL		
3070	• 1079 9932 15	1	DECAL		
3090	• 1637 0000 72	1	DECAL BP		
3100	• 1079 9931 46	1	DECAL WARNING		
3110	• 1622 0000 20	2	DECAL SYMBOLS		
3120	• 1079 9901 68	1	WARNING LABEL		
3150	• 1625 8614 05	1	DOOR		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...)	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA22P_18 - Model:GA 22+FREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 VMODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N





20.48 - Nema 4 GA 26+, GA 30 DUO & TRI UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + OEM:N + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + MOVOL:230_460_V)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1900233297	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY	(11/07/2018 - ...)	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS SENSORS	(11/07/2018 - ...)	WH
	1625 3906 31	1	CUBICLE DATALABEL	(11/07/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088-0031-81~~	1	END STOP BRACKET	(11/07/2018 - ...)	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9366 72	3	TERMINAL	(11/07/2018 - ...)	1X0
	1089 9366 73	3	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 63	1	TERMINAL	(11/07/2018 - ...)	1X3 motor
	1088 0027 27	1	TERMINAL BLOCK	(11/07/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088-0031-81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9321 75	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9321 75	1	CONTACTOR	(11/07/2018 - ...)	K23
	1089 9623 52	1	CONTACTOR	(11/07/2018 - ...)	K22
	1089 9205 17	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21
	1089 9205 19	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21: loose
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...)	K23
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088-0031-81~~	2	END STOP BRACKET 6MM	(11/07/2018 - ...)	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1088 0061 65	1	END PLATE	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0061 63	6	TERMINAL BLOCK	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0040 30	1	END PLATE	(11/07/2018 - ...)	1X1:T4..T9
	1088 0061 14	3	TERMINAL	(11/07/2018 - ...)	1X1:T4..T9
	1089 9514 60	1	TRANSFORMER	(11/07/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK 4A	(11/07/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(11/07/2018 - ...)	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 66	1	OVERLOAD RELAY	(11/07/2018 - ...)	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...)	F15 support
	1089 9168 34	3	FUSE LINK 6A	(11/07/2018 - ...)	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...)	F10-F11-F12
	1625 4306 03	1	FUSE LABEL	(11/07/2018 - ...)	F10-F11-F12
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...)	K15
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA30_18 - Model:GA 30
OEM:N - OEM:NFREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 VMODEL:GA26P_18 - Model:GA 26+
MOVOL:230_460_V - Supply voltage:230-460 V





20.48 - Nema 4 GA 26+, GA 30 DUO & TRI UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + OEM:N + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + MOVOL:230_460_V)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(11/07/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(11/07/2018 - ...)	1X5
	1088 0038 25	3	TERMINAL	(11/07/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0038 66	1	END PLATE	(11/07/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...)	
	1088 0031 26	1	CONNECTOR 6-POLE	(11/07/2018 - ...)	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...)	2X28
	1088 0031 81	2	END STOP BRACKET	(11/07/2018 - ...)	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airinlet bottom			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airoutlet top			
	0697 9809 20	3	LOCK NUT	(11/07/2018 - ...)	WH
2740	0697 9811 11	1	PLUG M16	(11/07/2018 - 04/03/2019)	ANTENNA
2745	0989 3700 42	1	NUT M16	(11/07/2018 - 04/03/2019)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT01
	0697 9810 32	1	PLUG M12	(11/07/2018 - ...)	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...)	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...)	PT20
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCK NUT M20	(19/09/2018 - ...)	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...)	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...)	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...)	A1

Legend:CAPPRE:ULCUL - Component approval electrical:UL/CUL
MODEL:GA30_18 - Model:GA 30
OEM:N - OEM:NFREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 VMODEL:GA26P_18 - Model:GA 26+
MOVOL:230_460_V - Supply voltage:230-460 V



20.48 - Nema 4 GA 26+, GA 30 DUO & TRI UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + OEM:N + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + MOVOL:230_460_V)

Atlas Copco


Ref	Part Number	Qty	Name	Validity	EL
	0698 5148 82	1	PLUG	(11/07/2018 - ...)	A1
	1625 8614 07	1	CUBICLE NEMA4	(11/07/2018 - ...)	MSA
3010	• 1625 8614 06	1	CUBICLE		
3050	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3060	• 1079 9932 01	1	DECAL INSTRUCT.		
3070	• 1079 9932 15	1	DECAL INSTRUCT.		
3090	• 1637 0000 72	1	DECAL BP		
3100	• 1079 9931 46	1	DECAL WARNING		
3110	• 1622 0000 20	2	DECAL SYMBOLS		
3120	• 1079 9901 68	1	WARNING LABEL		
3150	• 1625 8614 05	1	DOOR		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...)	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 MODEL:GA30_18 - Model:GA 30
 OEM:N - OEM:N

FREQ:60HZ - Frequency:60 Hz
 MOVOL:200230460V - Supply voltage:200-230-460 V

MODEL:GA26P_18 - Model:GA 26+
 MOVOL:230_460_V - Supply voltage:230-460 V



20.49 - Nema 4 GA 30 - 200V/60Hz UL-cUL

CAPPRE:ULCUL + MODEL:GA30_18 + MOVOL:200V + OEM:N

Atlas Copco


Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 97	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...) FREQ:60HZ	SD
	9828 5323 20	-	CUBICLE ASSEMBLY	(11/07/2018 - ...) FREQ:60HZ	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...) FREQ:60HZ	WH
	1625 2201 40	1	WIRE HARNESS	(11/07/2018 - ...) FREQ:60HZ	WH
	1625 3906 31	1	CUBICLE DATALABEL	(11/07/2018 - ...) FREQ:60HZ	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:60HZ	
	~~1088 0031 81~~	1	END STOP BRACKET 6MM	(11/07/2018 - ...) FREQ:60HZ	
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9366 72	3	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	1X0
	1089 9366 73	3	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 63	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	1X3 motor
	1088 0027 27	1	TERMINAL BLOCK	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:60HZ	
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(11/07/2018 - ...) FREQ:60HZ	
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9321 75	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K21
	1089 9321 75	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K23
	1089 9623 52	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K22
	1089 9205 17	1	OVERLOAD RELAY	(11/07/2018 - ...) FREQ:60HZ	F21
	1089 9205 19	1	OVERLOAD RELAY	(11/07/2018 - ...) FREQ:60HZ	F21: loose
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K23
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:60HZ	
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(11/07/2018 - ...) FREQ:60HZ	
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1088 0061 65	1	END PLATE	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0061 63	6	TERMINAL BLOCK	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0040 30	1	END PLATE	(11/07/2018 - ...) FREQ:60HZ	1X1:T4..T9
	1088 0061 14	3	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	1X1:T4..T9
	1089 9514 60	1	TRANSFORMER	(11/07/2018 - ...) FREQ:60HZ	T1
	1089 9168 26	2	FUSE LINK 4A	(11/07/2018 - ...) FREQ:60HZ	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...) FREQ:60HZ	F1-F2
	1625 4303 49	1	FUSE LABEL	(11/07/2018 - ...) FREQ:60HZ	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 66	1	OVERLOAD RELAY	(11/07/2018 - ...) FREQ:60HZ	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...) FREQ:60HZ	F15 support
	1089 9168 34	3	FUSE LINK 6A	(11/07/2018 - ...) FREQ:60HZ	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...) FREQ:60HZ	F10-F11-F12
	1625 4306 03	1	FUSE LABEL	(11/07/2018 - ...) FREQ:60HZ	F10-F11-F12
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K15
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...) FREQ:60HZ	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: S3 (holder for contacts)				

Legend:

CAPPRE:ULCUL - Component approval electrical:UL/cUL
MOVOL:200V - Supply voltage:200 V

FREQ:60HZ - Frequency:60 Hz
OEM:N - OEM:N

MODEL:GA30_18 - Model:GA 30



20.49 - Nema 4 GA 30 - 200V/60Hz UL-cUL


CAPPRE:ULCUL + MODEL:GA30_18 + MOVOL:200V + OEM:N


Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K5
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...) FREQ:60HZ	K25
	1089 9168 36	1	FUSE LINK 1A	(11/07/2018 - ...) FREQ:60HZ	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...) FREQ:60HZ	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:		1x4:3 bottom / 1x4:4 top		
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:		1x4:2 bottom / 1x4:5 top		
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:		1x4:2 bottom / 1x4:12 top		
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:		1x4:2 bottom / 1x4:13 top		
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:		1x4:2 bottom / 1x4:14 top		
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:		1x4:2 bottom / 1x4:15 top		
	1088 0039 95	1	PLATE	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:		1X4 (end plate)		
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:		1x4:46 bottom / 1x4:47 top		
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:		1X6:120 / 1x6:121		
	1088 0039 95	1	PLATE	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:		1X6 (end plate)		
	1088 0037 30	1	CONNECTOR 2-POLE	(11/07/2018 - ...) FREQ:60HZ	1X5
	1088 0038 25	3	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	1X2:L1-L2-L3
	Electrical legend:		1X2:L1-L2-L3		
	1088 0038 66	1	END PLATE	(11/07/2018 - ...) FREQ:60HZ	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:60HZ	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...) FREQ:60HZ	
	1088 0031 26	1	CONNECTOR 6-POLE	(11/07/2018 - ...) FREQ:60HZ	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...) FREQ:60HZ	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...) FREQ:60HZ	2X28
	1088 0031 81	2	END STOP BRACKET	(11/07/2018 - ...) FREQ:60HZ	
	Substituted by:		1089 0577 82 - END RETAINER (quantity: 1)		
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019) FREQ:60HZ	
	Electrical legend:		airinlet bottom		
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019) FREQ:60HZ	
	Electrical legend:		airoutlet top		
	0697 9809 20	3	LOCK NUT	(11/07/2018 - ...) FREQ:60HZ	WH
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019) FREQ:60HZ	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019) FREQ:60HZ	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...) FREQ:60HZ	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...) FREQ:60HZ	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...) FREQ:60HZ	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...) FREQ:60HZ	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...) FREQ:60HZ	PT20
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...) FREQ:60HZ	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...) FREQ:60HZ	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...) FREQ:60HZ	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...) FREQ:60HZ	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...) FREQ:60HZ	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...) FREQ:60HZ	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...) FREQ:60HZ	A1
	0698 5148 82	1	PLUG	(11/07/2018 - ...) FREQ:60HZ	A1

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MOVOL:200V - Supply voltage:200 VFREQ:60HZ - Frequency:60 Hz
OEM:N - OEM:N

MODEL:GA30_18 - Model:GA 30





20.49 - Nema 4 GA 30 - 200V/60Hz UL-cUL


CAPPRE:ULCUL + MODEL:GA30_18 + MOVOL:200V + OEM:N

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1625 8614 07	1	CUBICLE NEMA4	(11/07/2018 - ...) FREQ:60HZ	MSA
3010	• 1625 8614 06	1	CUBICLE		
3050	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3060	• 1079 9932 01	1	DECAL		
3070	• 1079 9932 15	1	DECAL		
3090	• 1637 0000 72	1	DECAL BP		
3100	• 1079 9931 46	1	DECAL WARNING		
3110	• 1622 0000 20	2	DECAL SYMBOLS		
3120	• 1079 9901 68	1	WARNING LABEL		
3150	• 1625 8614 05	1	DOOR		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...) FREQ:60HZ	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MOVOL:200V - Supply voltage:200 VFREQ:60HZ - Frequency:60 Hz
OEM:N - OEM:N

MODEL:GA30_18 - Model:GA 30



Ref	Part Number	Qty	Name	Validity
1010	1900 5204 00	1	MK5S TOUCH CONTROLLER	(01/11/2018 - ...) AIRRECMOU:N + CAPPRE:IEC + COOL:AIR + DESIGNYEAR:2018 + ELEMENTFAM:OIS + MODEL:GA30_18 + OEM:N + OILTYP:RIF + PHASE:3PH + PRCMP:API + REGUL:MK5S_SWIPE + SALESPOWER:30KW + STTYPE:YD + (CAPPRM:ASME + FREQ:60HZ + (MOVOL:230V , MOVOL:380V , MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , FREQ:50HZ + (CAPPRM:CE + (MOVOL:230V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))

Legend:

AIRRECMOU:N - Air receiver mounted:Floor mounted
 CAPPRM:ASME - Component approval mechanical:ASME
 COOL:AIR - Cooling:Air cooled
 FREQ:50HZ - Frequency:50 Hz
 MODEL:GA30_18 - Model:GA 30
 MOVOL:400V - Supply voltage:400 V
 OEM:N - OEM:N
 PRCMP:API - Product company:API
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar
 REGUL:MK5S_SWIPE - Regulation:MK5 Swipe

CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:CE - Component approval mechanical:CE
 DESIGNYEAR:2018 - Year of Design:2018
 FREQ:60HZ - Frequency:60 Hz
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N
 OILTYP:RIF - Oil type:Roto inject fluid oil
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar
 SALESPOWER:30KW - Commercial Power:30 kW

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
 ELEMENTFAM:OIS - Element Family:Oil Injected Screw
 IDRY:Y - Integrated dryer:Yes
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V
 PHASE:3PH - Number of phases:3 phase
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar
 STTYPE:YD - Starter type:Star/Delta (Y/D)



+7(916) 033-41-41

apsair@apsair.ru

apsair.ru